This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



100725-14/Kreisler 1094-KGB 010293us/JH/ml

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS

GERT HOBOM ET AL.

SERIAL NO.

10/073,377

FILED

February 8, 2002

FOR

INFLUENZA VIRUSES WITH ENHANCED

TRANSCRIPTIONAL AND REPLICATIONAL

CAPACITIES

ART UNIT

To Be Assigned

EXAMINER

To Be Assigned

September 4, 2002

Hon. Commissioner of Patents Washington, D.C. 20231

TRANSMITTAL OF PRIORITY DOCUMENT

SIR:

Appended hereto is a certified copy of Priority Document EP 01103060.8 filed February 9, 2001.

Applicant requests that this document be made of record in the above identified application.

Respectfully submitted,

NORRIS, McLAUGHLIN & MARCUS, P.A.

By Howard C. Lee Howard C. Lee, Reg. No. 48,104

For Kurt G. Briscoe, Reg. No. 33,141

220 East 42nd Street - 30th Floor New York, New York 10017

Tel.: (212) 808-0700

CERTIFICATE OF MAILING

I hereby certify that the foregoing Transmittal of Priority Document is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Hon. Commissioner of Patents, Washington, D.C. 20231, on the date indicated below:

Date: 4 September 2002 By Howard C. Lee



Europäisches **Patentamt**

European **Patent Office**

Office européen des brevets



Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application conformes à la version described on the following page, as originally filed.

Les documents fixés à cette attestation sont initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr.

Patent application No. Demande de brevet nº

01103060.8

Der Präsident des Europäischen Patentamts; Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets

R C van Dijk

DEN HAAG, DEN THE HAGUE, LA HAYE, LE

05/03/02



Eur päisches Patentamt

European Patent Office

Office eur péen des brevets

Blatt 2 der Bescheinigung Sheet 2 of the certificate Page 2 de l'attestation

Anmeldung Nr.: Application no.: Demande n°:

01103060.8

Anmeldetag: Date of filing: Date de dépôt:

09/02/01

Anmelder: Applicant(s): Demandeur(s): Methesys GmbH

51105 Köln GERMANY

Bezeichnung der Erfindung: Title of the invention: Titre de l'invention:

Influenza viruses with enhanced transcriptional and replicational capacities

In Anspruch genommene Prioriät(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:

Tag: Date: Aktenzeichen:

State: Pays:

Date:

Numéro de dépôt:

Internationale Patentklassifikation: International Patent classification: Classification internationale des brevets:

C12N7/00, C12N15/86, C07K14/11, A61K35/76, A61K39/145

Am Anmeldetag benannte Vertragstaaten: Contracting states designated at date of filing: Etats contractants désignés lors du depôt:

AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE/TR

Bemerkungen: Remarks: Remarques:

EPO - Munich 63 0 9. Feb. 2001

JH/ml 003143ep

Influenza Viruses with Enhanced Transcriptional and Replicational Capacities

1

The present invention provides human influenza viruses comprising an RNA-sequence encoding a modified RNA-polymerase, a process for the preparation thereof, pharmaceutical compositions comprising said human influenza viruses and their use for gene transfer into mammalian cells, for *ex vivo* gene transfer into antigen-presenting cells, such as dendritic cells, for *in vivo* somatic gene therapy, or *in vivo* vaccination purposes. The invention also relates to other non-avian influenza viruses, including equine, porcine (swine) influenza viruses.

Background of the Invention

The RNA-dependent RNA-polymerase of the influenza virus, which is comprised of three viral polymerase (P) subunits, PB1, PB2 and PA, catalyses the synthesis of both viral mRNA (transcription) as well as complementary RNA and progeny viral RNA (replication) in infected cells (Lamb R.A., Krug R.M. Fields Virology 3: pp 1353-1445 (1996)). In the virion the enzyme is found tightly associated at each of the eight different species of viral RNAs (vRNAs) with their 5' and 3' ends, which in combination constitute the promoter structure, while all other parts of the vRNA molecules are covered by a large number of influenza nuclear protein (NP) molecules, one per 27 nucleotides in average (Ortin J. et al., Options for the Control of Influenza IV; Osterhaus A., ed. in print (2000)), altogether described as the viral RNP complexes. Upon infection the vRNPs are released from the virion and transferred into the nucleus of the infected cell, where viral mRNA synthesis is initiated by the promoterassociated enzyme according to the cap-snatching scheme, i.e. employing primer oligonucleotides that are derived from cellular mRNAs or hnRNAs by endonucleolytic cleavage (Krug R.M. et al., The Influenza Viruses, Plenum Press, New York, NY, pp. 1-87 (1989)). While during progression

of mRNA synthesis along the vRNA template molecule its 3'end looses contact to viral polymerase, the enzyme maintains its tight association with the 5'vRNA end throughout the entire first and all consecutive rounds of transcription. Synthesis of mRNA molecules is terminated via poly-adenylation at a 5'promoter sequence-adjacent series of 5 or 6 uridine template residues, i.e. the very 5'-terminal sequence covered by the enzyme is not transcribed into viral mRNA.

The conformation of the vRNA promoter sequence in its association with viral polymerase has been demonstrated by reverse genetic analysis to "corkscrew" structure, with exposed single-stranded constitute tetranucleotide sequences supported by two intra-strand basepairs in both the 5'and 3'branches of the promoter sequence. In the course of that analysis also several promoter-up variants of the terminal vRNA sequence have been described, mainly through base-pair exchanges involving positions 3 and 8 from the 3'end, and positions 3 and 8 from the 5'end (Neumann G., Hobom G., J. Gen Virol. 76 (<pt 7):1709-17 (1995); Flick R. et al., RNA, 2(10):1046-57 (1996); Flick R., Hobom G., J. Gen Virol. 80(Pt 10):2565-72 (1999); WO96/10641). With typical increases in reporter gene or other foreign gene expression of up to 20 times the wildtype promoter yields, such influenza virus vectors range also four- to fivefold above the expression level achieved with plasmid DNAs under control of the standard cytomegalovirus early promoter (p_{CMV}).

However, there are two limitations to this effect: 1.) That gain of 20 times the wildtype promoter level in expression efficiency is true for inserts up to 1500 nucleotides in size under control of influenza promoter-up variants, while further increases in insert size up to 3000 nucleotides will steadily reduce that gain in promoter efficiency, and only low expression rates have been achieved with inserts 4000 nucleotides in length (M. Azzeh, G. Hobom, unpublished). 2.) Such increased expression rates have only been obtained as long as avian influenza virus (fowl plague viruses, FPV: H7N7) or rather viral polymerases derived from FPVs were used

together with promoter-up sequence variants; no such effect has been seen with other influenza viral strains tested: WSN (H1N1); Asia (H2N2) or Victoria (H3N2) (Hoffmann E., Hobom G., unpublished data).

Thus, what is needed for an application of those biotechnologically valuable increased expression rates exerted upon foreign genes in human cells or organs is a transfer of the FPV Bratislava polymerase properties in recognizing such promoter sequence variations into the respective polymerase coding sequences of other influenza viruses, able to replicate efficiently in human tissue. In addition, the use of H1N1 (WSN; PR/8) or H3N2 (Victoria or other) viral variants instead of FPV, if possible would constitute a gain in biological safety. Due to the amino acid sequence of H1 and H3 hemagglutinin-carrying viruses these become activated for infection only through cleavage by a narrow spectrum of proteases, as opposed to hemagglutinin H7 which becomes activated also through cleavage by a number of additional, ubiquitous proteolytic enzymes.

Summary of the Invention

It was found that specific modifications of the RNA sequence within the respective viruses which code for the RNA-polymerase, in particular for the PB1 subunit thereof – so as to code for a polypeptide chain having a higher similarity with FPV Bratislava RNA-polymerase – provides viruses capable of recognition of vRNA and cRNA promoter sequence variations (the so called promoter-up variants mentioned above) leading to an increase in transcription and/or replication initiation rates. The present invention thus provides

(1) a human influenza virus comprising an RNA-sequence encoding a modified RNA-polymerase which differs from the wild-type RNA-polymerase of said human influenza virus in that at least one of the amino acid residue(s) distinguishing the wild-type RNA-polymerase of said human influenza virus from FPV Bratislava RNA-polymerase has been replaced with the respective amino acid residues of FPV Bratislava RNA-polymerase" are

hereinafter also shortly referred to as "FPV" and "FPV RNA-polymerase", respectively);

- (2) in a preferred embodiment of the influenza virus defined in (1) above, the modified RNA-polymerase is capable of recognition of segments with modified vRNA promoter sequences resulting in an enhanced rate of transcription and/or replication, relative to said wild-type influenza virus RNA-polymerase;
- (3) in a preferred embodiment of the influenza virus defined in (2) above, the influenza virus is suitable for high yielding expression of one or more foreign recombinant or altered viral proteins, preferably said influenza virus contains
- (i) one or more segment(s) with a foreign recombinant or altered viral gene sequence in addition to the RNA segments of the normal viral genome (additional segment) or partially replacing them (hereinafter replacing segment), whereby the additional segment(s) and replacing segment(s) comprise the foreign or altered gene encoding the protein to be expressed in monocistronic arrangement and have modified vRNA promoter sequences as defined in (2) above; and/or
- (ii) one or more bicistronic vRNA segment(s), preferably in ambisense or in tandem arrangement, whereby the bicistronic vRNA segment(s) has/have foreign gene(s) encoding the protein(s) to be expressed and being in covalent linkage with one of the authentic viral genes, preferably the neuraminidase gene, and has/have modified vRNA promoter sequences as defined in (2) above;
- (4) in a preferred embodiment of the influenza virus defined in (3) above, the influenza virus has at least one segment coding for one or more foreign (or altered proper) genes in monocistronic arrangement;
- (5) in a preferred embodiment of the influenza virus defined in (3) above, the influenza virus is genetically stable in the absence of any helper virus and comprises at least one viral RNA segment being an ambisense RNA molecule (hereinafter "ambisense RNA segment") and containing one of the standard viral genes in sense orientation and a foreign, recombinant

gene in anti-sense orientation, or *vice versa*, in overall convergent arrangement;

- (6) in a preferred embodiment of the influenza virus defined in (3) above, the influenza virus is genetically stable in the absence of any helper virus and comprises at least one viral RNA segment being a bicistronic RNA molecule coding for two genes in tandem arrangement (hereinafter "tandem RNA segment"), in said tandem RNA segment one of the standard viral genes being in covalent junction with a foreign, recombinant gene and said tandem RNA segment having an upstream splice donor and a downstream splice acceptor signal surrounding the proximal coding region;
- (7) a non-avian, non-human influenza virus, preferably an equine or a porcine influenza virus, comprising an RNA-sequence encoding a modified RNA-polymerase which differs from the wild-type RNA-polymerase of said non-avian, non-human influenza virus in that at least one of the amino acid residue(s) distinguishing the wild-type RNA-polymerase of said non-avian, non-human influenza virus from FPV Bratislava RNA-polymerase has been replaced with the corresponding amino acid residue(s) as present in FPV Bratislava RNA-polymerase, preferably said influenza virus is as defined in (2) to (6) above;
- (8) a process for preparing the influenza virus as defined in (1) to (7) above, which comprises replacing the RNA-sequence encoding the wild-type RNA-polymerase of said influenza virus with an RNA-sequence encoding the modified RNA-polymerase;
- (9) in a preferred embodiment of the process defined in (8) above, the process is suitable for preparing PB1-chimeric viruses as defined in (1) and (2) above as well as recombinant viruses as defined in (1) to (7) above said viruses being generated via cotransfection of up to eight cDNA plasmids containing the viral cDNAs, or chimeric (segment 2: PB1) and bicistronic recombinant (segment 6: NA/foreign gene) cDNA sequences instead, in such a way that they are transcribed *in vivo* by both RNA-

polymerase I and RNA-polymerase II and jointly give rise to progeny viruses according to the plasmid insert design;

- (10) a pharmaceutical composition comprising the influenza virus as defined in (1) to (7) above;
- (11) the use of the influenza virus as defined in (1) to (7) above for preparing an agent
- (i) for gene transfer into cells, preferably into mammalian cells, more preferably into human cells, by viral infection;
- (ii) for gene transfer into antigen-presenting cells and the use of the obtained product for ex vivo immunotherapy;
- (iii) for in vivo somatic gene therapy;
- (iv) for *in vivo* vaccination, including therapeutic and prophylactic vaccination;
- (v) for eliciting an immune response, including the induction of T-cell response;
- (vi) for treating a growing tumor or a chronic infectious disease;
- (12) a method for
- (i) gene transfer into cells, preferably into mammalian cells, more preferably into human cells, by viral infection;
- (ii) gene transfer into antigen-presenting cells and the use of the obtained product for *ex vivo* immunotherapy;
- (iii) in vivo somatic gene therapy;
- (iv) in vivo vaccination, including therapeutic and prophylactic vaccination;
- (v) eliciting an immune response, including the induction of a T-cell response, preferably a CD4+ T-cell response, a CD8 T-cell response or both, or the induction of an antibody response;
- (vi) treating a growing tumor or a chronic infectious disease;
- (vii) preparing a vaccine;
- (viii) preventing and/or treating influenza;

which comprises contacting the cells (including human or mammalian cells), the antigen-presenting cells, the person or the patient in need for vaccination, influenza treatment or for somatic gene therapy, or cell cultures with the influenza virus as defined in (1) to (7) above;

- (13) a method for the production of proteins or glycoproteins which comprises utilizing the influenza virus as defined in (1) to (7) above as expression vector;
- (14) the use of the influenza virus as defined in (1) to (7) above for preparing agents
- (i) for transfer and expression of foreign genes into cells infected by such viruses, or
- (ii) for transfer and expression of RNA molecules into cells infected by such viruses, preferably the RNA molecules to be expressed are antisense sequences or double-strand sequences relative to the target cell cellular mRNA molecules, and/or the agent is suitable for sequence-specific gene silencing, preferably by antisense RNA or RNA interference mechanisms such as ribozyme cleavage of target RNAs;
- (15) a method for transfer and expression of foreign genes into cells, and for transfer and expression of RNA molecules into cells, which method comprises infecting the cells with the influenza virus as defined in (1) to (7) above;
- (16) the use of the influenza virus as defined in (1) to (7) above for preparing agents for immunotherapy, preferably for autologous immunotherapy;
- (17) a method for an immunotherapy which comprises *ex vivo* infection of immune cells, preferably dendritic cells, with the influenza virus as defined in (1) to (7) above, and introduction of the transduced cells into the patient;
- (18) a method to elicit an immune response directed against an antigen, comprising the steps of introducing the influenza virus as defined in (1) to (7) above, preferably the human influenza virus as defined in (1) to (6) above, into a cell or administering it to a mammal, wherein said influenza virus contains at least one foreign gene encoding the antigen;
- (19) a vaccine for therapeutic or prophylactic purposes which is
- (a) a human influenza virus vaccine comprising a human influenza virus as defined in (1) to (6) above or in (18) above, preferably said human

influenza virus encodes the antigen for a membrane protein and in addition contains the membrane protein in the viral envelope; or

- (b) a non-human influenza virus vaccine, preferably an equine or porcine influenza virus vaccine, comprising a virus as defined in (7) above;
- (20) transduced cells, preferably antigen-presenting cells, obtainable by the method described in (12), option (i) or (ii) above;
- (21) a vaccine comprising transduced cells as defined in (20) above, preferably comprising transduced antigen-presenting cells, more preferably transduced dendritic cells, and most preferably mature dendritic cells, wherein said antigen-presenting cells are transduced *in vitro*; and (22) a method to identify a polynucleotide sequence encoding at least one HLA-restricted epitope comprising the steps of
 - (a) preparing a gene bank or a cDNA bank from the cell or the microorganism to be tested;
 - (b) incorporating the cDNA or the DNA of the gene bank into the genome of the influenza virus as defined (1) to (7) above to yield recombinant virus particles,
 - (c) infecting immortalized autologous cells, which are capable of expression of HLA-class I molecules and/or HLA-class II molecules on their surface, with the recombinant virus particles obtained in step (b),
 - (d) expressing the proteins encoded by said cDNA or said DNA of the gene bank in the autologous cells and presenting the fragments of the proteins produced by the autologous cells or the cell surface in connection with HLA molecules;
 - (e) co-cultivating T-cells with the autologous cells; and
 - (f) stimulating the T-cells by such autologous cells which present antigens on their surface, whereby said antigens are recognized by the T-cells.

Short Description of the Figures

Figure 1: shows a comparison of variant amino acid positions in the PB1 segment of influenza A viruses, such as FPV, WSN and others, the

numbering being relative to WSN. The underlined amino acid residues representing substitutions present exclusively in WSN, while amino acid residues in bold print point out those substitutions observed only in FPV Bratislava. The complete RNA sequence of the PB1 segment of WSN is shown in SEQ ID NO: 24 (nucleotides 191 to 2461) and the corresponding polypeptide is shown in SEQ ID NO:25, while the complete sequence of FPV-PB1 is shown in SEQ ID NO:22, and the corresponding polypeptide constitutes SEQ ID NO:23.

<u>Figure 2:</u> Chimeric structure and determination of promoter-recognition proficiency of a first set of WSN/FPV-PB1 constructs; Sections of FPV sequence within otherwise WSN-derived PB1 are indicated in heavy lining; WSN (pPoII-WSN-PB1) and FPV (pHL3115= WF1; pHL1844) are included for comparison.

<u>Figure 3:</u> Chimeric structure and determination of promoter-recognition proficiency of a second, more detailed set of WSN/FPV constructs.

<u>Figure 4:</u> shows FPV-Bratislava-PB1, the exact 5169 bp nucleotide sequence thereof is shown in SEQ ID NO:22 (nucleotides 191 to 2461 thereof encoding the PB1 segment of FPV Bratislava wild-type RNA-polymerase shown in SEQ ID NO:23).

<u>Figure 5:</u> shows WSN-PB1, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:24 (nucleotides 191 to 2461 thereof encoding the PB1 segment of WSN wild-type RNA-polymerase shown in SEQ ID NO:25).

<u>Figure 6:</u> shows plasmid pHL3102, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:26 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:27, with the following "major" modifications: L628M, V644A, and T741A and the following "minor" modifications: I576L, H584R, N633S, D636E, I645V, N654S).

<u>Figure 7:</u> shows vector pHL3103, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:28 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:29, with the following "major" modifications: S384P and L396I, and the "minor" modifications as pointed out in Fig. 1, positions 52 to 473).

<u>Figure 8:</u> shows vector pHL3130, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:30 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:31, with the following "major" modifications: S384P, L396I, L628M, V644A and T741A, and the "minor" modifications according to Fig. 1, positions 298-654).

<u>Figure 9:</u> shows vector pHL3131, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:32 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:33, with the following "major" modifications: S384P and L396I, and the "minor" modifications according to Fig. 1, positions 298-473).

<u>Figure 10:</u> shows vector pHL3203, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:34 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:35, with the following "major" modifications: L628M, V644A and T741A, and the "minor" modifications according to Fig. 1, positions 633-654).

Figure 11: shows vector pHL3204, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:36 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:37, with no "major" modifications and the following "minor" modifications: I576L and H584R).

Figure 12: shows vector pHL3246, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:38 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:39, with no "major" modifications and the following "minor" modifications: I298L and I364L).

<u>Figure 13:</u> shows vector pHL3247, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:40 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:41, with "major" modifications S384P and L396I, and the following "minor" modifications: D383E, H431T, N464D and L473V).

<u>Figure 14:</u> shows vector pHL3258, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:42 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:43, with "major" modification S384P and "minor" modification D383E).

<u>Figure 15:</u> shows vector pHL3259, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:44 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:45, with "major" modification S384P and the following "minor" modifications: D383E, I576L and H584R).

Figure 16: shows vector pHL3268, the exact 5169 bp nucleotide sequence is shown in SEQ ID NO:46 (nucleotides 191 to 2461 thereof encoding the modified WSN RNA-polymerase PB1 segment shown in SEQ ID NO:47, with the following "major" modifications: S384P, L628M, V644A and T741A, and the following "minor" modifications: D383E, N633S, D636E, I645V, N654S).

Detailed Description of the Invention

In the present application "human influenza virus" includes all types of non-avian influenza viruses, including human, equine and porcine

influenza viruses and the like, with human influenza viruses being the preferred ones. In the present application the influenza virus is also referred to as "vector", "expression vector" or "virus vector".

"Organism" embraces prokaryotic and eukaryotic systems as well as multicellular systems such as vertebrates (including mammals) and invertebrates, plants, etc. The term "cell" includes all types of cells of the "organism" defined above. A "mammal" according to the present invention includes humans and animals, "mammalian cells" include human cells and animal cells.

"Infected cells" and "infecting cells" according to the present invention also include "abortively infected cells" and "abortively infecting cells", respectively.

"Monocistronic" and "monocistronic arrangement" according to the present invention refers to a viral RNA segment, vRNA, cRNA or mRNA having one independent gene in "regular" (or "native") arrangement, while "bicistronic" according to the present invention refers to a viral RNA segment, vRNA, cRNA or mRNA that includes two independent genes in covalent junction (in a preferred embodiment of the present invention one of these genes is of viral origin, while the other one codes for a foreign, recombinant gene product).

In embodiment (1) of the invention as defined above, the influenza virus is preferably selected from influenza A including strains of type H1N1, H2N2 and H3N2, influenza B and influenza C, and more preferably is an influenza A type H1N1, including WSN/33, PR8/34 or the like, an influenza A type H2N2, including Asia/57 or the like, or an influenza A type H3N2, including Victoria/68 or the like.

It is moreover preferred that the at least one distinguishing amino acid residue is located within the PB1 segment of the virus. Possible substitutions within the PB1 segment can be derived from Fig. 1. Among those, and specifically for WSN, it is preferred to replace specifically one or more of the amino acid residues at positions 384, 396, 628, 644 and 741

(based on the numbering of WSN-PB1 shown in SEQ ID NO:25) which are also designated "major modifications" or "major replacements" with the respective FPV Bratislava amino acid residues (see Fig. 1). Preferably, the influenza virus strain used is WSN-K68 carrying five distinguishing amino acids. As an alternative to or in addition to those major modifications the PB1 may have the "minor" modifications as set forth in Fig. 1, namely at positions 52, 54, 105, 175, 208, 298, 364, 383, 431, 464, 473, 576, 584, 633, 636, 645 and 654. Most preferred PB1 segments are those coding for the amino acid sequences shown in SEQ ID NO: 27, 35, 43, 45 or 47.

The RNA-polymerase catalytic subunit PB1 of influenza virus WSN has been adapted by mutagenization to recognize and respond to the various nucleotide exchanges introduced in the vRNA promoter sequence that constitute promoter-up mutations in both transcription and replication. This result has been achieved through exchange of vRNA or indeed of plasmid cDNA sections within the coding sequence for polymerase subunit PB1 (segment 2) of influenza virus WSN (H1N1) using the corresponding sections derived from FPV Bratislava (H7N7) segment 2. Because of the large number of identical amino acids within both homologous segments and the rather small fragments being switched in that construction of chimeric PB1 the genetic transfer is equivalent to an introduction of a small number of amino acid substitutions within the PB1 polypeptide chain of WSN viral RNA-polymerase, while subunits PB2 and PA remain unchanged. In principle those amino-acids required for recognition of the rather minute promoter-up variations in the template molecules should be involved in direct interactions with the respective parts of the promoter structure, in particular with nucleotides 3 and 8 from the 3'-end, which constitute one of the base-pairs in the "cork-screw" proximal promoter element. The amino acid substitutions required for that purpose are distributed over two regions that broadly are known to be involved in vRNA and cRNA binding, respectively, in two separate sections in the PB1 polypeptide chain to the left and right of the enzymatic reaction centre. No difference has been observed in virus stability, viral yields or other

properties in the PB1 variants as compared to standard PB1 containing WSN virus, as long as only wildtype promoter sequences are present in all of the influenza virus RNA segments, but segments carrying promoter-up variant sequences are transcribed and replicated at elevated rates, resulting in an up to 14 times the wildtype promoted expression level.

The generation of recombinant influenza viruses was hampered for a long time by the fact that the virus has a segmented RNA genome. The development of the RNA-polymerase I technique allows the generation of recombinant viruses with additional genomic segments capable of expressing complete heterologous genes (G. Neumann et al., Virology 202, 477-479 (1994)), which was built around the in vivo synthesis of recombinant vRNA molecules by cellular RNA-polymerase I transcription of the respective template cDNA constructs. Modified terminal viral RNA (hereinafter "promoter-up mutations" or promoter-up sequences variants") have been designed by nucleotide substitutions (Neumann and Hobom, Mutational analysis of influenza virus promoter elements in vivo, J. Gen. Virol. 76, 1709-1717 (1995); WO 96/10641). The above promoter-up variants carry up to five nucleotide substitutions (in promoter-up variant 1920; see Flick and Hobom, J. Gen. Virol. 80, 2565-2572 (1999)). When these promoter-up variants are attached to a recombinant ninth vRNA segment its increased transcription and amplification rates will not only compensate for the losses suffered spontaneously, but even cause accumulation of the foreign vRNA segment during simple viral passaging, in the absence of any selection.

As set forth in embodiment (2) above, a preferred method of the invention is where the recombinant virus contains terminal viral RNA sequences, which are active as promoter signal, have been modified by nucleotide substitution in up to 5 positions, resulting in improved transcription rates (of both the vRNA promoter and the cRNA promoter as present in the complementary sequence) as well as enhanced replication and/or expression rates relative to the wild-type sequence. Said modified terminal

viral RNA sequences differ from the wild-type sequence in that in said vRNA segment the 12 nucleotide conserved influenza 3' terminal sequence has been modified by replacement of one to three nucleotides occurring in said sequence at positions 3, 5 and 8 relative to the 3' end by other nucleotides provided that the nucleotides introduced in positions 3 and 8 are forming a base pair (i.e., if the nucleotide position 3 is G, than that in position 8 is C; if the nucleotide in position 3 is C, than that in position 8 is C; etc.).

The 3' conserved regions of the wild-type influenza virus have the following sequences:

Influenza A: (5')-CCUGCUUUUGCU-3'

Influenza B: (5')-NN(C/U)GCUUCUGCU-3'

Influenza C: (5')-CCUGCUUCUGCU-3'.

Moreover, the 13 nucleotide conserved influenza 5'-terminal sequence may be modified by replacement of one or two nucleotides occurring in said sequence at positions 3 and 8 by other nucleotides, again provided that the introduced nucleotides are forming a base pair. The 5' conserved regions of the wild-type influenza virus have the following sequences:

Influenza A: 5'-AGUAGAAACAAGG

Influenza B: 5'-AGUAG(A/U)AACA(A/G)NN

Influenza C: 5'-AGCAGUAGCAAG(G/A):

Preferred influenza viruses of the invention are those wherein in the 3' conserved region the replacements G3A and C8U have been performed, more preferred are those where also the replacement U5C has been performed (the above mutations are annotated relative to the 3' end; such counting from the 3' end is also indicated by a line on top of the digit, e.g., G $\overline{3}$ A). Another preferred influenza virus mutant comprises the 3'-terminal nucleotide sequence G3C, U5C and C8G (relative to the 3' end) resulting in the following 3' terminal nucleotide sequence (5')-CCUGGUUCUCCU-3'. Among the influenza viruses defined hereinbefore those having a 3'-

terminal nucleotide sequence of (5')-CCUGUUUCUACU-3' are most preferred. In case of an influenza A virus the segment may further have the modifications U3A and A8U in its 5' terminal sequence, in case of influenza C it may have the modifications C3U and G8A in its 5' terminal sequence. The most preferred influenza viruses of the present invention comprise the following general structures:

Influenza A (mutant pHL1102):

5'-AGUAGAAACAAGGNNNU5-6..(860-2310 ntds)..N'N'N'CCUGUUUUUACU-3'

Influenza A (mutant pHL1104):

5'-AGUAGAAACAAGGNNNU5-6..(860-2310 ntds)..N'N'N'CCUGUUUCUACU-3'

Influenza A (mutant pHL1920):

5'-AGAAGAAUCAAGGNNNU5-6..(860-2310 ntds)..N'N'N'CCUGUUUCUACU-3'

Influenza A (mutant pHL1948):

5'-AGUAGAAACAAGGNNNU5-6..(860-2310 ntds)..N'N'N'CCUGGUUCUCCU-3'

Influenza B:

5'-AGUAG(A/U)AACA(A/G)NNNNNU₅₋₆..(860-2310 ntds)..N'N'N'N'N'(C/U)G<u>U</u>UUCU<u>A</u>CU-3' <u>Influenza C:</u>

5'-AGUAGUAACAAG(G/A)GU5-6..(860-2310 ntds)..CCCCUGUUUCUACU-3'

In the above structures the variables are defined as follows:

- (1) Underlined letters show the required mutations relative to the wildtype sequence for preparing a promoter mutant with enhanced properties;
- (2) enlarged A in position 10 in the 5'-part of the sequence: unpaired A residue, bulge-forming;
- (3) (A/G) in one position: different isolates or single segments with alternative sequence at the respective position, which are functionally interchangeable;
- (4) N and N': positions undefined, but base-paired relative to each other because of complementarity between the 5' and 3' termini, different among the 8 segments, but constant for each segment throughout all viral isolates;
- (5) (860-2310 ntds): the lengths of the authentic viral RNA segments, in case of segments with foreign genes increased up to 4,000 nucleotides.

Introduction of promoter-up recognition properties into standard human viruses of types H1N1 (WSN, PR/8), H2N2 (Asia), H3N2 (Victoria, Aichi, etc.) or other through PB1 mutagenization solves the problem of constructing influenza virus vectors other than FPV-derived bearing the property of expressing foreign proteins at very high rates that are suitable for expression of foreign genes in human cells or tissues including somatic gene therapy and therapeutic or prophylactic immunization.

The influenza A virus genome consists of eight segments of negative-strand viral RNA, i.e. their polypeptide coding frames are present in those vRNAs only in antisense orientation. They range in size from 890 nucleotides (segment 8) to 2341 nucleotides (segments 1 and 2). Among these the three largest segments code for three polypeptide chains that together constitute the viral RNA-polymerase: PB1, PB2 and PA, jointly comparable with RNA-polymerases as present in non-segmented negative-strand RNA viruses, which often are encoded in around 5000 nucleotides of vRNA.

Out of the three polymerase subunits that stay attached to each other in constituting the viral enzyme as present in the RNP complexes both in the virion and in the nucleus of the infected cell, the PB1 subunit can be regarded as the central catalytic subunit, since it carries all the enzymatic functions known to date: NTP binding, RNA chain elongation, and endonucleolytic cleavage (of the cellular RNA that thereafter is used as a primer for mRNA synthesis). In addition, PB1 also includes template binding sites for both the vRNA 5' and 3'-terminal sequences as well as the cRNA 5' and 3'-terminal regions (Li M.L. et al., EMBO J. Oct 1; Gonzales S., Ortin J., 17(19):5844-52 (1998);1;18(13):3767-75 (1999)), i.e. for the various promoter elements, and finally is known to have attachment regions for both PB2 (at its Cterminus) and PA (at its N-terminus), which in turn are not directly attached to each other (Toyoda T. et al., J. Gen. Virol. Sep;77(Pt 9):2149-57 (1996); Gonzales S. et al., Nucleic Acids Res., Nov. 15;24(22):4456-63 (1996)). Subunit PB2 is known to specifically bind to the 5´-cap structure of cellular mRNA and hnRNA molecules, and thereby initiate the capsnatching mode of viral mRNA transcription (Ulmanen I. et al., Proc. Natl. Acad. Sci. USA Dec.; 78(12):7355-9 (1981); Shi L. et al., Virus Res. Jun.;42(1-2):1-9 (1996)). Subunit PA which is known to act as a phosphoprotein appears to have a role in cRNA and vRNA synthesis, i.e. in replication, and possibly also in the corresponding switch from mRNA to cRNA synthesis (Mahy B.W.J., Genetics of Influenza Viruses, Springer Verlag, Wien, pp. 192-253 (1983); Sanz-Esquerro J.J. et al., J. Gen Virol. Mar;79(Pt 3):471-8 (1998)). Somewhat aberrantly PA if expressed in the absence of PB1 and PB2 appears to lead to proteolytic degradation of co-expressed proteins (Sanz-Esquerro J.J. et al., J. Gen Virol. Mar;79(Pt 3):471-8 (1998)).

Nuclear translocation signals have been determined within all three polypeptides, in accordance with the nuclear localization of viral polymerase in infected cells (Nieto A. et al., J. Gen. Virol. Jan;75(Pt 1):29-36 (1994)).

Interaction of viral polymerase with the 5´ and 3´ ends of vRNA or cRNA has been detected in one set of experiments through binding of ³²P-5´-oligonucleotides, 16-18 residues in size, which carried a single *thio*-uridine in 5´ position 15 or in 3´ position 10, respectively, followed by UV crosslinking and determination of ³²P-carrying peptides. In this way the 5´ vRNA sequence was observed to bind primarily to the PB1 polypeptide chain at the region centred around arginine residues 571 and 572, while the 3´vRNA model sequence attaches to the region PB1: 249-256, which includes two phenylalanine residues at positions 251 and 254 (Li M.L. et al., EMBO J. Oct 1; 17(19):5844-52 (1998)). In addition to primary vRNA binding sites as determined by UV cross-linking, in another approach secondary binding regions have also been observed for vRNA in the N-terminal region (1-139) and in the C-terminal region (493-757) using PB1 deletion variants. And while one of the cRNA binding sites determined in

the same way overlaps in the N-terminal region (1-139) with vRNA binding, a second cRNA binding region is located in the central section (267-493) rather than in the C-terminal region (493-757) as detected for vRNA binding (Gonzales S., Ortin J., EMBO J. Jul 1;18(13):3767-75 (1999)).

A sequence comparison between the PB1 polypeptide chains of FPV Bratislava (H7N7) and WSN (H1N1), proficient and deficient in recognizing the promoter-up variant sequences, revealed a divergence in 22 out of 757 amino acid positions. Upon extending that comparison to include PB1 sequences also from other influenza viruses such as PR/8 (H1N1), Asia (H2N2) and Victoria (H3N2) that number of divergent positions could tentatively be reduced by 11 amino acids, which are present only in WSN and not in any other PB1 sequence in a collection of over 150 viruses representing a large variety of influenza strains. Whereas the same residue is invariably present in the respective positions both in FPV Bratislava leading to proficiency and throughout all (or most, positions 584 and 741) other isolates leading to deficiency in recognizing the promoter sequence variants. Among the remaining 11 divergent positions seven of the FPV specific residues appear in several, but not in all other viral isolates, while four amino acid residues are specific for FPV Bratislava, and do not appear anywhere else: S384P, L396I, L628M, V644A. While the divergent positions in this category are most attractive in the search for specific properties of FPV, at this stage it cannot be ruled out that others among the altogether nine inconsistently variable amino acid residues may at least assist structurally or functionally in recognition of the variant promoter structures, in particular true for D383E because of its adjacent position relative to S384P. The apparently most important five divergent positions cluster in two groups, in the central region (383-396) not very far from the centre of polymerization activity, and in a near C-terminal region (628-741), i.e. within the brackets of the C-terminal vRNA binding region (see Fig. 1).

In a first step of analysis we have created WSN-FPV reassortant viruses carrying either a single one of the FPV subunit vRNAs in an otherwise all WSN background, or including the three FPV polymerase subunit vRNAs simultaneously. This was achieved via direct generation of influenza viruses from a set of cloned cDNAs (Neumann G. et al., Proc. Natl. Acad. Sci. USA, Aug. 3;96(16):9345-50 (1999)) designed to be transcribed in vivo by cellular RNA-polymerase I into eight individual viral RNA molecules (Neumann G. & Hobom G., J. Gen. Virol. Jul;76 (Pt 7):1709-17 (1995)), which were co-transfected together with four expression plasmids for early influenza virus proteins (PB1, PB2, PA, NP; Pleschka S. et al., J. Virol. Jun;70(6):4188-92 (1997)). All four viral reassortants turned out to be viable even if not yielding a full titer as compared to parental WSN or FPV. They were used to determine which of the three FPV polymerase subunits was responsible for recognition of the promoter-up variant sequences and caused increased expression rates of reporter genes controlled by them. Both reassortant viruses carrying either all three polymerase subunits originating from FPV, or carrying only the PB1 subunit derived from that avian influenza virus showed increased chloramphenicol acetyltransferase activity in the transfected cells as well as during consecutive steps of viral propagation with promoter-up variant 1104-CAT vRNAs, while the two reassortants containing either FPV-PB2 or FPV-PA in an otherwise WSN background of vRNA segments did not. From these data we conclude that it is indeed the FPV-PB1 subunit, already known from the above to interact with the vRNA and cRNA terminal sequences, i.e. the promoter structures, which is also recognizing the basepair and nucleotide substitutions present in the promoter-up variants. Another result derived from these initial experiments is the observed potential for free exchange of viral polymerase P-subunits between FPV and WSN viruses without major reduction in activity rates due to incompatibility.

Starting out from the FPV/WSN sequence comparison of PB1 and the present knowledge about the location of its functional domains a first

round of chimeric PB1 clones was designed, which carried sections of both FPV-PB1 and WSN-PB1 at approximately one third and two thirds of the either polypeptide chain, see Figure 2. The results confirm that the Nterminal section even though it is known to include one of the binding sites for the vRNA and the cRNA terminal sequences is not involved in promoter variant recognition, as was suggested already by the small number of amino acid exchanges, which also might be regarded to be conservative, and because all of them show up (individually) in the majority of non-proficient viruses other than WSN: R52K, R54K, T105N, N175D and R208K. Instead, the chimeric PB1 protein carrying the Cterminal FPV section (492-757) attached to the N-terminal part of the WSN polypeptide (in pHL3102), and the PB1 chimera pHL3131 carrying a central FPV region (241-492) surrounded on either side by WSN sequence resulted in high or moderately high recognition of variant promoter sequences, in accordance with being divergent by 8 or 9 amino acid exchanges, respectively. In the extended comparison of proficient versus deficient viral PB1 sequences 2 and 2 substitutions thereof might be regarded to be "major" exchanges, i.e. being present only in FPV Bratislava. Because of the experimental data described below substitution T741A may also be regarded to be in the "major" (or main assisting) category, even though the alanine residue in this position is also present in several other, non-proficient viruses.

In a second round of PB1 chimera constructions the previously used central and C-terminal FPV sections of 34 % the entire length in both pHL3131 and pHL3102 have been divided further into halves, i.e. with regard to the number of amino acid divergencies remaining in pHL3131 and pHL3102 relative to full-size WSN-PB1. In this way pHL3204 constitutes the FPV:492-599 hybrid PB1 clone, pHL3203 the FPV: 599-757 containing polypeptide chain, pHL3256 carries an FPV section extending from position 241 to position 374, and pHL3257 contains FPV sequence from position 374 to 492, see Figure 2. In addition, a selected small section of FPV-PB1 sequence (374-394) covering a most tightly clustered

group of two amino acid exchanges relative to WSN-PB1: D383E, and S384P has also been inserted into WSN-PB1 both on its own: pHL3258, and in combination with a second section of FPV-PB1: 492-599 (pHL3259) or 599-757 (pHL3268), i.e. the same regions as present individually in pHL3204 or pHL3203. As documented in Figure 3, it is the latter combination of two short, separate sections of FPV carrying in one section one "major" and one "minor" substitutions, and in the other three plus four amino acids in these categories exchanged, which gave the best results in recognition of promoter-up variant 1104, with rates above each of the individual constituents, pHL3203 or pHL3258, and at 70% the level of FPV polymerase itself (see pHL1844).

The difference remaining may be due to a negative effect caused by one or more of the amino acid substitutions present in pHL3268 resulting from sterical interactions with other parts of the WSN-PB1 molecule, while that respective amino acid residue may or may not be involved directly in promoter sequence recognition, too. In the latter case the promoter activity might be further increased upon determination and elimination of that disturbing residue among the few amino acid substitutions remaining at present. In the other case, i.e. with both effects caused simultaneously at least in part by the same residue, an improvement over the present level would not be possible. In any case the expression level for foreign proteins achieved so far for a WSN influenza virus carrying a set of only five amino acid substitutions (plus four most likely irrelevant changes) in its PB1 sequence, which in response to the standard pHL1104 mutant results in an expression rate 14 times above the wildtype promoter level (instead of 20 times for FPV), appears to be sufficient for its use in H1N1 influenza virus expression vectors.

The WSN-K68 virus carrying five constitutive amino acid substitutions in its PB1 polymerase subunit, which are modelled according to the FPV Bratislava sequence is a plaque-forming, stable virus strain indistinguishable from influenza virus WSN in its cell specificity and virus

yields as long as it consists only of influenza vRNA segments carrying wildtype promoter sequences. In the presence of an (additional) influenza promoter-up terminal sequence **vRNA** segment carrying а corresponding viral mRNA will be synthesized at high rates and that vRNA will be amplified disproportionately causing production of defective particles due to over-abundance of that single (foreign) viral segment over all the others. As described earlier (WO 00/53789 and EP 00115626.4) this can be brought back into a balanced, stable situation via construction of bicistronic segments, carrying the foreign gene in covalent junction with one of the viral genes, either according to the ambisense or to the tandem design. In addition, a replicational balance has to be achieved between that bicistronic segment and the set of seven regular segments through variation of the overall length of the bicistronic segment and the variant promoter sequence attached to it. With regard to transcription and consequent protein expression the lower-level yield of the viral gene product has to be brought into approximate balance with other viral gene products, while the higher yielding foreign gene product expression is maintained in imbalance with regard to the viral genes.

Alternatively, influenza virus strain WSN-K68 may be used directly as a helper virus for production of unstable recombinant viral progeny, with inherent suicide properties equivalent to attenuation. A disadvantage of that scheme is the presence of progeny helper viruses besides recombinant viruses in the supernatant of plasmid DNA transfected and helpervirus infected cells.

Construction of influenza virus strain WSN-K68 (H1N1) and expectedly of similar K68 variants of H2N2 or H3N2 viruses solves the problem of biological safety; it helps to avoid the use of H7-type viral hemagglutinin-containing viral vectors and their sensitivity to ubiquitous proteases.

The respective "major" amino acid positions in the PB1 subunit of the various parental H2N2 and H3N2 viruses mentioned earlier are largely

identical to WSN, and always different from the unique sequence of FPV Bratislava (see Fig. 1), and therefore, these other viral strains are expected to become similarly converted from enhanced transcription-deficient into enhanced transcription-proficient viruses by that same operation.

The location of the two groups of apparently crucial amino acid substitutions within the PB1 sequence overlaps in one group: L628M, V644A and T741A with one of the known binding regions for the vRNA promoter sequence, and also is in the neighbourhood of the 5'vRNA cross-link site at R571/R572. The other group of exchanges in WSN-K68: D383E, S385P, and I396L is located within the region of primary (S445/D446/D447) and in particular secondary consensus sequence elements predicted to be involved in nucleotide polymerization enzymatic activity (Poch O. et al, EMBO J. Dec. 1;8(12):3867-74 (1990); Biswas S.K., Nayak D.P., J. Virol. Mar;68(3):1819-25 (1994)). Whereas only cRNA and not vRNA terminal sequence binding has been observed in that region (Gonzales S., Ortin J., EMBO J. Jul 1;18(13):3767-75 (1999)), the enzymatic reaction centre would have to be expected to get into close contact with both of its substrates, cRNA and vRNA.

No amino acid exchanges and hence no influence on PB1 or on viral polymerase promoter recognition properties is observed here for the N-terminal region of the PB1 polypeptide chain, which is known to interact with both the vRNA and cRNA promoter (1-143), and the same is true for the region of the 3'vRNA cross-link site (249-256). That result may be regarded to be disappointing, since the major effect on promoter-up variation originates from base-pair exchanges at positions 3 and 8 from the 3'-end. While it is obvious from the various results obtained previously with different methods and also including our own data, that widely separated parts of the PB1 polypeptide chain do interact, simultaneously or consecutively, with individual structural elements of the template molecules, and more specifically with both parts of the two RNA

promoter structures, the 3D structure(s) of the entire enzyme or its PB1 subunit are not yet known.

The binding studies of Gonzales S., Ortin J., EMBO J. Jul 1;18(13):3767-75 (1999) have been done in vitro using large deletion variants of the PB1 polypeptide chain, which might cause severe structural deformations in the protein fragments remaining, and hence yield artifactual results. The cross-linking studies by Li M.L. et al., EMBO J. Oct. 1;17(19):5844-52 (1998) used rather short 5' or 3' oligonucleotides with a single thiouridine residue in 5' position 15 or in 3' position 10. Both positions are located in the distal promoter element which is known to be doublestranded, while only single-stranded oligonucleotides have been used in these experiments. Certainly for the distal promoter element with its double-stranded RNA structure, but most likely also for the proximal promoter element, simultaneous binding of the 5' and 3' terminal sequence sections would have been more appropriate and might have given different results. Also, in a consecutive binding reaction of first the 5' vRNA terminal sequence, and thereafter the 3' vRNA end a major conformational shift of the entire molecule has been observed (Klumpp et al., EMBO J; 16:1248-1257 (1997)). Finally, it is known that the proximal and the distal promoter elements are independent conformational units in the vRNA promoter structure, and it is the proximal element that has to be recognized in detail by polymerase, since it is the one that carries the promoter-up mutations (Flick R. et al., RNA, Oct;2(10):1046-57 (1996)). Therefore, the UV cross-linking results obtained for two nucleotide positions only in the distal element might be misleading here also for that reason. On the other hand, our in vivo determination of a set of amino acid positions involved in enhanced transcription proficiency versus in recognition of single nucleotide and/or base-pair exchanges within the vRNA promoter structure (and located in full-size functional polymerase molecules) is certainly a much more gentle and more reliable way of determining polymerase functional elements than any of the in vitro methods used so far. The PB1 amino acids involved in recognizing that 3'-3:8 basepair and sensing a single base-pair substitution at that location, are likely to be either in direct contact with those nucleotides or at most might be located in the subsequent chain of domain interactions within the protein leading to conformational changes and the observed response, i.e. enhanced transcription initiation rates.

According to embodiment (3) defined above and the explanations given hereinbefore, the influenza virus of the invention is suitable for high yield expression of one or more foreign or altered proteins. The foreign recombinant or altered viral gene may be present within an additional RNA segment or in a replacing segment, which comprise the foreign or altered gene encoding the protein to be expressed in monocistronic arrangement and have a modified vRNA promoter sequence as defined above (embodiment (4)), and/or within a bicistronic vRNA segment, preferably in ambisense or in tandem arrangement (embodiments (5) and (6), respectively), which includes the foreign gene encoding the protein to be expressed and has a modified vRNA promoter sequence as defined above.

Concerning embodiment (4), which relates to the expression of foreign glycoprotein genes and incorporation of those glycoproteins in the viral envelopes, it is referred to DE 197 09 512 (the disclosure thereof is herewith incorporated by reference). According to said embodiment the genes of different foreign glycoproteins of general type I, i.e., with a hydrophobic membrane anchoring sequence close to the C terminus, can be used for corresponding cDNA constructions, as designed for the expression of other genes, so that corresponding artificial vRNA molecules can be formed, i.e., in minus strand orientation. The foreign genes are inserted instead of the coding sequence of an influenza gene, flanked by authentic or slightly modified non-coding regions, as present in the influenza vRNA molecule. In addition to its own signal peptide sequence or the one borrowed from hemagglutinin (HA), the recombinant glycoprotein sequence then comprises its complete own, i.e., HA-foreign, ectodomain, followed by either its own transmembrane domain or, more frequently, that of

hemagglutinin including its C-terminal "cytoplasmic" tail sequence (for HA: 26 + 11 amino acids). The same principle of construction applies to non-glycoproteins which may be converted into artificial surface proteins by being connected with the two flanking signal peptide and membrane anchor elements derived from viral hemagglutinin.

Concerning embodiment (5) it is referred to WO 00/53789 (the disclosure thereof is herewith incorporated by reference). In the influenza virus of said embodiment preferably at least one of the regular viral RNA segments is replaced by an ambisense RNA segment which contains one of the standard viral genes in sense orientation and a foreign, recombinant gene in anti-sense orientation or vice versa in overall convergent arrangement. It is moreover preferred that in the ambisense RNA molecule said foreign recombinant gene is covalently bound to one of the viral genes while the original vRNA segment coding for the same gene is deleted from the recombinant virus by a specific ribozyme cleavage, or left out from the set of RNA-polymerase I viral cDNA clones and substituted by the corresponding ambisense RNA expressing cDNA clone in the process of direct generation of recombinant influenza viruses (see below).

The foreign gene(s) in ambisense covalent junction with the viral gene(s) preferably code for proteins and/or glycoproteins which are secreted from cells infected with the recombinant virus, such as lymphokines or extracellular enzymes, or code for glycoproteins that are incorporated into the viral envelope as well as the plasma membrane of the infected cell. In another preferred embodiment the foreign gene(s) in ambisense covalent junction with the viral gene(s) code for proteins or artificial polypeptides designed to support an efficient HLA-restricted presentation of inherent epitopes at the surface of infected cells, for stimulation of B cell and/or T cell response. Such proteins or artificial polypeptides constitute for instance a tumor antigen or an artificial oligomeric series of T cell epitopes. Finally, the foreign genetic insert(s) may be suitable for transfer and expression of RNA molecules, including antisense RNAs and ribozymes

within the infected cells. Such recombinant influenza viruses are suitable for sequence specific gene silencing, for example by RNA antisense or ribozyme RNA interference mechanisms.

A preferred virus of embodiment (5) of the invention is where in the regular viral RNA segments one or both of the standard glycoproteins hemagglutinin and neuraminidase have been exchanged into foreign glycoprotein(s), or preferably into fusion glycoproteins consisting of an anchor segment derived from hemagglutinin and an ectodomain obtained from the foreign source, viral or cellular, or in which such recombinant glycoprotein has been inserted as a third molecular species in addition to the remaining standard components.

Concerning embodiment (6) of the invention it is referred to EP 00115626.4 (the disclosure thereof is herewith incorporated by reference). In the tandem RNA segment of said embodiment, one of the standard viral genes is preferably in covalent junction with a foreign, recombinant gene and said tandem RNA segment has an upstream splice donor and a downstream splice acceptor signal surrounding the proximal coding region. "Proximal" and "proximal position" according to the present invention refers to the 5' position of one of the genes in the bicistronic viral mRNA, i.e., ahead (upstream) of the second gene in "distal position".

Expression of both gene products in the tandem constructions is made possible by way of an upstream splice donor and a downstream splice acceptor signal surrounding the proximal coding region of such a quality that splicing does occur in part of the mRNA molecules only, i.e., both mRNAs spliced and unspliced are present in the infected cell. For compensation with regard to the vRNA length the bicistronic segment is connected to a promoter variant of enhanced replication and transcription rates as defined hereinbefore.

The splice donor and the splice acceptor signals are selected from authentic sequences as present in influenza segments 7 and 8 or other partially effective splice reaction substrates, preferably those of influenza virus WSN segment 7, i.e., 5'-AG+GTACGTTC-3' (donor) and 5'-GCTGAAAATGATCTTCTTGAAAATTGCAG+GC-3' (acceptor).

In a preferred influenza virus according to embodiment (6) at least one of the regular viral RNA segments is replaced by a tandem RNA segment which contains one of the standard viral genes in distal position, and a foreign, recombinant gene in proximal position, both in anti-sense orientation, or vice-versa. It is moreover preferred that the same viral gene as present in the bicistronic RNA segment is deleted from the recombinant virus by specific ribozyme cleavage or is left out from the set of RNA-polymerase I cDNA clones and substituted by the corresponding tandem bicistronic RNA expressing cDNA clone in the direct generation of recombinant influenza viruses from plasmid DNAs (see below).

The foreign gene(s) in tandem covalent junction with the viral gene(s) preferably code for proteins and/or glycoproteins which are secreted from cells infected with the recombinant virus, such as lymphokines oe extracellular enzymes, or code for glycoproteins that are incorporated into the viral envelope as well as the plasma membrane of the (abortively) infected cell. In another preferred embodiment the foreign gene(s) in tandem covalent junction with the viral gene(s) code for proteins or artificial polypeptides designed to support an efficient HLA-restricted presentation of inherent epitopes at the surface of infected cells, for stimulation of B cell and/or T cell responses. Such proteins or artificial polypeptides constitute for instance a tumor antigen or an artificial oligomeric series of T cell epitopes that have been identified within a polypeptide chain. Finally, the foreign genetic insert(s) may be suitable for expression of RNA molecules, including antisense RNAs and ribozymes, within the infected cells. Such recombinant influenza viruses are suitable

for sequence specific gene silencing, for example by RNA antisense or ribozyme interference mechanisms.

A preferred recombinant virus of embodiment (6) of the invention is where in the regular viral RNA segments one or both of the standard glycoproteins hemagglutinin and neuraminidase have been exchanged into foreign glycoproteins, or preferably into fusion glycoproteins consisting of an anchor segment derived from hemagglutinin and an ectodomain obtained from the foreign source, viral or cellular, or in which such recombinant glycoprotein has been inserted as a third molecular species in addition to the remaining standard components.

According to embodiments (5) and (6) the invention provides

- a stable recombinant influenza virus containing (up to) seven regular vRNA segments plus one (or more) additional bicistronic segment(s) coding for a foreign gene in covalent conjunction with one of the influenza genes, in ambisense or in tandem arrangement, and
- a method for the construction of stable recombinant influenza viruses through (a) bicistronic vRNA segment(s) in ambisense or in tandem arrangement, that is also applicable as a method for attenuation and for prevention of reassortment between co-infecting influenza viruses.

In a particular application of embodiment (6) the tandem bicistronic mRNA codes for one of the viral genes, such as hemagglutinin, in conjunction with (all or) part of the viral neuraminidase coding sequence or the viral NS1 coding sequence, in inverted (antisense) orientation, while the authentic neuraminidase vRNA segment or NS1 coding sequence is otherwise missing entirely in these recombinant viruses. In another variation of these constructs an anti-neuraminidase or anti-NS1 ribozyme sequence is also provided together with the (partial) neuraminidase or NS1 antisense sequence, in the proximal or in the distal position of these bicistronic recombinant segments. Recombinant viruses of this character

rinted:05-03-2002

are propagated in culture media with addition of exogenous neuraminidase or in tissue culture cells with inactivated interferon genes, e.g., Vero cells.

The absence of a functional neuraminidase gene serves as a strong attenuation mechanism resulting in single-step infections of such recombinant viruses only. While a functional neuraminidase gene could be provided in case of another (wildtype) influenza virus superinfecting the same cell, expression of that gene is very much reduced through antisense RNA interaction and/or destruction of the corresponding vRNA through ribozyme cleavage, designed to interfere with production of infectious progeny even from co-infected cells; as a barrier against reassortment in double infected cells. The same argument applies for the NS1-deleted viruses which in addition carry an anti-NS1 vRNA antisense or ribozyme sequence, as a second feature besides carrying a foreign recombinant gene in ambisense or tandem bicistronic design.

Recombinant viral RNAs coding simultaneously for two genes in tandem organization within a construct, in which one of the viral genes is connected in covalent junction with a foreign coding sequence, are constructed via E. coli plasmid vector DNAs designed for an in vivo transcription of minus-strand vRNAs by cellular RNA-polymerase I. In these constructs the gene in plus-strand proximal (upstream) position is surrounded by splice signals of limited activity such that both mRNAs, spliced and unspliced are present in the infected cell. Either the foreign gene or the viral gene may be in that upstream position. In the majority of applications the higher rate of expression will be reserved for the foreign coding sequence, while the lower expression rate of the viral gene is adapted to be approximately in balance with expression of the other viral genes encoded by the regular viral segments.

To achieve such a balanced rate of expression, the splice signals and the promoter have to be chosen properly (Flick and Hobom, Interaction of influenza virus polymerase with viral RNA in the 'corkscrew' conformation,

J. Gen. Virol. 80, 2565-2572 (1999)). At an increased overall transcription rate, the resulting mRNAs shall be spliced inefficiently if the viral gene is in the distal (downstream) position. Vice-versa, if the foreign gene is in the distal position, splicing to obtain the foreign mRNA shall be achieved efficiently. Both designs serve to reach an over-expression of the foreign gene relative to its comparison viral gene, of which the expression shall be in balance with the expression of the other viral genes. Further, the promoter variant attached to the bicistronic segment has the function to compensate for the increased gene length by way of an increased replication rate.

The influenza vRNA segments preferably used for construction of bicistronic segments include the neuraminidase (No. 6), hemagglutinin (No. 4) and NS segment (No. 8). In the NS segment the foreign gene may also substitute for the NS1 gene, leaving the viral NS2 gene in its place. These recombinant viruses can, as an example, be made by the following procedure: A recombinant virus population can be selected by repeated ribozyme-mediated cleavage of a helper-virus segment carrying inserted ribozyme cleavage sites in flanking positions of the same viral gene in the monocistronic segment as has been included in the bicistronic construct (PCT/EP00/01903). By serial viral passaging and relying on the ouptut of reporter genes in equivalently constructed bicistronic segments, a balanced mode of expression can be achieved in choosing the right set of elements: promoter variant, splice signals, plus a limited variation in segment length. The construct that gives rise to the balanced, stable expression may then be used for designing a multiple cDNA transfection procedure of helper-free generation of influenza viruses according to Hoffmann et al., Proc. Natl. Acad. Sci. USA, Vol 97, 6108-6114 (Mai The resulting recombinant influenza virus, obtained via single plaque in pure helper-free state, is subjected to another series of propagation steps to finally evaluate its properties.

In a particular application this design is used for establishing a controlled mode of viral attenuation. Attenuation of influenza viruses so far has been achieved in cold-sensitive mutants (Edwards et al., J. Infect. Dis. 169, 68-76(1994)), by deletion of the NS1 gene (partial attenuation, Egorov et al., J. Virol. 72, 6437-6441 (August 1998) and Palese et al., Proc. Natl. Acad. Sci USA, 4309-4314 (April 2000)), or through deletion of the neuraminidase gene (full attenuation, Kawaoka et al., J. Virol. 74, 5206-5212 (June 2000)). The latter approach is adapted here, together with a novel technique for viral attenuation, which for the first time is also able to interfere with (chance) superinfection by wild-type viruses.

In this embodiment of the invention a second bicistronic cDNA construct is designed, which instead of carrying another foreign gene is coding for part of the viral neuraminidase gene in antisense orientation, with or without being surrounded both by splice donor and acceptor elements. In another version of that design a 2 x 50 nucleotide antisense segment complementary to a region of the neuraminidase sequence has been cloned in flanking positions relative to a ribozyme construct according to the hammerhead design and oriented against a common GUC triplett within the neuraminidase sequence in a majority of current post-viral isolates. In a preferred design this antisense expression construct has been attached to the hemagglutinin vRNA segment, while another gene or reporter gene is encoded in a second bicistronic vRNA, in conjunction with NS2. The same design applies for an anti-NS1 virus, which itself does not carry an NS1 gene, and has a foreign recombinant gene in conjunction with neuraminidase vRNA or NS2 vRNA.

Propagation of recombinant viruses deleted for the neuraminidase (NA) gene requires an addition of external neuraminidase to the medium. In the absence of neuraminidase, infection by the NA deletion viruses is abortive: no infectious progeny is produced. Upon co-infection (3 + 3 per cell) of recombinant viruses together with wildtype viruses no progeny virus or plaque is observed, which is attributed to antisense-blocked expression

and/or (partial) ribozyme destruction of the neuraminidase segment originating from the wild-type virus. According to this design, the recombinant viruses described are not only attenuated in single infections, but simultaneously interfere with wildtype virus superinfection, and therefore, no re-assortment between the two viruses will occur.

Concerning the process of embodiment (8) it is referred to the disclosure of WO 96/10641, PCT/EP00/01903 and EP 00115626 referred to above (the disclosures of which are herewith incorporated by reference) and the detailed discussion of the production method set forth above.

Concerning the embodiment (9) a final step in the generation of WSN/FPV-PB1 chimeric viruses such as influenza WSN-K68 consists in performing an eight cDNA plasmid-cotransfection into 293T cells designed according to Hoffmann et al (Hoffmann E. et al., Proc. Natl. Acad. Sci. USA 97 (11), 6108-6113 (2000)), i.e., carrying inserts cloned into vector plasmid pHW2000 or an equivalently organized plasmid vector containing flanking RNA-polymerase I as well as RNA-polymerase II transcription units, in opposite direction to each other and extending across the central cDNA insert. The inserts used in a set of eight dual expression plasmids constructed accordingly consist of wildtype WSN cDNAs derived from the 7 segments except for segment 2 (PB1), which was constructed using PB1 chimeric plasmid pHL3268 as a starting material. Cotransfection with all eight plasmids after 72 hours resulted in virus containing supernatants, which can be used for plaque purification and further propagation on MDCK cells, and for characterization of the viral isolate by RT-PCR followed by restriction analysis or DNA sequencing.

Generation of recombinant influenza viruses followed the same outline, but in this case one of the WSN segments, preferably segment 6 (NA) has been exchanged for a bicistronic construct containing the NA gene in covalent junction with the foreign gene, in ambisense or in tandem design. In addition, the bicistronic segment carries promoter-up mutations in its

flanking 5' and 3' terminal sequences. Other recombinant viruses have been created using a bicistronic segment 8 (NS2/foreign) with or without an anti-NS1 ribozyme sequence inserted in a flanking position in segment 6, and still other of the segment 8 bicistronic viruses (NS2/foreign) have their segment 6 deleted entirely, with or without an anti-NA ribozyme sequence inserted in a flanking position of segment 4(HA).

The pharmaceutical composition according to embodiment (10) above and the agent of embodiments (11), (14) and (16) above (hereinafter also referred to as "medicament") contain the recombinant influenza virus in a pharmaceutically effective amount. Besides said recombinant influenza virus, the pharmaceutical composition and the medicament may contain further pharmaceutically acceptable carrier substances well-known to a person skilled in the art, such as binders, desintegrants, diluents, buffers, preservatives, etc. The pharmaceutical compositions and medicaments are solid or liquid preparations and are suitable to be administered orally, intravenously or subcutaneously. For treatment of humans a human influenza virus according to embodiments (1) to (6) is preferably used.

The pharmaceutical composition of embodiment (10) is, among others, suitable

- (i) for gene transfer into cells, preferably into mammalian cells, more preferably into human cells, by recombinant viral infection (namely via standard viral infection or employing in addition a specific attenuation mechanism);
- (ii) for gene transfer into antigen-presenting cells, preferably into dendritic cells, and the use of the obtained product for *ex vivo* immunotherapy (whereby *ex vivo* therapy is therapeutic application involving the modification of antigen-presenting cells, such as dendritic cells, wherein the modified antigen presenting cells are injected directly to the patient);
- (iii) for in vivo somatic gene therapy;
- (iv) for *in vivo* vaccination, including therapeutic and prophylactic vaccination;

- (v) for eliciting an immune response, including the induction of a T-cell response;
- (vi) for treating a growing tumor or a chronic infectious disease.

The pharmaceutical composition of embodiment (10) and the medicament according to embodiment (11) above is preferably suitable as a medicament against influenza and/or against other infections. The recombinant influenza virus may be present in form of inactivated preparations or may be present in form of live recombinant viruses, preferably as attenuated viruses.

Live recombinant viral vaccines, live but attenuated recombinant viral vaccines or inactivated recombinant viral vaccine can be formulated. Inactivated vaccines are "dead" in the sense that their infectivity has been destroyed. Ideally, the infectivity is destroyed without affecting its immunogenicity. For preparation of inactivated vaccines, the recombinant virus may be grown in cell cultures or in embryonated chicken eggs, purified, and inactivated by formaldehyde or β -propiolactone. The resulting vaccine is usually administered intramuscularly.

Inactivated viruses may be formulated with suitable adjuvants to enhance the immunological response. Such adjuvants include, but are not limited to, mineral gels, e.g., aluminum hydroxide, surface-active substances such as pluronic polyols, lysolecithin, peptides, oil emulsions, and potentially useful human adjuvants such as BCG.

Many methods may be used to introduce the vaccine formulations above, for example the oral, intradermal, intramuscular, intraperitoneal, subcutaneous, or intranasal routes. Where a live recombinant virus vaccine is used, it is preferred to introduce the formulation via the natural route of infection for influenza virus.

The agent according to embodiments (11), (14) and (16) above is preferably suitable for prophylactic or therapeutic vaccination, or both, against influenza and other infections. For example, recombinant viruses can be made for use in vaccines against HIV, hepatitis B virus, hepatitis C virus, herpes viruses, papilloma viruses, to name but a few. In one embodiment the recombinant virus contains the genes for surface proteins of the viruses, in another the genes for non-structural or regulatory genes. The recombinant viruses may be present in form of inactivated preparations or may be present in form of live recombinant viruses, or as live, but attenuated viruses. In an attenuated virus the recombinant virus would go through a single or at most very few propagation cycle(s) and induce a sufficient level of immune response, but would not cause disease. Such viruses lack one of the essential influenza genes or contain mutations to introduce temperature sensitivity.

The agents of embodiments (11), (14) and (16) above of the invention are applicable in ex vivo and in vivo application schemes. The RNA molecule to be expressed by means of the agent of the embodiment (14) is of an antisense sequence or double strand sequence (in ambisense bidirectional transcription) relative to a target cellular mRNA molecule. In embodiment (14) the agent is preferably suitable for sequence-specific gene silencing, preferably by RNA antisense or ribozyme interference mechanisms.

The method for the production of proteins or glycoproteins of embodiment (13) is preferably performed in tissue culture cells or in fertilized chicken eggs, in accordance with standard techniques within the general knowledge of a person skilled in the art. The proteins or glycoproteins to be expressed are those incorporated into the virus, in monocistronic or bicistronic arrangement as defined hereinbefore.

The methods according to embodiments (12), (17) and (18) of the invention include the administration of an effective amount to the mammal (i.e. the patient in need for vaccination, for influenza treatment or for somatic gene therapy) or the administration of a sufficient infective dose of the recombinant virus to the cell system (including antigen-presenting cells, cell cultures, etc.) that is used for *ex vivo* therapy or for *in vitro* investigations, whereby the amount and dose will be determined by a person skilled in the respective arts or knowledgeable of the desired treatments. For treatment of human patients the use of human influenza viruses as defined hereinbefore is preferred.

The method of embodiment (18) is disclosed in EP 00123687.6 (which is hereby incorporated by reference). In particular, said method comprises expression of one or more tumour-associated antigens (TAA) or virus-associated antigens (VAA) by dendritic cells by

- (a) preparing a recombinant influenza virus containing a nucleotide sequence coding for the TAA or VAA, and
- (b) infecting dendritic cells with the recombinant influenza virus obtained in step (a).

The nucleotide sequence coding for the TAA or VAA may be present in the recombinant influenza virus in one of the regular segments in bicistronic arrangement or as an additional segment as explained in detail hereinbefore.

Vaccination with dendritic cells presenting tumor antigens will induce a potent primary immune response or amplify existing cytotoxic antitumor T cell responses. Therefore, tumor antigens most suitable immunotherapy are, ideally, strictly tumor specific, or at least the immune response should have tumoral specificity. Many tumor antigens, however, are shared by tumors with normal cells and are only overexpressed in the tumor. This implies that an immune response could potentially be harmful, if an immune response to self-antigens occurs causing autoimmunity. The technology for DC vaccines shall thus result in an immune response of sufficient quality and magnitude of tumor-specific T cell responses.

Tumor-specific antigens are rare. However, a growing family of testicular antigens has been identified that are aberrantly expressed in a significant proportion of tumors of various histological types and -in addition- only in testis cells. These antigens, called cancer/testis antigens, discovered by scientists of the Ludwig Institute for Cancer Research (LICR) in Brussels and New York, and their collaborators, should ensure strict tumoral specificity of the immune responses as the germ line cells do not express MHC-I molecules.

These antigens, for example the MAGE-, GAGE- and BAGE-families, NY-ESO-I or HOM-MEL-40 (aka SSX-2) are thus prime candidates for the DC-based antitumor vaccines, when part of a potent dendritic cell vaccine based on influenza virus-mediated gene transfer. These antigens have the required selectivity for a flu-vector based DC vaccine, can most likely be readily incorporated into the recombinant virus, and are able to induce cellular immune responses. Epitope peptides derived from MAGE-A3 have been HLA-attached ("loaded") to the dendritic cells by Schuler and coworkers and the vaccine was found to induce specific CTL in patients and *in vitro*.

Furthermore, the number of tumor antigens suitable for potent therapeutic vaccines is still limited and a search for novel tumor antigens, as well as viral antigens, seems warranted. The influenza virus vector system is suitable for antigen discovery (see above). Co-expression of said antigens with LICR antigens is an important option for widening the vaccine spectrum.

In experiments it was shown that genetically modified DC, which express tumor-associated antigens can efficiently induce anti-tumour immunity and thus have a high potential as tools in cancer therapy. The gene delivery is most efficiently achieved by viral vectors. Genes encoding a melanoma derived TAA, such as MAGE-3, or the green fluorescence protein (GFP) were introduced into a high-expression avian influenza virus

vector. Monocyte-derived mature DC infected by these recombinants efficiently produced GFP or MAGE-3. More than 90 % of the infected DC can express a transduced gene. Importantly, these transduced DC retained their characteristic phenotype, their potent allogeneic T cell stimulatory capacity and were able to stimulate MAGE-3 specific CD8+ cytotoxic T cells. Thus influenza virus vectors provide a highly efficient gene delivery system in order to transduce human DC with TAA, which consequently stimulate TAA specific T cells.

The agent of embodiment (17) of the invention is preferably utilized to infect, transfect or transduce patient-derived immune cells. The agent is suitable for treatment of cancer or chronic viral infections. For this purpose, patient derived immune cells, preferably dendritic cells, are *ex vivo* infected with recombinant influenza viruses expressing, e.g., tumor antigens or viral antigens. The transduced cells are then reintroduced into the patient.

The preferred method for immunotherapy of embodiment (18) of the invention is an autologous immunotherapy, wherein the cells which are *ex vivo* infected are patient-derived and the transduced cells are reintroduced into the patient. The diseases to be treated by this method include cancer and chronic viral infections. For details regarding preparation of the treatment with dendritic cells see discussion of embodiment (12) above.

The method for inducing an immune response against an antigen according to embodiment (18) of the invention is suitable for inducing antibodies to foreign proteins including glycoproteins, following the administration of protein or glycoprotein antigens as part of a recombinant influenza virus in an authentic conformation, whereby the virus is purified by gentle procedures based on hemagglutination, and the gene is expressed at high rates in the infected cells. Suitable foreign genes encoding one of these antigens are polynucleotide sequences associated

with a disease, preferably an infectious disease or tumor disease, preferably the antigen is exemplified by, but not limited to,

- (i) virus-associated antigens such as the HIV antigens gp160, gp 120, rev, tat, NC, the HBV e-antigen or core antigen, the HPV E6 or E7 antigen, the herpes simplex virus glycoproteins or core proteins, other herpesvirus antigens and further viral and microbial antigens known to those skilled in the art,
- (ii) tumor associated antigens, especially the so-called cancer testisantigens exemplified by the MAGE, BAGE and GAGE family of antigens, the NY-ESO-1 antigen, the SSX antigens, exemplified by the HOM-MEL-40.

The above polynucleotide sequences

- (i) are derivable from cDNA libraries isolated from tumor cells, or testis cells, or virus-infected cells, or micriobially infected cells, or celllines,
- (ii) are fusion proteins with the hemagglutinin membrane anchor sequence, or polypeptides consisting of epitopes derived from one or more T-cell specific epitope sequences as present in viral or other pathogens, or in tumor associated antigens.

As influenza viruses have a wide host range, recombinant influenza viruses can be used to obtain strong immune responses in, and isolate antibodies from, a wide range of animals, including, but not limited to, fowl, pigs, horses, seals and mice. Further, influenza viruses adapted to the mouse can be used for the infection of mice by several routes including the intranasal route. This results in infection of the pharyngeal mucosal cells and results in an additional type of B cell response (e.g., as recognized in the ratio of IgG to IgA). Mice are of particular utility in the induction of immune responses in transgenic mice that have been engineered to express human antibodies. As gentle procedures based on

hemadsorption are used to purify influenza viruses, antibodies to antigens in native conformation can be isolated from the infected mammals.

The vaccines according to embodiments (19) and (21) of the invention may contain further ingredients, e.g., those set forth with regard to the pharmaceutical composition or agents set forth above.

Concerning embodiment (22) of the invention it is referred to PCT/EP00/09217, which is herewith incorporated by reference. The method of embodiment (22) is also suitable to study gene function in antigen presenting cells.

The present invention is hereinafter described in more detail by way of the following description of the figures and examples, which are, however, not to be construed so as to limit the invention.

Detailed Description of the Tables and Figures

Table 1

Viral		Ori	gin of seg		pHL1844-CAT-					
strains	<u> </u>					activity	,			
	PB1	PB2	PA	other	293T	MDCK				
					(1)					
WSN	WSN	WSN	WSN	10	<2					
WF1	FPV	WSN	WSN	WSN	WSN	21 30				
WF2	WSN	FPV	WSN	WSN	WSN	6 <2				
WF3	WSN	WSN	WSN	8	<2					
WF4	FPV	FPV	WSN	26	35					
FPV	FPV	FPV	FPV	FPV	41	100				

Table 1. Reassorted viral strains used as helper viruses in infection of

plasmid pHL1844 transfected 293T cells, followed by propagation of resulting recombinant progeny virus in MDCK cells.

Chloramphenicol acetyl-transferase enzymatic activities in 293T and MDCK (first viral passage) cell lysates, relative to standard FPV (=100).

Figure 1: Comparison of relevant PB1 amino acid positions in a selected set of influenza virus strains. The 22 amino acid positions divergent between FPV Bratislava (line 1) and WSN/33 (line 3) have been compared in the context of a large, representative group of viral isolates. Amino acid residues present only in WSN and in no other PB1 sequence have been underlined, while those four amino acid residues characterizing FPV Bratislava as approved to all other strains are given in bold print.

Figure 2: Chimeric structure and determination of promoter-recognition proficiency of a first set of WSN/FPV-PB1 constructs; Sections of FPV sequence within otherwise WSN-derived PB1 are indicated in heavy lining; WSN (pPoII-WSN-PB1) and FPV (pHL3115; pHL1844) are included for comparison. Upon generation of chimeric viruses in 293T cells stocks have been prepared on MDCK cells. 293T cells transfected by plasmid pHL1844 which carries the standard promoter-up variation as present originally in pHL1104 have been infected by the various viral constructs as helper viruses at m.o.i. 1 (with viral strains derived from pHL3130 and pHL3115 only at m.o.i. 0.2 and 0.5, respectively). The resulting supernatants containing the viral progeny were used for viral passage onto MDCK cells. Cell lysates from both transfected and/or infected cells were used for CAT activity measurements relative to pHL1844 recombinant FPV viruses in MDCK cells (=100), known to recognize promoter-up variant pHL1844.

A selection of functional elements within the PB1 protein sequence together with the position of six "major" amino acid substitutions have been indicated in the first line of the figure. Proposed binding regions for the vRNA (v1, v2) or the cRNA (c1, c2) promoter, and known cross-linking sites for the 5'(x5) and 3'(x3) vRNA termini are marked. P refers to the

active center of polymerase activity (PB1: 445-447). Amino acid exchanges are indicated by the WSN residue on top of the FPV residue, e.g. S/P refers to amino acid substitution S384P (WSN/FPV).

<u>Figure 3:</u> Chimeric structure and determination of promoter-recognition proficiency of a second, more detailed set of WSN/FPV constructs. For descriptions of experimental details, see Fig. 2.

Examples

<u>Plasmid pHL1844</u>: The CAT-gene containing expression plasmid pHL1844 has been designed for pseudo-vRNA synthesis by human RNA-polymerase I and carries the human rDNA core promoter region (-411 to -1) plus the murine rDNA terminator region (+ 566 to + 785 relative to the mature 28S rRNA 3´-end), both in flanking positions relative to the cDNA insert. The cDNA construct inserted in between consists of the 5´ and 3´ noncoding sequences as present in FPV vRNA segment 5, with the NP coding sequence itself being exchanged for the coding sequence of chloramphenical acetyltransferase (CAT) of bacterial origin, in antisense orientation relative to RNA-polymerase I transcription. pHL1844 carries three point mutations in the 3´ viral RNA promoter sequence (3´-G $\bar{3}$ A, U $\bar{5}$ C, C $\bar{8}$ U : 3´-UCAUCUUUGUCCCCAU), as originally introduced into plasmid pHL1104 (Neumann G., Hobom G, J. Gen. Virol. Jul.;76(Pt 7):1709-17 (1995)).

Plasmid construction of WSN/FPV-PB1 chimera: Original plasmids WSN-PB1 (pPolI-WSN-PB1; Neumann G. et al., Proc. Natl. Acad. Sci. USA, Aug. 3;96(16):9345-50 (1999)), and FPV-PB1 as obtained by RT-PCR from FPV vRNA using PB1 terminal primer oligonucleotides that were designed for insertion into pHH21 (Hoffmann E., Justus Liebig Universität Giessen (1997)) via *Bsm*BI cleavage (Menke A. and Hobom G., unpublished) were used as starting points. Fragments have been exchanged either through restriction cleavage at homologous unique restriction sites or following PCR reactions designed to insert a "missing" restriction site in homologous

position and included within one of the primer oligonucleotides. All PCR-derived constructs have been confirmed by sequencing across the region inserted in one way or another.

Cells and viruses: Influenza viral strains A/FPV_{Bratislava} (H7/N7) and A/WSN/33 (H1/N1) as well as all viral reassortants or PB1-chimeric viral constructs were grown in Madin-Darby canine kidney (MDCK) cells. Human 293T cells were used for DNA transfection and consecutive superinfection with FPV or with the various other strains used as helper virus. The resulting recombinant influenza viruses were propagated in MDCK cells. All cell lines were grown in Dulbecco's modified Eagle's Medium (DMEM; GIBCO/BRL), supplemented with 10% fetal calf serum and antibiotics.

Generation of infectious WSN, FPV and FPV/WSN-PB1 chimeric influenza viruses: Subconfluent 293 T cells were transfected with a set of eight RNA-polymerase I plasmids yielding the eight different species of influenza vRNA molecules by in vivo transcription, according to Neumann et al., Proc Natl. Acad. Sci. 96, 9345-9350 (1999), together with a second set of four to five RNA-polymerase II expression plasmids for synthesis of early viral mRNA and proteins: PB1, PB2, PA, NP and (inconsistently) NS2. The latter plasmids for expression of early FPV viral proteins (pCMV-PB1, pCMV-PB2, pCMV-PA, pCMV-NP, pCMV-NS2 (A. Menke and G. Hobom, unpublished) were used in amounts of: 1 μ g/1 μ g/ 0.1 μ g/ 1 μ g/ 0.3 μ g, respectively, while 1 µg each was used for the set of eight RNA-polymerase I vRNA plasmids. While the entire set of FPV plasmids in this category has been obtained by RT-PCR cloning into pHH21 (Menke A. and Hobom G., unpublished), the corresponding set of WSN has been obtained from G. Neumann, Madison: pPolI-WSN-PB1, pPolI-WSN-PB2, pPolI-WSN-PA, pPolI-WSN-HA, pPolI-WSN-NP, pPolI-WSN-NA, pPolI-WSN-M, pPolI-WSN-NS. Mixtures between the two series have been used for generation of WSN-FPV viral reassortants, and for generation of WSN/FPV-PB1 chimeric viruses pPolI-WSN-PB1 has been substituted by the corresponding plasmid constructs. The combined sets of plasmids have been mixed in preparation for DNA transfection with Lipofectamin plus in a ratio of 3 µg of plasmid DNAs together with 6 µl of Lipofectamin and 8µl of Lipofectamin plus, and treated as described below. Alternatively, a set of only eight plasmids according to Hoffmann et al., Proc. Natl. Acad. Sci. 97, 6108-6113 (2000), has been used instead, again with chimeric constructs of the PB1 segment in exchange for a regular WSN-PB1 coding sequence. After 48 to 72 h the supernatant of the DNA transfected 293 T cells was used for passage on MDCK cells, and directly or thereafter also for plaque-purification and determination of the yields achieved in the generation of viral strains. Upon preparation of viral stocks the constitution in particular of PB1 vRNA as well as others was confirmed via RT-PCR analysis and diagnostic restriction cleavages of the PCR bands obtained.

pHL1844 plasmid DNA transfection and influenza virus infection: For pHL1844 DNA transfection we used ~ 3.6×10^6 subconfluent 293T cells. Briefly: $3 \mu g$ of plasmid DNA in 186 μ l serum-free DMEM were gently mixed with $6 \mu l$ Lipofectamine and $8 \mu l$ of Lipofectamine Plus (GIBCO/BRL) and incubated for 30 min at room temperature. In the meantime cells were washed with serum-free medium, and the transfection mix filled up to 3 ml with medium was carefully dispersed over the cells. After 6 h of incubation the medium was changed to DMEM containing 10% FCS and further incubated for 15 h. The transfected cells were washed very carefully with PBS+ (2.5 mM MgCl₂; 3.4 mM CaCl₂ added) and superinfected with FPV helper virus at an m.o.i. of 2-3 in 1 ml of PBS+. After 1 h the cells were washed and finally resupplied with DMEM containing 10% FCS for another 8 h of incubation. A complete replication cycle of the virus takes place in this period.

Serial passage of virus containing supernatants: After 8 h of viral propagation the supernatant containing the progeny virus was collected, and after a brief centrifugation step (10 000 rpm, 5 min) for cell debris removal it was used for passaging the recombinant virus mixture onto confluent MDCK cells as described previously (Flick R. et al. RNA,

Oct.;2(10):1046-57 (1996)).

<u>CAT assay:</u> Cell extracts of 110μ l were prepared as described by Gorman et al. (1982). In an initial series 50μ l of each cell lysate, and depending on the data obtained, also serially diluted amounts of the various cell lysates (always in parallel including material from one or more reference reactions) were mixed with 10μ l of 4 mM acetyl-CoA and 8μ l of fluorescent-labeled chloramphenicol (borondipyrromethane difluoride fluorophore: BODIPY CAM substrate, FLASH CAT kit, Stratagene). Samples were incubated at 37° C for 3 h. For extracting the reaction products 0.5 ml of ethyl acetate were added, and after a centrifugation step for 3 min at 13000 rpm the upper phase containing the acetylated products was transferred into new Eppendorf tubes and vacuum dried.

The resulting pellet was resuspended in $20\mu l$ ethylacetate and the reaction products were separated by thin layer chromatography (TLC plates 20/20 cm, Silica gel 60) using a solvent mixture (mobile phase) of chloroform and methanol (87:13). Finally, the reaction products were visualized by UV illumination, documented by photography and evaluated using the WinCam system (Cybertech, Berlin). Ratios of activity have been calculated relative to reference construct pHL1844 based on three independent sets of serial dilutions of cell lysates down to yielding below 30-50% of product formation in each case. The results are summarized in Table 1 and Figures 2 and 3, right hand columns.

EPO - Municr SEQUENCE LISTING 63 9 9. Feb. 2001 <110> Methesys GmbH <120> Influenza Viruses with Enhanced Transcriptional and Replicative Capacities <130> 003143ep/JH/ml <140> <141> <160> 47 <170> PatentIn Ver. 2.1 <210> 1 <211> 12 <212> RNA <213> Influenza A virus <400> 1 12 ccugcuuuug cu <210> 2 <211> 12 <212> RNA <213> Influenza B virus <400> 2 12 nnygcuucug cu <210> 3 <211> 12 <212> RNA <213> Influenza C virus <400> 3 12 ccugcuucug cu <210> 4 <211> 12 <212> RNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: Modified influenza A 3'-sequence <400> 4 12 ccuguuuuua cu <210> 5 <211> 12 <212> RNA <213> Artificial Sequence <220>

<223>	Description of Artificial Sequence: Modified influenza A 3'-sequence	
<400> ccugui	5 uucua cu	12
<210><211><211><212><213>	12	
<220> <223>	Description of Artificial Sequence: Modified influenza A 3'-sequence	
<400> ccuggi	6 uucuc cu	12
<210><211><212><212><213>	13	
<400> aguag	7 aaaca agg	13
<210><211><211><212><213>	13	
<400> aguag	8 waaca rnn	13
<210><211><212><213>	13	
<400> agcag	9 uagca agr	13
<210><211><211><212><213>	13	
<220> <223>	Description of Artificial Sequence: Modified influenza A 5'-sequence	
<400> agaag	10 raauca agg	13
<210><211><211><212><213>	21	
<400> aguag	ll Jaaaca aggnnnuuuu u	23

<210><211><211><212><213>	21	
<220> <223>	Description of Artificial Sequence: Modified influenza A 5'-sequence (pHL1920)	
<400> agaaga	12 auca aggnnnuuuu u	21
<210><211><212><212><213>	21	
<400> aguagw	13 waaca rnnnnuuuu u	21
<210><211><211><212><213>	19	
<220> <223>	Description of Artificial Sequence: Modified influenza C 5'-sequence	
<400> aguagu	14 naaca agrguuuuu	19
<210><211><211><212><213>	15	
<220> <223>	Description of Artificial Sequence: Modified influenza A 3'-sequence (pHL1102)	
<400> nnncci	15 uguuu uuacu	15
<210><211><212><212><213>	15	
<220> <223>	Description of Artificial Sequence: Modified influenza A 3'-sequence (pHL1104 and pHL1920)	
<400> nnncc	16 uguuu cuacu	15
<210><211><211><212><213>	15	

```
<220>
<223> Description of Artificial Sequence: Modified
      influenza A 3'-sequence (pHL1948)
<400> 17
                                                                    15
nnnccugguu cuccu
<210> 18
<211> 15
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Modified
      influenza B 3' sequence
<400> 18
                                                                    15
nnnnyguuu cuacu
<210> 19
<211> 14
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Modified
      influenza C 3'-sequence
<400> 19
                                                                    14
ccccuguuuc uacu
<210> 20
<211> 10
<212> DNA
<213> Influenza A virus
<400> 20
                                                                    10
aggtacgttc
<210> 21
<211> 32
<212> DNA
<213> Influenza A virus
<400> 21
gctgaaaaat gatcttcttg aaaattgcag gc
                                                                    32
<210> 22
<211> 5169
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: FPV-Bratislava-PB1
<220>
<221> CDS
<222> (191)..(2461)
<400> 22
cccaaaaaaa aaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg 60
```

gggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaa	aaa 120
acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcag	
aaccatttga atg gat gtc aat ccg act tta ctg ttc ttg aaa gtt cct Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro 1 5 10	229
gcg caa aat gca ata agt act acg ttc cct tac act gga gat cct cc Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro 15 20 25	a 277 o
tac agc cat gga aca ggg aca gga tac acc atg gac aca gtc aac ag Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Ar 30 35 40 4	g
aca cac caa tat tcg gaa aag ggg aaa tgg aca aca aac act gag ac Thr His Gln Tyr Ser Glu Lys Gly Lys Trp Thr Thr Asn Thr Glu Th 50 55 60	t 373 r
gga gca ccc caa ctt aat cca att gat ggc cca ttg cct gag gac aa Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp As 65 70 75	t 421 n
gaa cca agt gga tat gca caa aca gac tgc gtc ctg gaa gca atg gc Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Al 80 85 90	
ttc ctt gaa gaa tcc cat cca gga atc ttt gaa aac tcg tgt ctt ga Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Asn Ser Cys Leu Gl 95 100 105	g 517 u
acg atg gaa gtt gtt caa caa aca aga gtg gac aaa ctg acc caa gg Thr Met Glu Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gl 110 115 120 12	У
cgt cag act tat gat tgg act ttg aat aga aac cag cct gct gca ac Arg Gln Thr Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Th 130 135 140	
gca tta gca aac act ata gag gtc ttt aga tcg aat ggt cta aca gc Ala Leu Ala Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Al 145 150 155	t 661 a
aat gaa tca ggg agg ctc ata gat ttc ctc aag gat gtg atg gaa tc Asn Glu Ser Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Se 160 165 170	
atg gat aag gag gaa atg gag ata aca aca cat ttc caa cga aag ag Met Asp Lys Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Ar 175 180 185	
aga gta aga gac aac atg acc aag aaa atg gtc aca caa aga aca at Arg Val Arg Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Il 190 195 200 20	e
ggg aag aaa aag cag aga ctt aac aaa agg agc tac cta ata agg gc Gly Lys Lys Gln Arg Leu Asn Lys Arg Ser Tyr Leu Ile Arg Al 210 215 220	
cta aca ttg aac aca atg acg aaa gat gca gaa aga ggt aaa ctg aa Leu Thr Leu Asn Thr Met Thr Lys Asp Ala Glu Arg Gly Lys Leu Ly 225 230 235	

aga Arg	aga Arg	gca Ala 240	att Ile	gca Ala	aca Thr	cca Pro	ggg Gly 245	atg Met	cag Gln	atc Ile	aga Arg	ggg Gly 250	ttt Phe	gtg Val	tac Tyr	949
ttt Phe	gtt Val 255	gag Glu	aca Thr	ctg Leu	gcg Ala	aga Arg 260	agc Ser	att Ile	tgc Cys	gag Glu	aag Lys 265	ctt Leu	gaa Glu	cag Gln	tct Ser	997
ggg Gly 270	cta Leu	cca Pro	gtt Val	gga Gly	ggg Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gct Ala 280	aaa Lys	ttg Leu	gca Ala	aat Asn	gtc Val 285	1045
gtg Val	agg Arg	aag Lys	atg Met	atg Met 290	acg Thr	aac Asn	tca Ser	caa Gln	gac Asp 295	act Thr	gag Glu	ctc Leu	tct Ser	ttc Phe 300	aca Thr	1093
atc Ile	acc Thr	gga Gly	gac Asp 305	aat Asn	acc Thr	aaa Lys	tgg Trp	aat Asn 310	gag Glu	aac Asn	caa Gln	aac Asn	ccc Pro 315	cga Arg	atg Met	1141
ttc Phe	ctg Leu	gca Ala 320	atg Met	ata Ile	aca Thr	tac Tyr	atc Ile 325	aca Thr	aga Arg	aac Asn	caa Gln	cct Pro 330	gag Glu	tgg Trp	ttt Phe	1189
aga Arg	aat Asn 335	gtc Val	ttg Leu	agc Ser	atc Ile	gcg Ala 340	ccg Pro	ata Ile	atg Met	ttt Phe	tcg Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
agg Arg 350	cta Leu	Gly	aaa Lys	Gly	tac Tyr 355	atg Met	ttc Phe	gaa Glu	agc Ser	aaa Lys 360	agc Ser	atg Met	aag Lys	ctc Leu	cga Arg 365	1285
aca Thr	caa Gln	ata Ile	cca Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agt Ser 375	att Ile	gat Asp	cta Leu	aaa Lys	tat Tyr 380	ttc Phe	1333
aat Asn	gaa Glu	cca Pro	aca Thr 385	agg Arg	aag Lys	aaa Lys	atc Ile	gag Glu 390	aaa Lys	ata Ile	agg Arg	cct Pro	ctc Leu 395	ata Ile	ata Ile	1381
gac Asp	ggc Gly	aca Thr 400	gcc Ala	tca Ser	tta Leu	agc Ser	ccg Pro 405	gga Gly	atg Met	atg Met	atg Met	ggt Gly 410	atg Met	ttc Phe	aac Asn	1429
atg Met	ctg Leu 415	agt Ser	aca Thr	gtg Val	ttg Leu	gga Gly 420	gtc Val	tca Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	Gly	caa Gln	aag Lys	1477
aga Arg 430	tac Tyr	acc Thr	aaa Lys	acc Thr	aca Thr 435	tac Tyr	tgg Trp	tgg Trp	gat Asp	gga Gly 440	ctt Leu	cag Gln	tcc Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctc Leu	atc Ile 450	gtg Val	aat Asn	gca Ala	cca Pro	aat Asn 455	cat His	gag Glu	gga Gly	ata Ile	caa Gln 460	gcg Ala	1573
		gat Asp														1621
agc Ser	aag Lys	aaa Lys 480	Lys	tcc Ser	tat Tyr	ata Ile	aat Asn 485	agg Arg	aca Thr	gga Gly	aca Thr	ttc Phe 490	gaa Glu	ttc Phe	aca Thr	1669
		Phe					Phe					Ser			ttg Leu	1717

ccc Pro 510	agc Ser	ttt Phe	gga Gly	gta Val	tca Ser 515	gga Gly	att Ile	aat Asn	gaa Glu	tcg Ser 520	gct Ala	gat Asp	atg Met	agc Ser	att Ile 525	1765
gga Gly	gta Val	aca Thr	gtg Val	ata Ile 530	aag Lys	aat Asn	aac Asn	atg Met	ata Ile 535	aac Asn	aat Asn	gat Asp	ctt Leu	gga Gly 540	ccg Pro	1813
gca Ala	aca Thr	gcc Ala	caa Gln 545	atg Met	gct Ala	ctc Leu	caa Gln	tta Leu 550	ttc Phe	atc Ile	aag Lys	gac Asp	tac Tyr 555	aga Arg	tat Tyr	1861
aca Thr	tac Tyr	agg Arg 560	tgt Cys	cac His	agg Arg	gga Gly	gac Asp 565	aca Thr	caa Gln	atc Ile	caa Gln	acg Thr 570	agg Arg	agg Arg	tca Ser	1909
ttc Phe	gag Glu 575	cta Leu	aag Lys	aag Lys	ctg Leu	tgg Trp 580	gag Glu	cag Gln	acc Thr	cgc Arg	tca Ser 585	aag Lys	gca Ala	gga Gly	ctg Leu	1957
ttg Leu 590	gtt Val	tca Ser	gat Asp	ggc Gly	gga Gly 595	cca Pro	aac Asn	ctg Leu	tac Tyr	aac Asn 600	att Ile	cgg Arg	aat Asn	ctc Leu	cac His 605	2005
atc Ile	ccg Pro	gaa Glu	gtt Val	tgc Cys 610	ctg Leu	aaa Lys	tgg Trp	gaa Glu	cta Leu 615	atg Met	gat Asp	gaa Glu	gac Asp	tat Tyr 620	cag Gln	2053
gga Gly	aga Arg	ctt Leu	tgt Cys 625	aat Asn	ccc Pro	atg Met	aac Asn	ccg Pro 630	ttt Phe	gtc Val	agt Ser	cat His	aag Lys 635	gaa Glu	att Ile	2101
gaa Glu	tct Ser	gta Val 640	aac Asn	aat Asn	gct Ala	gcg Ala	gta Val 645	atg Met	cca Pro	gcc Ala	cat His	ggt Gly 650	cca Pro	gcc Ala	aaa Lys	2149
agc Ser	atg Met 655	gaa Glu	tat Tyr	gat Asp	gct Ala	gtg Val 660	gca Ala	act Thr	aca Thr	cac His	tct Ser 665	tgg Trp	atc Ile	cct Pro	aag Lys	2197
	aac Asn															2245
gaa Glu	caa Gln	atg Met	tac Tyr	cag Gln 690	aag Lys	tgt Cys	tgc Cys	aac Asn	cta Leu 695	ttc Phe	gag Glu	aaa Lys	ttc Phe	ttc Phe 700	cct Pro	2293
	agc Ser															2341
	gtg Val															2389
agg Arg	att Ile 735	Lys	aag Lys	gaa Glu	gag Glu	ttt Phe 740	gct Ala	gag Glu	atc Ile	atg Met	aag Lys 745	Ile	tgt Cys	tcc Ser	acc Thr	2437
	Ğlu					Gln			tgaa	ttt	agct	tgtc	ct t	catg	aaaaa	2491
~ + ~	+	~++	+ 0 + 0	a+			~~~			+~~~	~~~	+ ~ ~ ~		~	~-+-+-	2551

atgccttgtt tctactaata acccggcggc ccaaaatgcc gactcggagc gaaagatata 2551

cctccccaa	ggccgggagg	tegegteace	gaccacgccg	ccggcccagg	cgacgcgcga	2611
					cccggggccc	
					ctcccggccg	
					agcattttcg	
					cgcgacctct	
					gccagaaagg	
					agcaaaaggc	
cagcaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	3031
					cccgacagga	
ctataaagat	accaggcgtt	tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	3151
ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcgtggc	gctttctcat	3211
agctcacgct	gtaggtatct	cagttcggtg	taggtcgttc	gctccaagct	gggctgtgtg	3271
cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	3331
aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	3391
gcgaggtatg	taggcggtgc	tacagagttc	ttgaagtggt	ggcctaacta	cggctacact	3451
agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	3511
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggttttt	tgtttgcaag	3571
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	3631
tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	attatcaaaa	3691
aggatcttca	cctagatcct	tttaaattaa	aaatgaagtt	ttaaatcaat	ctaaagtata	3751
tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	tatctcagcg	3811
atctgtctat	ttcgttcatc	catagttgcc	tgactccccg	tcgtgtagat	aactacgata	3871
cgggagggct	taccatctgg	ccccagtgct	gcaatgatac	cgcgagaccc	acgctcaccg	3931
gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgcag	aagtggtcct	3991
gcaactttat	ccgcctccat	ccagtctatt	aattgttgcc	gggaagctag	agtaagtagt	4051
tcgccagtta	atagtttgcg	caacgttgtt	gccattgcta	caggcatcgt	ggtgtcacgc	4111
tcgtcgtttg	gtatggcttc	attcagctcc	ggttcccaac	gatcaaggcg	agttacatga	4171
tcccccatgt	tgtgcaaaaa	agcggttagc	tccttcggtc	ctccgatcgt	tgtcagaagt	4231
aagttggccg	cagtgttatc	actcatggtt	atggcagcac	tgcataattc	tcttactgtc	4291
atgccatccg	taagatgctt	ttctgtgact	ggtgagtact	caaccaagtc	attctgagaa	4351
tagtgtatgc	ggcgaccgag	ttgctcttgc	ccggcgtcaa	cacgggataa	taccgcgcca	4411
catagcagaa	ctttaaaagt	gctcatcatt	ggaaaacgtt	cttcggggcg	aaaactctca	4471
aggatcttac	cgctgttgag	atccagttcg	atgtaaccca	ctcgtgcacc	caactgatct	4531
tcagcatctt	ttactttcac	cagcgtttct	gggtgagcaa	aaacaggaag	gcaaaatgcc	4591

gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt ccttttcaa 4651
tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711
tagaaaaata aacaaaagag tttgtagaaa cgcaaaaagg ccatccgtca ggatggcctt 4771
ctgcttaatt tgatgcctgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831
ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891
cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagccttc gttttattg 4951
atgcctggca gttccctact ctcgcatggg gagaccccac actaccatcg gcgctacggc 5011
gtttcacttc tgagttcggc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071
aattctgttt tatcagaccg cttctgcgtt ctgatttaat ctgtatcagg ctgaaaatct 5131
tctctcatcc gccaaaacag ccaagctagc ggccgatc

```
<210> 23
<211> 757
<212> PRT
<213> Art:
<223> Desc
<400> 23
Met Asp Va
```

<212> PRT <213> Artificial Sequence <223> Description of Artificial Sequence: FPV-Bratislava-PB1

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn
1 5 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His 20 25 30

Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln 35 40 45

Tyr Ser Glu Lys Gly Lys Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro
50 55 60

Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser 65 70 75 80

Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu 85 90 95

Glu Ser His Pro Gly Ile Phe Glu Asn Ser Cys Leu Glu Thr Met Glu 100 105 110

Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr 115 120 125

Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala 130 135 140

Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser 145 150 155 160

Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asp Lys 165 170 175

Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg 180 185 190

Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile Gly Lys 195 200 205

Lys	Gln 210	Arg	Leu	Asn	Lys	Arg 215	Ser	Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile	Ala	Thr	Pro	Gly 245	Met	Gln	Ile	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr	Leu	Ala	Arg 260	Ser	Ile	Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Leu	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Leu	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Glu	Pro
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Ile	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	Tyr	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asp
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Val	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505		Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515		Ile	Asn	Glu	Ser 520		Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	Ile 530	Lys	Asn	Asn	Met	Ile 535		Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala
Gln 545		Ala	Leu	Gln	Leu 550		Ile	Lys	Asp	Tyr 555	Arg	Tyr	Thr	Tyr	Arg 560

```
Cys His Arg Gly Asp Thr Gln Ile Gln Thr Arg Arg Ser Phe Glu Leu
Lys Lys Leu Trp Glu Gln Thr Arg Ser Lys Ala Gly Leu Leu Val Ser
                                585
Asp Gly Gly Pro Asn Leu Tyr Asn Ile Arg Asn Leu His Ile Pro Glu
Val Cys Leu Lys Trp Glu Leu Met Asp Glu Asp Tyr Gln Gly Arg Leu
                        615
Cys Asn Pro Met Asn Pro Phe Val Ser His Lys Glu Ile Glu Ser Val
Asn Asn Ala Ala Val Met Pro Ala His Gly Pro Ala Lys Ser Met Glu
Tyr Asp Ala Val Ala Thr Thr His Ser Trp Ile Pro Lys Arg Asn Arg
Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp Glu Gln Met
Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro Ser Ser Ser
                        695
Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala Met Val Ser
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys
                                    730
Lys Glu Glu Phe Ala Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu
Leu Arg Arg Gln Lys
        755
<210> 24
<211> 5169
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: WSN-PB1
<220>
<221> CDS
<222> (191)..(2461)
<400> 24
cccaaaaaa aaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg 60
gggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaa 120
acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 180
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca
                                                                   229
           Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro
gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct
                                                                   277
Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro
     15
                          20
                                              25
```

tac Tyr 30	agc Ser	cat His	ggg Gly	aca Thr	gga Gly 35	aca Thr	gga Gly	tac Tyr	acc Thr	atg Met 40	gat Asp	act Thr	gtc Val	aac Asn	agg Arg 45	325
aca Thr	cat His	cag Gln	tac Tyr	tca Ser 50	gaa Glu	agg Arg	gga Gly	aga Arg	tgg Trp 55	aca Thr	aca Thr	aac Asn	acc Thr	gaa Glu 60	act Thr	373
gga Gly	gca Ala	ccg Pro	caa Gln 65	ctc Leu	aac Asn	ccg Pro	att Ile	gat Asp 70	ggg Gly	cca Pro	ctg Leu	cca Pro	gaa Glu 75	gac Asp	aat Asn	421
gaa Glu	cca Pro	agt Ser 80	ggt Gly	tat Tyr	gcc Ala	caa Gln	aca Thr 85	gat Asp	tgt Cys	gta Val	ttg Leu	gaa Glu 90	gca Ala	atg Met	gcc Ala	469
ttc Phe	ctt Leu 95	gag Glu	gaa Glu	tcc Ser	cat His	cct Pro 100	ggt Gly	atc Ile	ttt Phe	gag Glu	acc Thr 105	tcg Ser	tgt Cys	ctt Leu	gaa Glu	517
acg Thr 110	atg Met	gag Glu	gtt Val	gtt Val	cag Gln 115	caa Gln	aca Thr	cga Arg	gtg Val	gac Asp 120	aag Lys	ctg Leu	aca Thr	caa Gln	ggc Gly 125	565
cga Arg	cag Gln	acc Thr	tat Tyr	gac Asp 130	tgg Trp	act Thr	cta Leu	aat Asn	agg Arg 135	aac Asn	cag Gln	cct Pro	gct Ala	gca Ala 140	aca Thr	613
gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
														aag Lys		757
														aca Thr		805
														agg Arg 220		853
		_			_			_	_		_		_	cta Leu		901
														gta Val		949
														caa Gln		997
														aat Asn		1045

gta Val	agg Arg	aag Lys	atg Met	atg Met 290	acc Thr	aat Asn	tct Ser	cag Gln	gac Asp 295	act Thr	gaa Glu	att Ile	tct Ser	ttc Phe 300	acc Thr	1093
atc Ile	act Thr	gga Gly	gat Asp 305	aac Asn	acc Thr	aaa Lys	tgg Trp	aac Asn 310	gaa Glu	aat Asn	cag Gln	aac Asn	cct Pro 315	cgg Arg	atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	atg Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	acc Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	gaa Glu	tgg Trp	ttc Phe	1189
aga Arg	aat Asn 335	gtt Val	cta Leu	agt Ser	att Ile	gct Ala 340	cca Pro	ata Ile	atg Met	ttc Phe	tca Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
aga Arg 350	ctg Leu	gga Gly	aag Lys	Gly ggg	tac Tyr 355	atg Met	ttt Phe	gag Glu	agc Ser	aag Lys 360	agt Ser	atg Met	aaa Lys	att Ile	aga Arg 365	1285
act Thr	caa Gln	ata Ile	cct Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agc Ser 375	atc Ile	gat Asp	ttg Leu	aaa Lys	tac Tyr 380	ttc Phe	1333
aat Asn	gat Asp	tca Ser	act Thr 385	aga Arg	aag Lys	aag Lys	att Ile	gaa Glu 390	aaa Lys	atc Ile	cgg Arg	ccg Pro	ctc Leu 395	tta Leu	ata Ile	1381
gat Asp	ggg	act Thr 400	gca Ala	tca Ser	ttg Leu	agc Ser	cct Pro 405	gga Gly	atg Met	atg Met	atg Met	ggc Gly 410	atg Met	ttc Phe	aat Asn	1429
atg Met	tta Leu 415	agt Ser	act Thr	gta Val	tta Leu	ggc Gly 420	gtc Val	tcc Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	gga Gly	caa Gln	aag Lys	1477
aga Arg 430	His	acc Thr	aag Lys	act Thr	act Thr 435	tac Tyr	tgg Trp	tgg Trp	gat Asp	ggt Gly 440	ctt Leu	caa Gln	tct Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctg Leu	att Ile 450	gtg Val	aat Asn	gca Ala	ccc Pro	aat Asn 455	cat His	gaa Glu	ggg Gly	att Ile	caa Gln 460	gcc Ala	1573
gga Gly	gtc Val	aac Asn	agg Arg 465	ttt Phe	tat Tyr	cga Arg	acc Thr	tgt Cys 470	aag Lys	cta Leu	ctt Leu	gga Gly	att Ile 475	aat Asn	atg Met	1621
agc Ser	aag Lys	aaa Lys 480	Lys	tct Ser	tac Tyr	ata Ile	aac Asn 485	aga Arg	aca Thr	ggt Gly	aca Thr	ttt Phe 490	gaa Glu	ttc Phe	aca Thr	1669
agc Ser	ttt Phe 495	Phe	tat Tyr	cgt Arg	tat Tyr	999 Gly 500	ttt Phe	gtt Val	gcc Ala	aat Asn	ttc Phe 505	agc Ser	atg Met	gag Glu	ctt Leu	1717
ccc Pro 510	Ser	ttt Phe	ggg Gly	gtg Val	tct Ser 515	Gly	atc Ile	aac Asn	gag Glu	tct Ser 520	gcg Ala	gac Asp	atg Met	agt Ser	att Ile 525	1765
					Lys					Asn		gat Asp				1813
				Met					Phe			gat Asp		Arg		1861

acg Thr	tac Tyr	cgg Arg 560	tgc Cys	cat His	aga Arg	ggt Gly	gac Asp 565	aca Thr	caa Gln	ata Ile	caa Gln	acc Thr 570	cga Arg	aga Arg	tca Ser	1909
ttt Phe	gaa Glu 575	ata Ile	aag Lys	aaa Lys	ctg Leu	tgg Trp 580	gag Glu	caa Gln	acc Thr	cat His	tcc Ser 585	aaa Lys	gct Ala	gga Gly	ctg Leu	1957
ctg Leu 590	gtc Val	tcc Ser	gac Asp	gga Gly	ggc Gly 595	cca Pro	aat Asn	tta Leu	tac Tyr	aac Asn 600	att Ile	aga Arg	aat Asn	ctc Leu	cac His 605	2005
att Ile	cct Pro	gaa Glu	gtc Val	tgc Cys 610	ttg Leu	aaa Lys	tgg Trp	gaa Glu	tta Leu 615	atg Met	gat Asp	gag Glu	gat Asp	tac Tyr 620	cag Gln	2053
G] À aaa	cgt Arg	tta Leu	tgc Cys 625	aac Asn	cca Pro	ctg Leu	aac Asn	cca Pro 630	ttt Phe	gtc Val	aac Asn	cat His	aaa Lys 635	gac Asp	att Ile	2101
gaa Glu	tca Ser	gtg Val 640	aac Asn	aat Asn	gca Ala	gtg Val	ata Ile 645	atg Met	cca Pro	gca Ala	cat His	ggt Gly 650	cca Pro	gcc Ala	aaa Lys	2149
aac Asn	atg Met 655	gag Glu	tat Tyr	gat Asp	gct Ala	gtt Val 660	gca Ala	aca Thr	aca Thr	cac His	tcc Ser 665	tgg Trp	atc Ile	ccc Pro	aaa Lys	2197
aga Arg 670	aat Asn	cga Arg	tcc Ser	atc Ile	ttg Leu 675	aat Asn	aca Thr	agc Ser	caa Gln	aga Arg 680	gga Gly	ata Ile	ctt Leu	gaa Glu	gat Asp 685	2245
gaa Glu	caa Gln	atg Met	tac Tyr	caa Gln 690	aag Lys	tgc Cys	tgc Cys	aac Asn	tta Leu 695	ttt Phe	gaa Glu	aaa Lys	ttc Phe	ttc Phe 700	ccc Pro	2293
agc Ser	agt Ser	tca Ser	tac Tyr 705	aga Arg	aga Arg	cca Pro	gtc Val	ggg Gly 710	ata Ile	tcc Ser	agt Ser	atg Met	gtg Val 715	gag Glu	gct Ala	2341
atg Met	gtt Val	tcc Ser 720	aga Arg	gcc Ala	cga Arg	att Ile	gat Asp 725	gca Ala	cga Arg	att Ile	gat Asp	ttc Phe 730	gaa Glu	tct Ser	gga Gly	2389
	ata Ile 735															2437
	Glu							tag	tgaa	ttt :	agct [.]	tgtc	ct t	catg	aaaaa	2491
atg	cctt	gtt	tcta	ctaa	ta a	cccg	gcgg	c cc	aaaa	tgcc	gac	tcgg	agc (gaaa	gatata	2551
cct	cccc	cgg	ggcc	ggga	gg t	cgcg	tcac	c ga	ccac	gccg	ccg	gccc	agg (cgac	gcgcga	2611
cac	ggac	acc	tgtc	ccca	aa a	acgc	cacc	a tc	gcag	ccac	aca	cgga	gcg (cccg	gggccc	2671
tct	ggtc	aac	ccca	ggac	ac a	cgcg	ggag	c ag	cgcc	gggc	cgg	ggac	gcc	ctcc	cggccg	2731
ccc	gtgc	cac	acgc	aggg	gg c	cggc	ccgt	g tc	tcca	gagc	ggg	agcc	gga i	agca	ttttcg	2791
gcc	ggcc	cct	ccta	cgac	cg g	gaca	cacg	a gg	gacc	gaag	gcc	ggcc	agg (cgcg	acctct	2851
cgg	gccg	cac	gcgc	gctc	ag g	gagc	gctc	t cc	gact	ccgc	acg	ggga	ctc	gcca	gaaagg	2911

atcgtgacct	gcattaatga	atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaggc	2971
cagcaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	3031
cccctgacg	agcatcacaa	aaatcgacgc	tcaagtcaga	ggtggcgaaa	cccgacagga	3091
ctataaagat	accaggcgtt	tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	3151
ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcgtggc	gctttctcat	3211
agctcacgct	gtaggtatct	cagttcggtg	taggtcgttc	gctccaagct	gggctgtgtg	3271
cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	3331
aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	3391
gcgaggtatg	taggcggtgc	tacagagttc	ttgaagtggt	ggcctaacta	cggctacact	3451
agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	3511
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggttttt	tgtttgcaag	3571
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	3631
tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	attatcaaaa	3691
aggatcttca	cctagatcct	tttaaattaa	aaatgaagtt	ttaaatcaat	ctaaagtata	3751
tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	tatctcagcg	3811
atctgtctat	ttcgttcatc	catagttgcc	tgactccccg	tcgtgtagat	aactacgata	3871
cgggagggct	taccatctgg	ccccagtgct	gcaatgatac	cgcgagaccc	acgctcaccg	3931
gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgcag	aagtggtcct	3991
gcaactttat	ccgcctccat	ccagtctatt	aattgttgcc	gggaagctag	agtaagtagt	4051
tcgccagtta	atagtttgcg	caacgttgtt	gccattgcta	caggcatcgt	ggtgtcacgc	4111
tcgtcgtttg	gtatggcttc	attcagctcc	ggttcccaac	gatcaaggcg	agttacatga	4171
tcccccatgt	tgtgcaaaaa	agcggttagc	tccttcggtc	ctccgatcgt	tgtcagaagt	4231
aagttggccg	cagtgttatc	actcatggtt	atggcagcac	tgcataattc	tcttactgtc	4291
atgccatccg	taagatgctt	ttctgtgact	ggtgagtact	caaccaagtc	attctgagaa	4351
tagtgtatgc	ggcgaccgag	ttgctcttgc	ccggcgtcaa	cacgggataa	taccgcgcca	4411
catagcagaa	ctttaaaagt	gctcatcatt	ggaaaacgtt	cttcggggcg	aaaactctca	4471
aggatcttac	cgctgttgag	atccagttcg	atgtaaccca	ctcgtgcacc	caactgatct	4531
tcagcatctt	ttactttcac	cagcgtttct	gggtgagcaa	aaacaggaag	gcaaaatgcc	4591
gcaaaaaagg	gaataagggc	gacacggaaa	tgttgaatac	tcatactctt	cctttttcaa	4651
tattattgaa	gcatttatca	gggttattgt	ctcatgagcg	gatacatatt	tgaatgtatt	4711
tagaaaaata	aacaaaagag	tttgtagaaa	cgcaaaaagg	ccatccgtca	ggatggcctt	4771
ctgcttaatt	tgatgcctgg	cagtttatgg	cgggcgtcct	gcccgccacc	ctccgggccg	4831
ttgcttcgca	acgttcaaat	ccgctcccgg	cggatttgtc	ctactcagga	gagcgttcac	4891
cgacaaacaa	cagataaaac	gaaaggccca	gtctttcgac	tgagcctttc	gttttatttg	4951

```
atgectggca gtteectact etegeatgg gagaceceae actaceateg gegetaegge 5011 gttteaette tgagttegge atggggteag gtgggaceae egegetaetg eegecaggea 5071 aattetgtt tateagaeeg ettetgegtt etgatttaat etgtateagg etgaaaatet 5131 teteteatee geeaaaaeag eeaagetage ggeegate 5169
```

<210> 25

<211> 757

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: WSN-PB1

<400> 25

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn 1 5 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His

Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln 35 40 45

Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro 50 55 60

Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser 65 70 75 80

Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu 85 90 95

Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu 100 105 110

Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr 115 120 125

Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala 130 135 140

Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser 145 150 155 160

Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asn Lys 165 170 175

Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg 180 185 190

Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile Gly Lys Arg 195 200 205

Lys Gln Arg Leu Asn Lys Arg Ser Tyr Leu Ile Arg Ala Leu Thr Leu 210 215 220

Asn Thr Met Thr Lys Asp Ala Glu Arg Gly Lys Leu Lys Arg Arg Ala 225 230 235 240

Ile Ala Thr Pro Gly Met Gln Ile Arg Gly Phe Val Tyr Phe Val Glu 245 250 255

Thr Leu Ala Arg Ser Ile Cys Glu Lys Leu Glu Gln Ser Gly Leu Pro 260 265 270

Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Ile	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Ile	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Asp	Ser
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	His	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asn
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Leu	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	_	Ile	Asn	Glu	Ser 520		Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	Ile 530	_	Asn	Asn	Met	Ile 535	Asn	Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala
Gln 545		Ala	Leu	Gln	Leu 550	Phe	Ile	Lys	Asp	Туг 555	Arg	Tyr	Thr	Tyr	Arg 560
Cys	His	Arg	Gly	Asp 565		Gln	Ile	Gln	Thr 570	Arg	Arg	Ser	Phe	Glu 575	
Lys	Lys	Leu	Trp 580		Gln	Thr	His	Ser 585		Ala	Gly	Leu	Leu 590	Val	Ser
Asp	Gly	Gly 595		Asn	Leu	Tyr	Asn 600		Arg	Asn	Leu	His 605		Pro	Glu
Val	Cys 610		Lys	Trp	Glu	Leu 615		Asp	Glu	Asp	Tyr 620		Gly	Arg	Leu

Cys 625	Asn	Pro	Leu	Asn	Pro 630	Phe	Val	Asn	His	Lys 635	Asp	Ile	Glu	Ser	Val 640	
Asn	Asn	Ala	Val	Ile 645	Met	Pro	Ala	His	Gly 650	Pro	Ala	Lys	Asn	Met 655	Glu	
Tyr	Asp	Ala	Val 660	Ala	Thr	Thr	His	Ser 665	Trp	Ile	Pro	Lys	Arg 670	Asn	Arg	
Ser	Ile	Leu 675	Asn	Thr	Ser	Gln	Arg 680	Gly	Ile	Leu	Glu	Asp 685	Glu	Gln	Met	
Tyr	Gln 690	Lys	Cys	Cys	Asn	Leu 695	Phe	Glu	Lys	Phe	Phe 700	Pro	Ser	Ser	Ser	
Tyr 705	Arg	Arg	Pro	Val	Gly 710	Ile	Ser	Ser	Met	Val 715	Glu	Ala	Met	Val	Ser 720	
Arg	Ala	Arg	Ile	Asp 725	Ala	Arg	Ile	Asp	Phe 730	Glu	Ser	Gly	Arg	Ile 735	Lys	
Lys	Glu	Glu	Phe 740	Thr	Glu	Ile	Met	Lys 745	Ile	Cys	Ser	Thr	Ile 750	Glu	Glu	
Leu	Arg	Arg 755	Gln	Lys												
<21 <21 <22 <22 <22 <22 <22	0> 3> D 0> 1> C	169 NA rtif. escr	ipti	on o	_		cial	Seq	uenc	e: pl	HL31	02				
	0> 2 aaaa		aaaa	aaaa	aa a	agag	t <i>c</i> ca	g ag	tggc	cccg	ccg	ttcc	gcg	ccġg	aagaaa	60
ggg	gggg	ggg	ggac	actt	tc g	gaca	tctg	g tc	gacc	tcca	gca	tcgg	ggg	aaaa	aaaaaa	120
aca	aagt	gtc	gccc	ggag	ta c	tggt	cgac	c tc	cgaa	gttg	ggg	ggga	gcg	aaag	caggca	180
aac	catt	tga	atg Met 1	gat Asp	gtc Val	aat Asn	ccg Pro 5	act Thr	tta Leu	ctt Leu	ttc Phe	tta Leu 10	aaa Lys	gtg Val	cca Pro	229
gca Ala	caa Gln 15	aat Asn	gct Ala	ata Ile	agc Ser	aca Thr 20	act Thr	ttc Phe	cct Pro	tat Tyr	act Thr 25	gga Gly	gac Asp	cct Pro	cct Pro	277
tac Tyr 30	Ser	cat His	ggg Gly	aca Thr	gga Gly 35	Thr	gga Gly	tac Tyr	acc Thr	atg Met 40	Asp	act Thr	gtc Val	aac Asn	agg Arg 45	325
		cag Gln			Glu					Thr					Thr	373
		. ccg Pro							Gly					Asp	aat Asn	421

gaa Glu	cca Pro	agt Ser 80	ggt Gly	tat Tyr	gcc Ala	caa Gln	aca Thr 85	gat Asp	tgt Cys	gta Val	ttg Leu	gaa Glu 90	gca Ala	atg Met	gcc Ala	469
ttc Phe	ctt Leu 95	gag Glu	gaa Glu	tcc Ser	cat His	cct Pro 100	ggt Gly	atc Ile	ttt Phe	gag Glu	acc Thr 105	tcg Ser	tgt Cys	ctt Leu	gaa Glu	517
acg Thr 110	atg Met	gag Glu	gtt Val	gtt Val	cag Gln 115	caa Gln	aca Thr	cga Arg	gtg Val	gac Asp 120	aag Lys	ctg Leu	aca Thr	caa Gln	ggc Gly 125	565
cga Arg	cag Gln	acc Thr	tat Tyr	gac Asp 130	tgg Trp	act Thr	cta Leu	aat Asn	agg Arg 135	aac Asn	cag Gln	cct Pro	gct Ala	gca Ala 140	aca Thr	613
gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
cga Arg 190	gtg Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
													aag Lys 235			901
													ttt Phe			949
ttt Phe	gtt Val 255	gag Glu	aca Thr	cta Leu	gca Ala	agg Arg 260	agt Ser	ata Ile	tgt Cys	gag Glu	aaa Lys 265	ctt Leu	gaa Glu	caa Gln	tca Ser	997
gga Gly 270	ttg Leu	cca Pro	gtt Val	gga Gly	ggc Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gca Ala 280	aag Lys	ttg Leu	gca Ala	aat Asn	gtt Val 285	1045
					Thr					Thr					acc Thr	1093
				Asn					Glu				cct Pro 315		atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	Glu	tgg Trp	ttc Phe	1189
		Val					Pro					Asn			gcg Ala	1237

							att Ile	1285
							tac Tyr 380	1333
							tta Leu	1381
							ttc Phe	1429
							caa Gln	1477
							tct Ser	1525
							caa Gln 460	1573
							aat Asn	1621
							ttc Phe	1669
							gag Glu	1717
							agc Ser	1765
							gga Gly 540	1813
							aga Arg	1861
							agg Arg	1909
							gga Gly	1957
							ctc Leu	2005

atc ccg gaa gtt tgc ctg aaa Ile Pro Glu Val Cys Leu Lys 610	tgg gaa cta Trp Glu Leu 615	atg gat gaa Met Asp Glu	gac tat Asp Tyr 620	cag 2053 Gln
gga aga ctt tgt aat ccc atg Gly Arg Leu Cys Asn Pro Met 625	aac ccg ttt Asn Pro Phe 630	gtc agt cat Val Ser His	aag gaa Lys Glu 635	att 2101 Ile
gaa tot gta aac aat got gog Glu Ser Val Asn Asn Ala Ala 640	gta atg cca Val Met Pro 645	gcc cat ggt Ala His Gly 650	cca gcc Pro Ala	aaa 2149 Lys
agc atg gaa tat gat gct gtg Ser Met Glu Tyr Asp Ala Val 655 660	gca act aca Ala Thr Thr	cac tct tgg His Ser Trp 665	atc cct Ile Pro	aag 2197 Lys
aga aac cgt tcc att ctc aat Arg Asn Arg Ser Ile Leu Asn 670 675	acg agt caa Thr Ser Gln	agg gga atc Arg Gly Ile 680	ctt gag Leu Glu	gat 2245 Asp 685
gaa caa atg tac cag aag tgt Glu Gln Met Tyr Gln Lys Cys 690	tgc aac cta Cys Asn Leu 695	Phe Glu Lys	ttc ttc Phe Phe 700	cct 2293 Pro
agc agc tca tac aga aga cca Ser Ser Ser Tyr Arg Arg Pro 705	gtt gga att Val Gly Ile 710	tcc agt atg Ser Ser Met	gtg gag Val Glu 715	gcc 2341 Ala
atg gtg tct agg gcc cgg att Met Val Ser Arg Ala Arg Ile 720	gat gca cga Asp Ala Arç 725	att gac ttc Ile Asp Phe 730	gag tct Glu Ser	gga 2389 Gly
agg att aag aag gaa gag ttt Arg Ile Lys Lys Glu Glu Phe 735 740	gct gag ato Ala Glu Ile	atg aag atc Met Lys Ile 745	tgt tcc Cys Ser	acc 2437 Thr
att gaa gag ctc aga cgg caa Ile Glu Glu Leu Arg Arg Gln 750 755		attt agcttgtc	ct tcatga	aaaa 2491
atgeettgtt tetaetaata acceg	gcggc ccaaaa	atgcc gactcgg	agc gaaag	atata 2551
cctcccccgg ggccgggagg tcgcg	tcacc gaccad	egeeg eeggeee	agg cgacg	cgcga 2611
cacggacacc tgtccccaaa aacgc	cacca tcgca	gccac acacgga	gcg cccgg	ggccc 2671
tctggtcaac cccaggacac acgcg	ggagc agcgc	eggge eggggae	gec etecc	ggccg 2731
cccgtgccac acgcaggggg ccggc	cegtg teteca	agagc gggagcc	gga agcat	tttcg 2791
gccggcccct cctacgaccg ggaca	cacga gggac	cgaag gccggcc	agg cgcga	acctct 2851
cgggccgcac gcgcgctcag ggagc	gctct ccgac	tccgc acgggga	ctc gccac	gaaagg 2911
atcgtgacct gcattaatga atcag	gggat aacgc	aggaa agaacat	gtg agcaa	aaggc 2971
cagcaaaagg ccaggaaccg taaaa	aggcc gcgtt	gctgg cgttttt	cca taggo	ctccgc 3031
ccccctgacg agcatcacaa aaatc	gacgc tcaag	tcaga ggtggcg	aaa cccga	acagga 3091
ctataaagat accaggcgtt tcccc	ctgga agctc	ceteg tgegete	tcc tgtto	ccgacc 3151
ctgccgctta ccggatacct gtccg	ccttt ctccc	ttcgg gaagcgt	ggc gcttt	ctcat 3211
agctcacgct gtaggtatct cagtt	cggtg taggt	cgttc gctccaa	gct gggc1	gtgtg 3271
cacgaacccc ccgttcagcc cgacc	gctgc gcctt	atccg gtaacta	tcg tctt	gagtcc 3331

aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	3391
gcgaggtatg	taggcggtgc	tacagagttc	ttgaagtggt	ggcctaacta	cggctacact	3451
agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	3511
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggttttt	tgtttgcaag	3571
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	3631
tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	attatcaaaa	3691
aggatcttca	cctagatcct	tttaaattaa	aaatgaagtt	ttaaatcaat	ctaaagtata	3751
tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	tatctcagcg	3811
atctgtctat	ttcgttcatc	catagttgcc	tgactccccg	tcgtgtagat	aactacgata	3871
cgggagggct	taccatctgg	ccccagtgct	gcaatgatac	cgcgagaccc	acgctcaccg	3931
gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgcag	aagtggtcct	3991
gcaactttat	ccgcctccat	ccagtctatt	aattgttgcc	gggaagctag	agtaagtagt	4051
tcgccagtta	atagtttgcg	caacgttgtt	gccattgcta	caggcatcgt	ggtgtcacgc	4111
tcgtcgtttg	gtatggcttc	attcagctcc	ggttcccaac	gatcaaggcg	agttacatga	4171
tcccccatgt	tgtgcaaaaa	agcggttagc	tccttcggtc	ctccgatcgt	tgtcagaagt	4231
aagttggccg	cagtgttatc	actcatggtt	atggcagcac	tgcataattc	tcttactgtc	4291
atgccatccg	taagatgctt	ttctgtgact	ggtgagtact	caaccaagtc	attctgagaa	4351
tagtgtatgc	ggcgaccgag	ttgctcttgc	ccggcgtcaa	cacgggataa	taccgcgcca	4411
catagcagaa	ctttaaaagt	gctcatcatt	ggaaaacgtt	cttcggggcg	aaaactctca	4471
aggatcttac	cgctgttgag	atccagttcg	atigtaaccca	ctcgtgcacc	caactgatct	4531
tcagcatctt	ttactttcac	cagcgtttct	gggtgagcaa	aaacaggaag	gcaaaatgcc	4591
gcaaaaaagg	gaataagggc	gacacggaaa	tgttgaatac	tcatactctt	cctttttcaa	4651
tattattgaa	gcatttatca	gggttattgt	ctcatgagcg	gatacatatt	tgaatgtatt	4711
tagaaaaata	aacaaaagag	tttgtagaaa	cgcaaaaagg	ccatccgtca	ggatggcctt	4771
ctgcttaatt	tgatgcctgg	cagtttatgg	cgggcgtcct	gcccgccacc	ctccgggccg	4831
ttgcttcgca	acgttcaaat	ccgctcccgg	cggatttgtc	ctactcagga	gagcgttcac	4891
cgacaaacaa	cagataaaac	gaaaggccca	gtctttcgac	tgagcctttc	gttttatttg	4951
atgcctggca	gttccctact	ctcgcatggg	gagaccccac	actaccatcg	gcgctacggc	5011
gtttcacttc	tgagttcggc	atggggtcag	gtgggaccac	cgcgctactg	ccgccaggca	5071
aattctgttt	tatcagaccg	cttctgcgtt	ctgatttaat	ctgtatcagg	ctgaaaatct	5131
tctctcatcc	gccaaaacag	ccaagctagc	ggccgatc			5169

<210> 27 <211> 757 <212> PRT

<213> Artificial Sequence <223> Description of Artificial Sequence: pHL3102

<400> 27 Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu 105 Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr 125 Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala 135 Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser 155 Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asn Lys 170 165 Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg 185 Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile Gly Lys Arg Lys Gln Arg Leu Asn Lys Arg Ser Tyr Leu Ile Arg Ala Leu Thr Leu Asn Thr Met Thr Lys Asp Ala Glu Arg Gly Lys Leu Lys Arg Arg Ala 230 Ile Ala Thr Pro Gly Met Gln Ile Arg Gly Phe Val Tyr Phe Val Glu Thr Leu Ala Arg Ser Ile Cys Glu Lys Leu Glu Gln Ser Gly Leu Pro Val Gly Gly Asn Glu Lys Lys Ala Lys Leu Ala Asn Val Val Arg Lys 280 Met Met Thr Asn Ser Gln Asp Thr Glu Ile Ser Phe Thr Ile Thr Gly

Asp Asn Thr Lys Trp Asn Glu Asn Gln Asn Pro Arg Met Phe Leu Ala

Met Ile Thr Tyr Ile Thr Arg Asn Gln Pro Glu Trp Phe Arg Asn Val

330

Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Ile	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Asp	Ser
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	His	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asn
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Leu	GJA	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	Gly	Ile	Asn	Glu	Ser 520	Ala	Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	Ile 530	Lys	Asn	Asn	Met	Ile 535	Asn	Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala
Gln 545	Met	Ala	Leu	Gln	Leu 550	Phe	Ile	Lys	Asp	Tyr 555	Arg	Tyr	Thr	Tyr	Arg 560
Cys	His	Arg	Gly	Asp 565		Gln	Ile	Gln	Thr 570	Arg	Arg	Ser	Phe	Glu 575	Leu
Lys	Lys	Leu	Trp 580	Glu	Gln	Thr	Arg	Ser 585		Ala	Gly	Leu	Leu 590	Val	Ser
Asp	Gly	Gly 595	Pro	Asn	Leu	Tyr	Asn 600	Ile	Arg	Asn	Leu	His 605		Pro	Glu
Val	Cys 610		Lys	Trp	Glu	Leu 615		Asp	Glu	Asp	Tyr 620	Gln	Gly	Arg	Leu
Cys 625		Pro	Met	Asn	Pro 630		Val	Ser	His	Lys 635		Ile	Glu	Ser	Val 640
Asn	Asn	Ala	Ala	Val 645		Pro	Ala	His	Gly 650		Ala	Lys	Ser	Met 655	Glu
Tyr	Asp	Ala	Val 660		Thr	Thr	His	Ser 665		Ile	Pro	Lys	Arg 670		Arg
Ser	Tla	Leu	Asn	Thr	Ser	Gln	Ara	Glv	Ile	Leu	Glu	Asp	Glu	Gln	Met

690	ys Cys Ası	n Leu Phe 695	e Glu Lys	Phe Phe 700	Pro Ser	Ser Ser	
Tyr Arg Arg P 705	ro Val Gl		Ser Met	Val Glu 715	Ala Met	Val Ser 720	
Arg Ala Arg I	le Asp Al. 725	a Arg Ile	e Asp Phe 730	Glu Ser	Gly Arg	Ile Lys 735	
Lys Glu Glu P 7	he Ala Gl 40	u Ile Met	Lys Ile 745	Cys Ser	Thr Ile 750	Glu Glu	
Leu Arg Arg G 755	ln Lys						
<210> 28 <211> 5169 <212> DNA <213> Artific	ial Seque	nce					
<220> <223> Descrip	otion of A	rtificial	l Sequenc	e: pHL31()3		
<220> <221> CDS <222> (191)	(2461)						
<400> 28 cccaaaaaaa aa	aaaaaaaa	aagagtcc	ag agtggc	cccg ccg	ctccgcg	ccdddddddd	60
aaaaaaaaa aa	gacactttc	ggacatct	gg tcgacc	tcca gca	cggggg	aaaaaaaaa	120
acaaagtgtc go	ccggagta	ctggtcga	cc tccgaa	gttg ggg	gggagcg	aaagcaggca	180
aaccatttga at Me	g gat gto et Asp Val	aat ccg Asn Pro 5	Thr Leu	ctg ttc : Leu Phe :	ttg aaa	gtt cct	229
aaccatttga at Me gcg caa aat g Ala Gln Asn A	et Asp Val 1 gca ata ac	Asn Pro 5 at act ac	Thr Leu g ttc cct	Leu Phe : tac act	ttg aaa Leu Lys 10 gga gat	gtt cct Val Pro	
gcg caa aat q Ala Gln Asn A	et Asp Val 1 gca ata aç Ala Ile Se gga aca gç Gly Thr Gl	Asn Pro 5 gt act ac er Thr Th 20 gg aca gg	Thr Leu g ttc cct r Phe Pro	tac act Tyr Thr 25 atg gac	ttg aaa Leu Lys 10 gga gat Gly Asp aca gto	gtt cct Val Pro cct cca Pro Pro	229
gcg caa aat g Ala Gln Asn A 15 tac agc cat g Tyr Ser His G	et Asp Val 1 gca ata ag Ala Ile Se gga aca gg Gly Thr Gl	Asn Pro 5 gt act ac er Thr Th 20 gg aca gg ly Thr Gl 35	Thr Leu g ttc cct r Phe Pro a tac acc y Tyr Thr	tac act Tyr Thr 25 atg gac Met Asp 40 aca aca	ttg aaa Leu Lys 10 gga gat Gly Asp aca gto Thr Val	gtt cct Val Pro cct cca Pro Pro caac agg Asn Arg 45 cgag act	229
gcg caa aat caa aat caa caa caa caa caa caa	et Asp Val gca ata ag Ala Ile Se gga aca gg Gly Thr Gl tat tcg ga Tyr Ser Gl 50 caa ctt aa	Asn Pro 5 gt act ac er Thr Th 20 gg aca gg ly Thr Gl 35 aa aag gg lu Lys Gl	Thr Leu g ttc cct r Phe Pro a tac acc y Tyr Thr g aaa tgg y Lys Trp 55	tac act Tyr Thr 25 atg gac Met Asp 40 aca aca Thr Thr	ttg aaa Leu Lys 10 gga gat Gly Asp aca gto Thr Val aac act Asn Thr	gtt cct Val Pro cct cca Pro Pro aac agg Asn Arg 45 gag act Glu Thr 60 g gac aat Asp Asn	229277325
gcg caa aat g Ala Gln Asn A 15 tac agc cat g Tyr Ser His g 30 aca cac caa g Thr His Gln g	gca ata agala Ile Seala Ile Ile Ile Seala Ile	Asn Pro 5 gt act ac er Thr Th 20 gg aca gg ly Thr Gl 35 aa aag gg lu Lys Gl at cca at sn Pro Il ca caa ac la Gln Tr	Thr Leu g ttc cct r Phe Pro a tac acc y Tyr Thr g aaa tgg y Lys Trp 55 t gat ggc e Asp Gly 70	tac act Tyr Thr 25 atg gac Met Asp 40 aca aca Thr Thr	ttg aaa Leu Lys 10 gga gat Gly Asp aca gto Thr Val aac act Asn Thr cct gag Pro Glu 75 gaa gca	gtt cct Val Pro cct cca Pro Pro aac agg Asn Arg 45 gag act Glu Thr 60 g gac aat Asp Asn atg gct	229277325373
gcg caa aat gAla Gln Asn A 15 tac agc cat gTyr Ser His GAN A 15 aca cac caa fThr His Gln Ser GAN Ala Pro GAN	gca ata agala Ile Seala Ile Ile Seala Ile	Asn Pro 5 gt act ace Thr Th 20 gg aca gg ly Thr Gl 35 aa aag gg lu Lys Gl at cca at sn Pro Il ca caa ac la Gln Th 8 at cca gg	Thr Leu g ttc cct r Phe Pro a tac acc y Tyr Thr g aaa tgg y Lys Trp 55 t gat ggc Asp Gly 70 ca gac tgc ar Asp Cys 35 ga atc ttt	tac act Tyr Thr 25 atg gac Met Asp 40 aca aca Thr Thr cca ttg Pro Leu gtc ctg Val Leu	ttg aaa Leu Lys 10 gga gat Gly Asp aca gtc Thr Val aac act Asn Thr cct gag Pro Glu 75 gaa gca Glu Ala 90 tcg tgt Ser Cys	gtt cct Val Pro cct cca Pro Pro cac agg Asn Arg 45 cgag act Glu Thr 60 cgac aat Asp Asn atg gct a Met Ala ctt gag	229277325373421

														gca Ala 140		613
														aca Thr		661
														gaa Glu		709
														aag Lys		757
														aca Thr		805
	_		_	-	-					_				agg Arg 220	_	853
														ctg Leu		901
														gtg Val		949
														cag Gln		997
														aat Asn		1045
														ttc Phe 300		1093
														cga Arg		1141
														tgg Trp		1189
aga Arg	aat Asn 335	gtc Val	ttg Leu	agc Ser	atc Ile	gcg Ala 340	ccg Pro	ata Ile	atg Met	ttt Phe	tcg Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
														ctc Leu		1285
aca Thr	caa Gln	ata Ile	cca Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agt Ser 375	att Ile	gat Asp	cta Leu	aaa Lys	tat Tyr 380	ttc Phe	1333
aat Asn	gaa Glu	cca Pro	aca Thr 385	agg Arg	aag Lys	aaa Lys	atc Ile	gag Glu 390	aaa Lys	ata Ile	agg Arg	cct Pro	ctc Leu 395	ata Ile	ata Ile	1381

gac Asp	ggc Gly	aca Thr 400	gcc Ala	tca Ser	tta Leu	agc Ser	ccg Pro 405	gga Gly	atg Met	atg Met	atg Met	ggt Gly 410	atg Met	ttc Phe	aac Asn	1429
atg Met	ctg Leu 415	agt Ser	aca Thr	gtg Val	ttg Leu	gga Gly 420	gtc Val	tca Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	Gly	caa Gln	aag Lys	1477
aga Arg 430	tac Tyr	acc Thr	aaa Lys	acc Thr	aca Thr 435	tac Tyr	tgg Trp	tgg Trp	gat Asp	gga Gly 440	ctt Leu	cag Gln	tcc Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctc Leu	atc Ile 450	gtg Val	aat Asn	gca Ala	cca Pro	aat Asn 455	cat His	gag Glu	gga Gly	ata Ile	caa Gln 460	gcg Ala	1573
gga Gly	gtg Val	gat Asp	aga Arg 465	ttc Phe	tac Tyr	aga Arg	acc Thr	tgc Cys 470	aag Lys	cta Leu	gtt Val	ggg Gly	atc Ile 475	aat Asn	atg Met	1621
agc Ser	aag Lys	aaa Lys 480	aag Lys	tcc Ser	tat Tyr	ata Ile	aat Asn 485	agg Arg	aca Thr	gga Gly	aca Thr	ttc Phe 490	gaa Glu	ttc Phe	aca Thr	1669
agc Ser	ttt Phe 495	ttc Phe	tat Tyr	cgt Arg	tat Tyr	ggg Gly 500	ttt Phe	gtt Val	gcc Ala	aat Asn	ttc Phe 505	agc Ser	atg Met	gag Glu	ctt Leu	1717
ccc Pro 510	agc Ser	ttt Phe	ggg Gly	gtg Val	tct Ser 515	Gly ggg	atc Ile	aac Asn	gag Glu	tct Ser 520	gcg Ala	gac Asp	atg Met	agt Ser	att Ile 525	1765
gga Gly	gtt Val	act Thr	gtc Val	atc Ile 530	aaa Lys	aac Asn	aat Asn	atg Met	ata Ile 535	aac Asn	aat Asn	gat Asp	ctt Leu	ggt Gly 540	cca Pro	1813
gca Ala	acc Thr	gct Ala	caa Gln 545	atg Met	gcc Ala	ctt Leu	cag Gln	ctg Leu 550	ttc Phe	atc Ile	aaa Lys	gat Asp	tac Tyr 555	agg Arg	tac Tyr	1861
		cgg Arg 560														1909
ttt Phe	gaa Glu 575	ata Ile	aag Lys	aaa Lys	ctg Leu	tgg Trp 580	gag Glu	caa Gln	acc Thr	cat His	tcc Ser 585	aaa Lys	gct Ala	gga Gly	ctg Leu	1957
ctg Leu 590	gtc Val	tcc Ser	gac Asp	gga Gly	ggc Gly 595	cca Pro	aat Asn	tta Leu	tac Tyr	aac Asn 600	att Ile	aga Arg	aat Asn	ctc Leu	cac His 605	2005
att Ile	cct Pro	gaa Glu	gtc Val	tgc Cys 610	ttg Leu	aaa Lys	tgg Trp	gaa Glu	tta Leu 615	Met	gat Asp	gag Glu	gat Asp	tac Tyr 620	cag Gln	2053
el A aaa	cgt Arg	tta Leu	tgc Cys 625	Asn	cca Pro	ctg Leu	aac Asn	cca Pro 630	ttt Phe	gtc Val	aac Asn	cat His	aaa Lys 635	gac Asp	att Ile	2101
			Asn					Met					Pro		aaa Lys	2149

aac Asn	atg Met 655	gag Glu	tat Tyr	gat Asp	gct Ala	gtt Val 660	gca Ala	aca Thr	aca Thr	cac His	tcc Ser 665	tgg Trp	atc Ile	ccc Pro	aaa Lys	2197
aga Arg 670	aat Asn	cga Arg	tcc Ser	atc Ile	ttg Leu 675	aat Asn	aca Thr	agc Ser	caa Gln	aga Arg 680	gga Gly	ata Ile	ctt Leu	gaa Glu	gat Asp 685	2245
gaa Glu	caa Gln	atg Met	tac Tyr	caa Gln 690	aag Lys	tgc Cys	tgc Cys	aac Asn	tta Leu 695	ttt Phe	gaa Glu	aaa Lys	ttc Phe	ttc Phe 700	ccc Pro	2293
agc Ser	agt Ser	tca Ser	tac Tyr 705	aga Arg	aga Arg	cca Pro	gtc Val	ggg Gly 710	ata Ile	tcc Ser	agt Ser	atg Met	gtg Val 715	gag Glu	gct Ala	2341
atg Met	gtt Val	tcc Ser 720	aga Arg	gcc Ala	cga Arg	att Ile	gat Asp 725	gca Ala	cga Arg	att Ile	gat Asp	ttc Phe 730	gaa Glu	tct Ser	gga Gly	2389
agg Arg	ata Ile 735	aag Lys	aaa Lys	gag Glu	gag Glu	ttc Phe 740	act Thr	gag Glu	atc Ile	atg Met	aag Lys 745	atc Ile	tgt Cys	tcc Ser	acc Thr	2437
att Ile 750	gaa Glu	gag Glu	ctc Leu	aga Arg	cgg Arg 755	caa Gln	aaa Lys	tag	tgaa [.]	ttt a	agct [.]	tgtc	ct t	catg	aaaaa	2491
atg	cctt	gtt	tcta	ctaa	ta a	cccg	gcgg	c cc	aaaa	tgcc	gac	tcgg	agc	gaaa	gatata	2551
cct	cccc	cgg	ggcc	ggga	gg t	cgcg	tcac	c ga	ccac	gccg	ccg	gccc	agg	cgac	gcgcga	2611
cac	ggac	acc	tgtc	ccca	aa a	acgc	cacc	a tc	gcag	ccac	aca	cgga	gcg	cccg	gggccc	2671
tct	ggtc	aac	ccca	ggac	ac a	cgcg	ggag	c ag	cgcc	gggc	cgg	ggac	gcc	ctcc	cggccg	2731
ccc	gtgc	cac	acgc	aggg	gg c	cggc	ccgt	g tc	tcca	gagc	ggg	agcc	gga	agca	ttttcg	2791
gcc	ggcc	cct	ccta	cgac	cg g	gaca	cacg	a gg	gacc	gaag	gcc	ggcc	agg	cgcg	acctct	2851
cgg	gccg	cac	gcgc	gctc	ag g	gago	gctc	t cc	gact	ccgc	acg	ggga	ctc	gcca	gaaagg	2911
atc	gtga	cct	gcat	taat	ga a	tcag	ggga	t aa	cgca	ggaa	aga	acat	gtg	agca	aaaggc	2971
cag	caaa	agg	ccag	gaac	cg t	aaaa	.aggc	c gc	gttg	ctgg	cgt	tttt	cca	tagg	ctccgc	3031
															acagga	
cta	taaa	ıgat	acca	aggcg	jtt t	cccc	ctgg	a ag	ctcc	ctcg	tgo	gctc	tcc	tgtt	ccgacc	3151
ctg	ccgc	tta	ccg	gatac	cct g	ıtccg	cctt	t ct	ccct	tcgg	gaa	gcgt	ggc	gctt	tctcat	3211
ago	tcac	gct	gtag	ggtat	ct c	agtt	cggt	g ta	ggtc	gttc	gct	ccaa	gct	gggc	tgtgtg	3271
cac	gaac	ccc	ccgt	tcaç	gcc c	gaco	gctg	c go	ctta	tccg	gta	acta	tcg	tctt	gagtco	3331
aac	ccgc	gtaa	gaca	acgao	ctt a	atcgo	cact	g gc	agca	ıgcca	cto	gtaa	acag	gatt	agcaga	3391
gcç	gaggt	atg	tag	gcggt	tgc t	acaç	gagtt	c tt	gaaç	ıtggt	ggc	ctaa	acta	cggc	tacact	3451
aga	agga	acag	tati	ttggt	tat o	ctgc	gctct	g ct	gaaç	gccac	y tta	acctt	cgg	aaaa	agagtt	3511
ggt	agct	ctt	gate	ccgg	caa a	acaaa	accad	cc go	tggt	agcç	g gto	ggttt	ttt	tgtt	tgcaag	3571
cag	gcaga	atta	cgc	gcaga	aaa a	aaaa	ggato	ct ca	agaa	gato	ctt	tgat	ctt	ttct	acgggg	3631
tct	gac	gctc	agt	ggaa	cga a	aaact	cacq	gt ta	aaggg	gattt	tgg	gtcat	gag	atta	atcaaaa	3691

```
aggatottca cotagatoot titaaattaa aaatgaagtt tiaaatcaat otaaagtata 3751
tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 3811
atotgtotat ttogttoato catagttgco tgactococg togtgtagat aactacgata 3871
egggaggget taccatetgg ecceagtget geaatgatac egegagaeee aegeteaeeg 3931
gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct 3991
gcaactttat ccgcctccat ccagtctatt aattgttgcc gggaagctag agtaagtagt 4051
togocagtta atagtttgcg caacgttgtt gccattgcta caggcatcgt ggtgtcacgc 4111
tcgtcgtttg gtatggcttc attcagctcc ggttcccaac gatcaaggcg agttacatga 4171
tcccccatgt tgtgcaaaaa agcggttagc tccttcggtc ctccgatcgt tgtcagaagt 4231
aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291
atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351
tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa cacgggataa taccgcgcca 4411
catagoagaa otttaaaagt gotoatoatt ggaaaacgtt ottoggggog aaaactotoa 4471
aggatettae egetgttgag atceagtteg atgtaaceea etegtgeace caactgatet 4531
tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 4591
gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 4651
tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711
tagaaaaata aacaaaagag tttgtagaaa cgcaaaaagg ccatccgtca ggatggcctt 4771
ctgcttaatt tgatgcctgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831
ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891
cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttatttg 4951
atgeetagea gtteectact etegeatggg gagaceceae actaceateg gegetaegge 5011
qtttcacttc tqaqttcgqc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071
aattctgttt tatcagaccg cttctgcgtt ctgatttaat ctgtatcagg ctgaaaatct 5131
                                                                   5169
tctctcatcc gccaaaacag ccaagctagc ggccgatc
```

```
<210> 29
<211> 757
```

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: pHL3103

<400> 29

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn 1 5 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His
20 25 30

Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln
35 40 45

Tyr	Ser 50	Glu	Lys	Gly	Lys	Trp 55	Thr	Thr	Asn	Thr	Glu 60	Thr	Gly	Ala	Pro
Gln 65	Leu	Asn	Pro	Ile	Asp 70	Gly	Pro	Leu	Pro	Glu 75	Asp	Asn	Glu	Pro	Ser 80
Gly	Tyr	Ala	Gln	Thr 85	Asp	Cys	Val	Leu	Glu 90	Ala	Met	Ala	Phe	Leu 95	Glu
Glu	Ser	His	Pro 100	Gly	Ile	Phe	Glu	Asn 105	Ser	Cys	Leu	Glu	Thr 110	Met	Glu
Val	Val	Gln 115	Gln	Thr	Arg	Val	Asp 120	Lys	Leu	Thr	Gln	Gly 125	Arg	Gln	Thr
Tyr	Asp 130	Trp	Thr	Leu	Asn	Arg 135	Asn	Gln	Pro	Ala	Ala 140	Thr	Ala	Leu	Ala
Asn 145	Thr	Ile	Glu	Val	Phe 150	Arg	Ser	Asn	Gly	Leu 155	Thr	Ala	Asn	Glu	Ser 160
Gly	Arg	Leu	Ile	Asp 165	Phe	Leu	Lys	Asp	Val 170	Met	Glu	Ser	Met	Asp 175	Lys
Glu	Glu	Met	Glu 180	Ile	Thr	Thr	His	Phe 185	Gln	Arg	Lys	Arg	Arg 190	Val	Arg
Asp	Asn	Met 195	Thr	Lys	Lys	Met	Val 200	Thr	Gln	Arg	Thr	Ile 205	Gly	Lys	Lys
Lys	Gln 210	Arg	Leu	Asn	Lys	Arg 215	Ser	Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile	Ala	Thr	Pro	Gly 245	Met	Gln	Ile	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr	Leu	Ala	Arg 260	Ser	Ile	Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Leu	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305		Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360		Met	Lys	Leu	Arg 365		Gln	Ile
Pro	Ala 370		Met	Leu	Ala	Ser 375		Asp	Leu	Lys	Tyr 380	Phe	Asn	Glu	Pro
Thr 385		Lys	Lys	Ile	Glu 390	_	Ile	Arg	Pro	Leu 395		Ile	Asp	Gly	Thr 400

Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	Tyr	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asp
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Val	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	Gly	Ile	Asn	Glu	Ser 520	Ala	Asp	Met	Ser	Ile 525	Gly	Val	Thr
	530	_	Asn			535					540				
545			Leu		550					555					560
-			Gly	565					570					575	
_	-		Trp 580					585					590		
Asp	Gly	Gly 595	Pro	Asn	Leu	Tyr	Asn 600	Ile	Arg	Asn	Leu	His 605	Ile	Pro	Glu
Val	Cys 610	Leu	Lys	Trp	Glu	Leu 615	Met	Asp	Glu	Asp	Tyr 620	Gln	Gly	Arg	Leu
625			Leu		630					635					640
Asn	Asn	Ala	Val	Ile 645	Met	Pro	Ala	His	Gly 650	Pro	Ala	Lys	Asn	Met 655	Glu
Tyr	Asp	Ala	Val 660	Ala	Thr	Thr	His	Ser 665	Trp	Ile	Pro	Lys	Arg 670	Asn	Arg
Ser	Ile	Leu 675	Asn	Thr	Ser	Gln	Arg 680	Gly	Ile	Leu	Glu	Asp 685	Glu	Gln	Met
Tyr	Gln 690		Cys	Cys	Asn	Leu 695		Glu	Lys	Phe	Phe 700	Pro	Ser	Ser	Ser
705			Pro		710					715					720
Arg	Ala	Arg	Ile	Asp 725		Arg	Ile	Asp	Phe 730		Ser	Gly	Arg	Ile 735	Lys
Lys	Glu	Glu	740		Glu	Ile	Met	Lys 745		Cys	Ser	Thr	Ile 750		Glu

rinted:05-03-2002

Leu Arg Arg Gln Lys 755

<210> 30 <211> 5169 <212> DNA <213> Artificial Sequence <223> Description of Artificial Sequence: pHL3130 <220> <221> CDS <222> (191)..(2461) <400> 30 cccaaaaaaa aaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg 60 ggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaa 120 acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 180 aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro 229 gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct 277 Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro 325 tac age cat ggg aca gga aca gga tac acc atg gat act gtc aac agg Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg 40 aca cat cag tac tca gaa agg gga aga tgg aca aca aac acc gaa act 373 Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr 421 qqa qca ccq caa ctc aac ccg att gat ggg cca ctg cca gaa gac aat Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn 469 gaa cca agt ggt tat gcc caa aca gat tgt gta ttg gaa gca atg gcc Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala 85 ttc ctt gag gaa tcc cat cct ggt atc ttt gag acc tcg tgt ctt gaa 517 Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu 95 100 acg atg gag gtt gtt cag caa aca cga gtg gac aag ctg aca caa ggc 565 Thr Met Glu Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly 120 115 cga cag acc tat gac tgg act cta aat agg aac cag cct gct gca aca 613 Arg Gln Thr Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr 130 135 gca ttg gcc aac aca ata gaa gtg ttc aga tca aat ggc ctc acg gcc 661 Ala Leu Ala Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala 145 aat gaa tot gga agg oto ata gao tto ott aag gat gta atg gag toa Asn Glu Ser Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser 165

atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
ega Arg 190	gtg Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
tta Leu	acc Thr	ctg Leu	aac Asn 225	aca Thr	atg Met	acc Thr	aaa Lys	gat Asp 230	gct Ala	gag Glu	aga Arg	Gly ggg	aag Lys 235	cta Leu	aaa Lys	901
cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	aca Thr	cca Pro	ggg Gly 245	atg Met	cag Gln	atc Ile	aga Arg	ggg Gly 250	ttt Phe	gtg Val	tac Tyr	949
ttt Phe	gtt Val 255	gag Glu	aca Thr	ctg Leu	gcg Ala	aga Arg 260	agc Ser	att Ile	tgc Cys	gag Glu	aag Lys 265	ctt Leu	gaa Glu	cag Gln	tct Ser	997
ggg Gly 270	cta Leu	cca Pro	gtt Val	gga Gly	ggg Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gct Ala 280	aaa Lys	ttg Leu	gca Ala	aat Asn	gtc Val 285	1045
gtg Val	agg Arg	aag Lys	atg Met	atg Met 290	acg Thr	aac Asn	tca Ser	caa Gln	gac Asp 295	act Thr	gag Glu	ctc Leu	tct Ser	ttc Phe 300	aca Thr	1093
atc Ile	acc Thr	gga Gly	gac Asp 305	aat Asn	acc Thr	aaa Lys	tgg Trp	aat Asn 310	gag Glu	aac Asn	caa Gln	aac Asn	ccc Pro 315	cga Arg	atg Met	1141
ttc Phe	ctg Leu	gca Ala 320	atg Met	ata Ile	aca Thr	tac Tyr	atc Ile 325	aca Thr	aga Arg	aac Asn	caa Gln	cct Pro 330	gag Glu	tgg Trp	ttt Phe	1189
aga Arg	aat Asn 335	gtc Val	ttg Leu	agc Ser	atc Ile	gcg Ala 340	ccg Pro	ata Ile	atg Met	ttt Phe	tcg Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
agg Arg 350	cta Leu	GJ À aaa	aaa Lys	Gly	tac Tyr 355	atg Met	ttc Phe	gaa Glu	agc Ser	aaa Lys 360	agc Ser	atg Met	aag Lys	ctc Leu	cga Arg 365	1285
	caa Gln				Glu											1333
aat Asn	gaa Glu	cca Pro	aca Thr 385	Arg	aag Lys	aaa Lys	atc Ile	gag Glu 390	Lys	ata Ile	agg Arg	cct Pro	ctc Leu 395	ata Ile	ata Ile	1381
gac Asp	ggc Gly	aca Thr 400	Ala	tca Ser	tta Leu	agc Ser	ccg Pro 405	Gly	atg Met	atg Met	atg Met	ggt Gly 410	atg Met	ttc Phe	aac Asn	1429
ato Met	ctg Leu 415	Ser	aca Thr	gtg Val	ttg Leu	gga Gly 420	Val	tca Ser	atc Ile	ctg Leu	aat Asn 425	Leu	ggg Gly	caa Gln	aag Lys	1477
aga Arq 430	a tac g Tyr)	acc Thr	: aaa : Lys	acc Thr	aca Thr 435	Tyr	tgg Trp	tgg Trp	gat Asp	gga Gly 440	Leu	cag Gln	tcc Ser	tct Ser	gat Asp 445	1525

													ata Ile			1573
													atc Ile 475			1621
													gaa Glu			1669
													atg Met			1717
													atg Met			1765
													ctt Leu			1813
													tac Tyr 555			1861
													agg Arg			1909
													gca Ala			1957
													aat Asn			2005
													gac Asp			2053
gga Gly	aga Arg	ctt Leu	tgt Cys 625	aat Asn	ccc Pro	atg Met	aac Asn	ccg Pro 630	ttt Phe	gtc Val	agt Ser	cat His	aag Lys 635	gaa Glu	att Ile	2101
													cca Pro			2149
													atc Ile			2197
_		_					_	_					ctt Leu		_	2245
_		_		_	_	_	_						ttc Phe			2293



agc agc tca tac aga aga cca gtt gga att tcc agt atg gtg gag gcc 2 Ser Ser Ser Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala 705 710 715	2341
atg gtg tct agg gcc cgg att gat gca cga att gac ttc gag tct gga 2 Met Val Ser Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly 720 725 730	2389
agg att aag aag gaa gag ttt gct gag atc atg aag atc tgt tcc acc 2 Arg Ile Lys Lys Glu Glu Phe Ala Glu Ile Met Lys Ile Cys Ser Thr 735 740 745	2437
att gaa gag ctc aga cgg caa aaa tagtgaattt agcttgtcct tcatgaaaaa 2 Ile Glu Glu Leu Arg Arg Gln Lys 750 755	2491
atgeettgtt tetaetaata acceggegge ceaaaatgee gaeteggage gaaagatata 2	2551
cctccccgg ggccgggagg tcgcgtcacc gaccacgccg ccggcccagg cgacgcgca 2	2611
cacggacace tgtccccaaa aacgccacca tcgcagccac acacggagcg cccggggccc 2	2671
tctggtcaac cccaggacac acgcgggagc agcgccgggc cggggacgcc ctcccggccg 2	2731
cccgtgccac acgcaggggg ccggcccgtg tctccagagc gggagccgga agcattttcg 2	2791
gccggcccct cctacgaccg ggacacacga gggaccgaag gccggccagg cgcgacctct 2	2851
cgggccgcac gcgcgctcag ggagcgctct ccgactccgc acggggactc gccagaaagg 2	2911
atcgtgacct gcattaatga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc 2	2971
cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc 3	3031
cccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 3	3091
ctataaagat accaggogtt tooccotgga agotocotog tgogototoo tgttocgaco 3	3151
ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat 3	3211
agctcacget gtaggtatet cagtteggtg taggtegtte getecaaget gggetgtgtg 3	3271
cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc 3	3331
aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga 3	3391
gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact 3	3451
agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt 3	3511
ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt tgtttgcaag 3	3571
cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg 3	3631
tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa 3	3691
aggatottoa ootagatoot tttaaattaa aaatgaagtt ttaaatoaat otaaagtata 3	3751
tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 3	3811
atotgtotat ttogttoato catagttgoo tgactoooog togtgtagat aactaogata 3	3871
egggaggget taccatetgg ecceagtget geaatgatae egegagaeee aegeteaeeg 3	3931
gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct	3991
gcaactttat eegeeteeat eeagtetatt aattgttgee gggaagetag agtaagtagt 4	4051

```
tegecagtta atagtttgeg caaegttgtt gecattgeta caggeategt ggtgtcaege 4111
togtogtttg gtatggotto attoagotoo ggttoocaac gatoaaggog agttacatga 4171
tececeatgt tgtgcaaaaa ageggttage teetteggte eteegategt tgtcagaagt 4231
aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291
atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351
tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa cacgggataa taccgcgcca 4411
catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg aaaactctca 4471
aggatettae egetgttgag atecagtteg atgtaaceca etegtgeace caactgatet 4531
tcaqcatctt ttactttcac caqcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 4591
gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 4651
tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711
tagaaaaata aacaaaagag titgtagaaa cgcaaaaagg ccatccgtca ggatggcctt 4771
ctgcttaatt tgatgcctgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831
ttgettegea aegtteaaat eegeteeegg eggatttgte etaeteagga gagegtteae 4891
cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttatttg 4951
atgeetggea gtteectact etegeatggg gagaceceae actaceateg gegetaegge 5011
gtttcacttc tgagttcggc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071
aattotqttt tatcaqaccg cttctgcgtt ctgatttaat ctgtatcagg ctgaaaatct 5131
                                                                  5169
teteteatee gecaaaacag ceaagetage ggeegate
```

```
<210> 31
```

<400> 31

<211> 757

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: pHL3130

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn 1 5 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His 20 25 30

Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln 35 40 45

Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro 50 60

Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser 65 70 75 80

Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu 85 90 95

Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu 100 105 110

Val	Val	Gln 115	Gln	Thr	Arg	Val	Asp 120	Lys	Leu	Thr	Gln	Gly 125	Arg	Gln	Thr
Tyr	Asp 130	Trp	Thr	Leu	Asn	Arg 135	Asn	Gln	Pro	Ala	Ala 140	Thr	Ala	Leu	Ala
Asn 145	Thr	Ile	Glu	Val	Phe 150	Arg	Ser	Asn	Gly	Leu 155	Thr	Ala	Asn	Glu	Ser 160
Gly	Arg	Leu	Ile	Asp 165	Phe	Leu	Lys	Asp	Val 170	Met	Glu	Ser	Met	Asn 175	Lys
Glu	Glu	Met	Glu 180	Ile	Thr	Thr	His	Phe 185	Gln	Arg	Lys	Arg	Arg 190	Val	Arg
Asp	Asn	Met 195	Thr	Lys	Lys	Met	Val 200	Thr	Gln	Arg	Thr	Ile 205	Gly	Lys	Arg
Lys	Gln 210	Arg	Leu	Asn	Lys	Arg 215	Ser	Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile	Ala	Thr	Pro	Gly 245	Met	Gln	Ile	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr	Leu	Ala	Arg 260	Ser	Ile	Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Leu	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355		Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Leu	Arg 365	Thr	Gln	Ile
Pro	Ala 370		Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Glu	Pro
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Ile	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	_	Met	Met	Met	Gly 410		Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420		Ser	Ile	Leu	Asn 425		Gly	Gln	Lys	Arg 430	Tyr	Thr
Lys	Thr	Thr 435		Trp	Trp	Asp	Gly 440		Gln	Ser	Ser	Asp 445		Phe	Ala
Leu	Ile 450		Asn	Ala	Pro	Asn 455		Glu	Gly	Ile	Gln 460		Gly	Val	Asp

```
Arg Phe Tyr Arg Thr Cys Lys Leu Val Gly Ile Asn Met Ser Lys Lys
                    470
                                        475
Lys Ser Tyr Ile Asn Arg Thr Gly Thr Phe Glu Phe Thr Ser Phe Phe
                                    490
Tyr Arg Tyr Gly Phe Val Ala Asn Phe Ser Met Glu Leu Pro Ser Phe
                                505
Gly Val Ser Gly Ile Asn Glu Ser Ala Asp Met Ser Ile Gly Val Thr
                            520
Val Ile Lys Asn Asn Met Ile Asn Asn Asp Leu Gly Pro Ala Thr Ala
Gln Met Ala Leu Gln Leu Phe Ile Lys Asp Tyr Arg Tyr Thr Tyr Arg
                    550
                                                             560
Cys His Arg Gly Asp Thr Gln Ile Gln Thr Arg Arg Ser Phe Glu Leu
Lys Lys Leu Trp Glu Gln Thr Arg Ser Lys Ala Gly Leu Leu Val Ser
                                 585
Asp Gly Gly Pro Asn Leu Tyr Asn Ile Arg Asn Leu His Ile Pro Glu
Val Cys Leu Lys Trp Glu Leu Met Asp Glu Asp Tyr Gln Gly Arg Leu
Cys Asn Pro Met Asn Pro Phe Val Ser His Lys Glu Ile Glu Ser Val
Asn Asn Ala Ala Val Met Pro Ala His Gly Pro Ala Lys Ser Met Glu
                                     650
Tyr Asp Ala Val Ala Thr Thr His Ser Trp Ile Pro Lys Arg Asn Arg
Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp Glu Gln Met
Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro Ser Ser Ser
Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala Met Val Ser
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys
Lys Glu Glu Phe Ala Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu
Leu Arg Arg Gln Lys
        755
<210> 32
<211> 5169
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: pHL3131
```

<220>

<221> CDS <222> (191)..(2461) <400> 32 cccaaaaaaa aaaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg 60 ggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaa 120 acaaaqtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 180 aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca 229 Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro qca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct 277 Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro 20 tac age cat ggg aca gga aca gga tac ace atg gat act gtc aac agg 325 Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg aca cat cag tac tca gaa agg gga aga tgg aca aca aac acc gaa act 373 Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr gga gca ccg caa ctc aac ccg att gat ggg cca ctg cca gaa gac aat 421 Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn 469 gaa cca agt ggt tat gcc caa aca gat tgt gta ttg gaa gca atg gcc Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala ttc ctt gag gaa tcc cat cct ggt atc ttt gag acc tcg tgt ctt gaa 517 Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu 565 acg atg gag gtt gtt cag caa aca cga gtg gac aag ctg aca caa ggc Thr Met Glu Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly 115 120 110 cga cag acc tat gac tgg act cta aat agg aac cag cct gct gca aca 613 Arg Gln Thr Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr gca ttg gcc aac aca ata gaa gtg ttc aga tca aat ggc ctc acg gcc Ala Leu Ala Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala 661 150 709 aat gaa tot gga agg oto ata gao tto ott aag gat gta atg gag toa Asn Glu Ser Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser 165 757 atg aac aaa gaa gaa atg gag atc aca act cat ttt cag aga aag aga Met Asn Lys Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg 180 805 cga gtg aga gac aat atg act aag aaa atg gtg aca cag aga aca ata Arg Val Arg Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile 200 195 ggt aaa agg aag cag aga ttg aac aaa agg agt tat cta att agg gca 853 Gly Lys Arg Lys Gln Arg Leu Asn Lys Arg Ser Tyr Leu Ile Arg Ala tta acc ctg aac aca atg acc aaa gat gct gag aga ggg aag cta aaa 901

Leu	Thr	Leu	Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	
cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	aca Thr	cca Pro	ggg Gly 245	atg Met	cag Gln	atc Ile	aga Arg	ggg Gly 250	ttt Phe	gtg Val	tac Tyr	949
ttt Phe	gtt Val 255	gag Glu	aca Thr	ctg Leu	gcg Ala	aga Arg 260	agc Ser	att Ile	tgc Cys	gag Glu	aag Lys 265	ctt Leu	gaa Glu	cag Gln	tct Ser	997
ggg Gly 270	cta Leu	cca Pro	gtt Val	gga Gly	ggg Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gct Ala 280	aaa Lys	ttg Leu	gca Ala	aat Asn	gtc Val 285	1045
gtg Val	agg Arg	aag Lys	atg Met	atg Met 290	acg Thr	aac Asn	tca Ser	caa Gln	gac Asp 295	act Thr	gag Glu	ctc Leu	tct Ser	ttc Phe 300	aca Thr	1093
atc Ile	acc Thr	gga Gly	gac Asp 305	aat Asn	acc Thr	aaa Lys	tgg Trp	aat Asn 310	gag Glu	aac Asn	caa Gln	aac Asn	ccc Pro 315	cga Arg	atg Met	1141
ttc Phe	ctg Leu	gca Ala 320	atg Met	ata Ile	aca Thr	tac Tyr	atc Ile 325	aca Thr	aga Arg	aac Asn	caa Gln	cct Pro 330	gag Glu	tgg Trp	ttt Phe	1189
aga Arg	aat Asn 335	gtc Val	ttg Leu	agc Ser	atc Ile	gcg Ala 340	ccg Pro	ata Ile	atg Met	ttt Phe	tcg Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
agg Arg 350	cta Leu	Gly ggg	aaa Lys	ggg Gly	tac Tyr 355	atg Met	ttc Phe	gaa Glu	agc Ser	aaa Lys 360	agc Ser	atg Met	aag Lys	ctc Leu	cga Arg 365	1285
aca Thr	caa Gln	ata Ile	cca Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agt Ser 375	att Ile	gat Asp	cta Leu	aaa Lys	tat Tyr 380	ttc Phe	1333
aat Asn	gaa Glu	cca Pro	aca Thr 385	agg Arg	aag Lys	aaa Lys	atc Ile	gag Glu 390	aaa Lys	ata Ile	agg Arg	cct Pro	ctc Leu 395	ata Ile	ata Ile	1381
gac Asp	ggc Gly	aca Thr 400	gcc Ala	tca Ser	tta Leu	agc Ser	ccg Pro 405	gga Gly	atg Met	atg Met	atg Met	ggt Gly 410	Met	ttc Phe	aac Asn	1429
atg Met	ctg Leu 415	Ser	aca Thr	gtg Val	ttg Leu	gga Gly 420	gtc Val	tca Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	ggg Gly	caa Gln	aag Lys	1477
aga Arg 430	Tyr	acc Thr	aaa Lys	acc Thr	aca Thr 435	tac Tyr	tgg Trp	tgg Trp	gat Asp	gga Gly 440	ctt Leu	cag Gln	tcc Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctc Leu	atc Ile 450	Val	aat Asn	gca Ala	cca Pro	aat Asn 455	His	gag Glu	gga Gly	ata Ile	caa Gln 460	Ala	1573
gga Gly	gtg Val	gat Asp	aga Arg 465	Phe	tac Tyr	aga Arg	acc Thr	tgc Cys 470	Lys	cta Leu	gtt Val	Gly	atc Ile 475	aat Asn	atg Met	1621
ago Ser	aaç Lys	aaa Lys 480	Lys	tcc Ser	tat Tyr	ata Ile	aat Asn 485	Arg	aca Thr	gga Gly	aca Thr	ttc Phe 490	Glu	ttc Phe	aca Thr	1669

agc Ser	ttt Phe 495	ttc Phe	tat Tyr	cgt Arg	tat Tyr	ggg 500	ttt Phe	gtt Val	gcc Ala	aat Asn	ttc Phe 505	agc Ser	atg Met	gag Glu	ctt Leu	1717
ccc Pro 510	agc Ser	ttt Phe	ggg Gly	gtg Val	tct Ser 515	Gly ggg	atc Ile	aac Asn	gag Glu	tct Ser 520	gcg Ala	gac Asp	atg Met	agt Ser	att Ile 525	1765
gga Gly	gtt Val	act Thr	gtc Val	atc Ile 530	aaa Lys	aac Asn	aat Asn	atg Met	ata Ile 535	aac Asn	aat Asn	gat Asp	ctt Leu	ggt Gly 540	cca Pro	1813
gca Ala	acc Thr	gct Ala	caa Gln 545	atg Met	gcc Ala	ctt Leu	cag Gln	ctg Leu 550	ttc Phe	atc Ile	aaa Lys	gat Asp	tac Tyr 555	agg Arg	tac Tyr	1861
acg Thr	tac Tyr	cgg Arg 560	tgc Cys	cat His	aga Arg	ggt Gly	gac Asp 565	aca Thr	caa Gln	ata Ile	caa Gln	acc Thr 570	cga Arg	aga Arg	tca Ser	1909
ttt Phe	gaa Glu 575	ata Ile	aag Lys	aaa Lys	ctg Leu	tgg Trp 580	gag Glu	caa Gln	acc Thr	cat His	tcc Ser 585	aaa Lys	gct Ala	gga Gly	ctg Leu	1957
ctg Leu 590	gtc Val	tcc Ser	gac Asp	gga Gly	ggc Gly 595	cca Pro	aat Asn	tta Leu	tac Tyr	aac Asn 600	att Ile	aga Arg	aat Asn	ct <i>c</i> Leu	cac His 605	2005
att Ile														tac Tyr 620		2053
ggg ggg	cgt Arg	tta Leu	tgc Cys 625	aac Asn	cca Pro	ctg Leu	aac Asn	cca Pro 630	ttt Phe	gtc Val	aac Asn	cat His	aaa Lys 635	gac Asp	att Ile	2101
														gcc Ala		2149
														ccc Pro		2197
aga Arg 670	aat Asn	cga Arg	tcc Ser	atc Ile	ttg Leu 675	aat Asn	aca Thr	agc Ser	caa Gln	aga Arg 680	gga Gly	ata Ile	ctt Leu	gaa Glu	gat Asp 685	2245
gaa Glu	caa Gln	atg Met	tac Tyr	caa Gln 690	aag Lys	tgc Cys	tgc Cys	aac Asn	tta Leu 695	ttt Phe	gaa Glu	aaa Lys	ttc Phe	ttc Phe 700	ccc Pro	2293
agc Ser	agt Ser	tca Ser	tac Tyr 705	aga Arg	aga Arg	cca Pro	gtc Val	ggg Gly 710	ata Ile	tcc Ser	agt Ser	atg Met	gtg Val 715	gag Glu	gct Ala	2341
atg Met	gtt Val	tcc Ser 720	aga Arg	gcc Ala	cga Arg	att Ile	gat Asp 725	gca Ala	cga Arg	att Ile	gat Asp	ttc Phe 730	Glu	tct Ser	gga Gly	2389
		Lys					Thr					Ile			acc Thr	2437
						Gln			tgaa	ttt	agct	tgtc	ct t	catg	aaaaa	2491

atgeettgtt tetaetaata acceggegge ceaaaatgee gacteggage gaaagatata 2551 cctccccgg ggccgggagg tcgcgtcacc gaccacgccg ccggcccagg cgacgcgcga 2611 cacqqacacc tqtccccaaa aacqccacca tcqcaqccac acacqqaqcq cccqqqqccc 2671 totggtcaac cocaggacac acgegggage agegeeggge eggggaegee eteceggeeg 2731 cccgtgccac acgcaggggg ccggcccgtg tctccagagc gggagccgga agcattttcg 2791 gccggcccct cctacgaccg ggacacacga gggaccgaag gccggccagg cgcgacctct 2851 cgggccgcac gcgcgctcag ggagcgctct ccgactccgc acggggactc gccagaaagg 2911 atcgtgacct gcattaatga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc 2971 cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc 3031 ccccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 3091 ctataaagat accaggogtt toccootgga agotocotog tgogototoc tgttocgacc 3151 ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat 3211 agctcacgct gtaggtatct cagttcggtg taggtcgttc gctccaagct gggctgtgtg 3271 cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc 3331 aacceggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga 3391 gegaggtatg taggeggtge tacagagtte ttgaagtggt ggeetaacta eggetacact 3451 agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt 3511 ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt tgtttgcaag 3571 cagcagatta cgcgcagaaa aaaaggatet caagaagate etttgatett ttetacgggg 3631 tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa 3691 aggatettea cetagateet titaaattaa aaatgaagti tiaaaateaat etaaagtata 3751 tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 3811 atctgtctat ttcgttcatc catagttgcc tgactccccg tcgtgtagat aactacgata 3871 cgggagggct taccatctgg ccccagtgct gcaatgatac cgcgagaccc acgctcaccg 3931 qctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct 3991 gcaactttat ccgcctccat ccagtctatt aattgttgcc gggaagctag agtaagtagt 4051 tegecactta atagtttgeg caaegttgtt gecattgeta caggeategt ggtgteaege 4111 tegtegtttg gtatggette atteagetce ggtteceaec gateaaggeg agttacatga 4171 tococcatgt tgtgcaaaaa agoggttago toottoggto otocgatogt tgtcagaagt 4231 aaqttqqccq cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291 atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351 tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa cacgggataa taccgcgcca 4411 catagcagaa ctttaaaaagt gctcatcatt ggaaaacgtt cttcggggcg aaaactctca 4471

aggatettae egetgttgag atecagtteg atgraacca etegtgeace caactgatet 4531
teageatett tractreae eagegttet gegtgageaa aaacaggaag geaaaatgee 4591
geaaaaaagg gaaraaggge gacacggaaa tgrtgaarae tearactett eettreaa 4651
tartartgaa geartratea gegtrattg etearaggeg garacarart tgaargratt 4711
tagaaaaara aacaaaagag tregraaaa egeaaaaagg eeareegeace ereegggeeg 4831
trgetregea aegreeaar eegeteeeg eggatrige ergatrige ergatr

```
<210> 33
<211> 757
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: pHL3131
<400> 33
Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn
Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His
Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln
Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro
Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser
Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu
Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu
                                 105
                                                     110
Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr
Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala
Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser
Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asn Lys
Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg
            180
```

Asp	Asn	Met 195	Thr	Lys	Lys	Met	Val 200	Thr	Gln	Arg	Thr	Ile 205	Gly	Lys	Arg
Lys	Gln 210	Arg	Leu	Asn	Lys	Arg 215	Ser	Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile	Ala	Thr	Pro	Gly 245	Met	Gln	Ile	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr	Leu	Ala	Arg 260	Ser	Ile	Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Leu	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Leu	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Glu	Pro
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Ile	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	Tyr	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asp
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Val	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490		Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515		Ile	Asn	Glu	Ser 520	Ala	Asp	Met	Ser	Ile 525		Val	Thr
Val	Ile 530		Asn	Asn	Met	Ile 535		Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala

Gln Met Ala Leu Gln Leu Phe Ile Lys Asp Tyr Arg Tyr Thr Tyr Arg

```
545
Cys His Arg Gly Asp Thr Gln Ile Gln Thr Arg Arg Ser Phe Glu Ile
Lys Lys Leu Trp Glu Gln Thr His Ser Lys Ala Gly Leu Leu Val Ser
            580
                                 585
Asp Gly Gly Pro Asn Leu Tyr Asn Ile Arg Asn Leu His Ile Pro Glu
Val Cys Leu Lys Trp Glu Leu Met Asp Glu Asp Tyr Gln Gly Arg Leu
Cys Asn Pro Leu Asn Pro Phe Val Asn His Lys Asp Ile Glu Ser Val
                                         635
Asn Asn Ala Val Ile Met Pro Ala His Gly Pro Ala Lys Asn Met Glu
                645
Tyr Asp Ala Val Ala Thr Thr His Ser Trp Ile Pro Lys Arg Asn Arg
Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp Glu Gln Met
Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro Ser Ser Ser
Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala Met Val Ser
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys
                 725
Lys Glu Glu Phe Thr Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu
Leu Arg Arg Gln Lys
         755
<210> 34
<211> 5169
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: pHL3203
<220>
 <221> CDS
 <222> (191)..(2461)
 <400> 34
 cccaaaaaaa aaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg 60
 ggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaa 120
 acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 180
 aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca
            Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro
                                                 10
```

gca Ala	caa Gln 15	aat Asn	gct Ala	ata Ile	agc Ser	aca Thr 20	act Thr	ttc Phe	cct Pro	tat Tyr	act Thr 25	gga Gly	gac Asp	cct Pro	cct Pro	277
tac Tyr 30	agc Ser	cat His	ggg Gly	aca Thr	gga Gly 35	aca Thr	gga Gly	tac Tyr	acc Thr	atg Met 40	gat Asp	act Thr	gtc Val	aac Asn	agg Arg 45	325
aca Thr	cat His	cag Gln	tac Tyr	tca Ser 50	gaa Glu	agg Arg	gga Gly	aga Arg	tgg Trp 55	aca Thr	aca Thr	aac Asn	acc Thr	gaa Glu 60	act Thr	373
gga Gly	gca Ala	ccg Pro	caa Gln 65	ctc Leu	aac Asn	ccg Pro	att Ile	gat Asp 70	ggg Gly	cca Pro	ctg Leu	cca Pro	gaa Glu 75	gac Asp	aat Asn	421
gaa Glu	cca Pro	agt Ser 80	ggt Gly	tat Tyr	gcc Ala	caa Gln	aca Thr 85	gat Asp	tgt Cys	gta Val	ttg Leu	gaa Glu 90	gca Ala	atg Met	gcc Ala	469
ttc Phe	ctt Leu 95	gag Glu	gaa Glu	tcc Ser	cat His	cct Pro 100	ggt Gly	atc Ile	ttt Phe	gag Glu	acc Thr 105	tcg Ser	tgt Cys	ctt Leu	gaa Glu	517
acg Thr 110	atg Met	gag Glu	gtt Val	gtt Val	cag Gln 115	caa Gln	aca Thr	cga Arg	gtg Val	gac Asp 120	aag Lys	ctg Leu	aca Thr	caa Gln	ggc Gly 125	565
cga Arg	cag Gln	acc Thr	tat Tyr	gac Asp 130	tgg Trp	act Thr	cta Leu	aat Asn	agg Arg 135	aac Asn	cag Gln	cct Pro	gct Ala	gca Ala 140	aca Thr	613
gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
cga Arg 190	gtg Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
tta Leu	acc Thr	ctg Leu	aac Asn 225	aca Thr	atg Met	acc Thr	aaa Lys	gat Asp 230	gct Ala	gag Glu	aga Arg	Gly	aag Lys 235	cta Leu	aaa Lys	901
cgg Arg	aga Arg	gca Ala 240	Ile	gca Ala	acc Thr	cca Pro	ggg Gly 245	Met	caa Gln	ata Ile	agg Arg	ggg Gly 250	Phe	gta Val	tac Tyr	949
ttt Phe	gtt Val 255	Glu	aca Thr	cta Leu	gca Ala	agg Arg 260	Ser	ata Ile	tgt Cys	gag Glu	aaa Lys 265	Leu	gaa Glu	caa Gln	tca Ser	997
gga Gly 270	' Leu	cca Pro	gtt Val	gga Gly	ggc Gly 275	Asn	gag Glu	aag Lys	aaa Lys	gca Ala 280	Lys	r ttg Leu	gca Ala	aat Asn	gtt Val 285	1045

gta Val	agg Arg	aag Lys	atg Met	atg Met 290	acc Thr	aat Asn	tct Ser	cag Gln	gac Asp 295	act Thr	gaa Glu	att Ile	tct Ser	ttc Phe 300	acc Thr	1093
atc Ile	act Thr	gga Gly	gat Asp 305	aac Asn	acc Thr	aaa Lys	tgg Trp	aac Asn 310	gaa Glu	aat Asn	cag Gln	aac Asn	cct Pro 315	cgg Arg	atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	atg Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	acc Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	gaa Glu	tgg Trp	ttc Phe	1189
aga Arg	aat Asn 335	gtt Val	cta Leu	agt Ser	att Ile	gct Ala 340	cca Pro	ata Ile	atg Met	ttc Phe	tca Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
aga Arg 350	ctg Leu	gga Gly	aag Lys	gly ggg	tac Tyr 355	atg Met	ttt Phe	gag Glu	agc Ser	aag Lys 360	agt Ser	atg Met	aaa Lys	att Ile	aga Arg 365	1285
act Thr	caa Gln	ata Ile	cct Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agc Ser 375	atc Ile	gat Asp	ttg Leu	aaa Lys	tac Tyr 380	ttc Phe	1333
aat Asn	gat Asp	tca Ser	act Thr 385	aga Arg	aag Lys	aag Lys	att Ile	gaa Glu 390	aaa Lys	atc Ile	cgg Arg	ccg Pro	ctc Leu 395	tta Leu	ata Ile	1381
gat Asp	GJÀ ààà	act Thr 400	Ala	tca Ser	ttg Leu	agc Ser	cct Pro 405	gga Gly	atg Met	atg Met	atg Met	ggc Gly 410	atg Met	ttc Phe	aat Asn	1429
atg Met	tta Leu 415	agt Ser	act Thr	gta Val	tta Leu	ggc Gly 420	gtc Val	tcc Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	gga Gly	caa Gln	aag Lys	1477
aga Arg 430	cac His	acc Thr	aag Lys	act Thr	act Thr 435	tac Tyr	tgg Trp	tgg Trp	gat Asp	ggt Gly 440	ctt Leu	caa Gln	tct Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctg Leu	att Ile 450	gtg Val	aat Asn	gca Ala	ccc Pro	aat Asn 455	cat His	gaa Glu	ggg Gly	att Ile	caa Gln 460	gcc Ala	1573
gga Gly	gtc Val	aac Asn	agg Arg 465	ttt Phe	tat Tyr	cga Arg	acc Thr	tgt Cys 470	Lys	cta Leu	ctt Leu	gga Gly	att Ile 475	Asn	atg Met	1621
agc Ser	aag Lys	aaa Lys 480	Lys	tct Ser	tac Tyr	ata Ile	aac Asn 485	Arg	aca Thr	ggt Gly	aca Thr	ttt Phe 490	Glu	ttc Phe	aca Thr	1669
ago Ser	ttt Phe 495	Phe	tat Tyr	cgt Arg	tat Tyr	ggg Gly 500	Phe	gtt Val	gcc Ala	aat Asn	ttc Phe 505	Ser	atg Met	gag Glu	ctt Leu	1717
pro	Ser	ttt Phe	ggg	gtg Val	tct Ser 515	Gly	ato	aac Asn	gag Glu	tct Ser 520	Ala	gac Asp	atg Met	agt Ser	att Ile 525	1765
gga Gly	gtt Val	act Thr	gtc Val	ato Ile 530	Lys	aac Asn	aat Asn	ato Met	ata : Ile 535	Asn	aat Asn	gat Asp	ctt Leu	ggt Gly 540	cca Pro	1813

gca Ala	acc Thr	gct Ala	caa Gln 545	atg Met	gcc Ala	ctt Leu	cag Gln	ctg Leu 550	ttc Phe	atc Ile	aaa Lys	gat Asp	tac Tyr 555	agg Arg	tac Tyr	1861
acg Thr	tac Tyr	cgg Arg 560	tgc Cys	cat His	aga Arg	ggt Gly	gac Asp 565	aca Thr	caa Gln	ata Ile	caa Gln	acc Thr 570	cga Arg	aga Arg	tca Ser	1909
ttt Phe	gaa Glu 575	ata Ile	aag Lys	aaa Lys	ctg Leu	tgg Trp 580	gag Glu	caa Gln	acc Thr	cat His	tcc Ser 585	aaa Lys	gct Ala	gga Gly	ctg Leu	1957
ctg Leu 590	gtc Val	tcc Ser	gac Asp	gga Gly	ggc Gly 595	cca Pro	aat Asn	ttg Leu	tac Tyr	aac Asn 600	att Ile	cgg Arg	aat Asn	ctc Leu	cac His 605	2005
atc Ile	ccg Pro	gaa Glu	gtt Val	tgc Cys 610	ctg Leu	aaa Lys	tgg Trp	gaa Glu	cta Leu 615	atg Met	gat Asp	gaa Glu	gac Asp	tat Tyr 620	cag Gln	2053
gga Gly	aga Arg	ctt Leu	tgt Cys 625	aat Asn	ccc Pro	atg Met	aac Asn	ccg Pro 630	ttt Phe	gtc Val	agt Ser	cat His	aag Lys 635	gaa Glu	att Ile	2101
gaa Glu	tct Ser	gta Val 640	aac Asn	aat Asn	gct Ala	gcg Ala	gta Val 645	atg Met	cca Pro	gcc Ala	cat His	ggt Gly 650	cca Pro	gcc Ala	aaa Lys	2149
agc Ser	atg Met 655	gaa Glu	tat Tyr	gat Asp	gct Ala	gtg Val 660	gca Ala	act Thr	aca Thr	cac His	tct Ser 665	tgg Trp	atc Ile	cct Pro	aag Lys	2197
aga Arg 670	aac Asn	cgt Arg	tcc Ser	att Ile	ctc Leu 675	aat Asn	acg Thr	agt Ser	caa Gln	agg Arg 680	gga Gly	atc Ile	ctt Leu	gag Glu	gat Asp 685	2245
gaa Glu	caa Gln	atg Met	tac Tyr	cag Gln 690	aag Lys	tgt Cys	tgc Cys	aac Asn	cta Leu 695	ttc Phe	gag Glu	aaa Lys	ttc Phe	ttc Phe 700	cct Pro	2293
agc Ser	agc Ser	tca Ser	tac Tyr 705	aga Arg	aga Arg	cca Pro	gtt Val	gga Gly 710	att Ile	tcc Ser	agt Ser	atg Met	gtg Val 715	Glu	gcc Ala	2341
atg Met	gtg Val	tct Ser 720	Arg	gcc Ala	cgg Arg	att Ile	gat Asp 725	Ala	cga Arg	att Ile	gac Asp	ttc Phe 730	Glu	tct Ser	gga Gly	2389
agg Arg	att Ile 735	Lys	aag Lys	gaa Glu	gag Glu	ttt Phe 740	Ala	gag Glu	atc Ile	atg Met	aag Lys 745	Ile	tgt Cys	tcc Ser	acc Thr	2437
	Glu			aga Arg		Gln			tgaa	ttt	agct	tgtc	ct t	catg	aaaaa	2491
atg	rcctt	gtt	tcta	ctaa	ta a	cccg	gcgg	c cc	aaaa	tgcc	gac	tcgg	agc	gaaa	gatata	2551
cct	cccc	cgg	ggcc	ggga	gg t	cgcg	rtcac	c ga	ccac	gccg	ccg	gece	agg	cgac	gcgcga	2611
cac	ggac	acc	tgtc	ccca	aa a	acgo	caco	a to	gcag	ccac	aca	cgga	gcg	cccg	gggccc	2671
tct	ggtc	aac	ccca	ggac	ac a	cgcc	ıggag	ıc ag	cgcc	gggc	cgg	ggac	gcc	ctcc	cggccg	2731
ccc	gtgc	cac	acgo	caggg	igg c	cggc	ccgt	g to	tcca	gago	. āāā	jagco	:gga	agca	ttttcg	2791
gco	ggcc	ecct	ccta	acgac	cg g	gaca	cacç	ga gọ	gaco	gaag	gcc	ggcc	agg	cgcg	acctct	2351

cgggccgcac gcgcgctcag ggagcgctct ccgactccgc acggggactc gccagaaagg 2911 atogtgacet geattaatga atcaggggat aacgeaggaa agaacatgtg ageaaaagge 2971 cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc 3031 ccccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 3091 ctataaagat accaggegtt teeectgga ageteeeteg tgegetetee tgtteegaee 3151 ctgccqctta ccqgatacct gtccqccttt ctcccttcgg gaagcgtggc gctttctcat 3211 agctcacgct gtaggtatct cagttcggtg taggtcgttc gctccaagct gggctgtgtg 3271 cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc 3331 aacceggtaa gacacgactt ategecactg geageageea etggtaaeag gattageaga 3391 gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact 3451 agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt 3511 ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt tgtttgcaag 3571 caqcaqatta cqcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg 3631 tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa 3691 aggatettea eetagateet titaaattaa aaatgaagti titaaateaat etaaagtata 3751 tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 3811 atotgtotat ttcgttcatc catagttgcc tgactccccg tcgtgtagat aactacgata 3871 cgggaggget taccatctgg ccccagtgct gcaatgatac cgcgagaccc acgctcaccg 3931 gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct 3991 qcaactttat ccqcctccat ccagtctatt aattgttgcc gggaagctag agtaagtagt 4051 tegecagtta atagtttgeg caaegttgtt gecattgeta caggeategt ggtgteaege 4111 tegtegtttg gtatggette atteagetee ggtteecaae gateaaggeg agttacatga 4171 toccccatgt tgtgcaaaaa agcggttagc tocttoggto ctocgatogt tgtcagaagt 4231 aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291 atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351 tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa cacgggataa taccgcgcca 4411 catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg aaaactctca 4471 aggatettae egetgttgag atceagtteg atgtaaceea etegtgeace caactgatet 4531 tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 4591 gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 4651 tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711 tagaaaaata aacaaaagag tttgtagaaa cgcaaaaaagg ccatccgtca ggatggcctt 4771 ctgottaatt tgatgootgg cagtttatgg ogggogtoot geoogecace ctoogggoog 4831 ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891 cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttatttg 4951 atgcctggca gttccctact ctcgcatggg gagaccccac actaccatcg gcgctacggc 5011 gtttcacttc tgagttcggc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071 aattctgttt tatcagaccg cttctgcgtt ctgatttaat ctgtatcagg ctgaaaatct 5131 tctctcatcc gccaaaacag ccaagctagc ggccgatc 5169

<210> 35

<211> 757

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: pHL3203

<400> 35

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn 1 5 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His
20 25 30

Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln 35 40 45

Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro 50 60

Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser 65 70 75 80

Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu 85 90 95

Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu 100 105 110

Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr 115 120 125

Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala 130 135 140

Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser 145 150 155 160

Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asn Lys 165 170 175

Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg 180 185 190

Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile Gly Lys Arg 195 200 205

Lys Gln Arg Leu Asn Lys Arg Ser Tyr Leu Ile Arg Ala Leu Thr Leu 210 215 220

Asn Thr Met Thr Lys Asp Ala Glu Arg Gly Lys Leu Lys Arg Arg Ala 225 230 235 240

Ile Ala Thr Pro Gly Met Gln Ile Arg Gly Phe Val Tyr Phe Val Glu 245 250 255

rinted:05-03-2002

Thr	Leu	Ala	Arg 260	Ser	Ile	Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Ile	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Ile	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Asp	Ser
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	His	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asn
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Leu	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	Gly	Ile	Asn	Glu	Ser 520	Ala	Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	11e 530		Asn	Asn	Met	Ile 535		Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala
Gln 545	Met	Ala	Leu	Gln	Leu 550		Ile	Lys	Asp	Tyr 555	Arg	Tyr	Thr	Tyr	Arg 560
Cys	His	Arg	Gly	Asp 565		Gln	Ile	Gln	Thr 570	Arg	Arg	Ser	Phe	Glu 575	Ile
Lys	Lys	Leu	Trp 580		Gln	Thr	His	Ser 585		Ala	Gly	Leu	Leu 590	Val	Ser
Asp	Gly	Gly 595	Pro	Asn	Leu	Tyr	Asn 600		Arg	Asn	Leu	His 605	Ile	Pro	Glu

```
Val Cys Leu Lys Trp Glu Leu Met Asp Glu Asp Tyr Gln Gly Arg Leu
                       615
Cys Asn Pro Met Asn Pro Phe Val Ser His Lys Glu Ile Glu Ser Val
                   630
Asn Asn Ala Ala Val Met Pro Ala His Gly Pro Ala Lys Ser Met Glu
Tyr Asp Ala Val Ala Thr Thr His Ser Trp Ile Pro Lys Arg Asn Arg
Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp Glu Gln Met
Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro Ser Ser Ser
                       695
Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala Met Val Ser
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys
                                   730
Lys Glu Glu Phe Ala Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu
Leu Arg Arg Gln Lys
        755
<210> 36
<211> 5169
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: pHL3204
<220>
<221> CDS
<222> (191)..(2461)
<400> 36
cccaaaaaaa aaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccggggggggg 60
acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 180
 aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca
           Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro
                                                                 277
 gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct
 Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro
                         20
 tac agc cat ggg aca gga aca gga tac acc atg gat act gtc aac agg
                                                                 325
 Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg
 aca cat cag tac tca gaa agg gga aga tgg aca aca aac acc gaa act
 Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr
                                     55
                 50
```

	~~~	~~~		at a	220		<b>5</b> + +	~~+	~~~	993	cto	CC a	022	a a c	aa+	421
gga Gly	Ala	ccg Prc	Gln 65	Leu	Asn	Pro	Ile	Asp 70	Gly	Pro	Leu	Pro	Glu 75	Asp	Asn	421
gaa Glu	cca Pro	agt Ser 80	ggt Gly	tat Tyr	gcc Ala	caa Gln	aca Thr 85	gat Asp	tgt Cys	gta Val	ttg Leu	gaa Glu 90	gca Ala	atg Met	gcc Ala	469
ttc Phe	ctt Leu 95	gag Glu	gaa Glu	tcc Ser	cat His	cct Pro 100	ggt Gly	atc Ile	ttt Phe	gag Glu	acc Thr 105	tcg Ser	tgt Cys	ctt Leu	gaa Glu	517
acg Thr 110	atg Met	gag Glu	gtt Val	gtt Val	cag Gln 115	caa Gln	aca Thr	cga Arg	gtg Val	gac Asp 120	aag Lys	ctg Leu	aca Thr	caa Gln	ggc Gly 125	565
cga Arg	cag Gln	acc Thr	tat Tyr	gac Asp 130	tgg Trp	act Thr	cta Leu	aat Asn	agg Arg 135	aac Asn	cag Gln	cct Pro	gct Ala	gca Ala 140	aca Thr	613
gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
cga Arg 190	gtg Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
tta Leu	acc Thr	ctg Leu	aac Asn 225	aca Thr	atg Met	acc Thr	aaa Lys	gat Asp 230	gct Ala	gag Glu	aga Arg	ggg Gly	aag Lys 235	cta Leu	aaa Lys	901
cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	acc Thr	cca Pro	ggg Gly 245	atg Met	caa Gln	ata Ile	agg Arg	ggg Gly 250	ttt Phe	gta Val	tac Tyr	949
		gag Glu														997
gga Gly 270	Leu	cca Pro	gtt Val	gga Gly	ggc Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gca Ala 280	aag Lys	ttg Leu	gca Ala	aat Asn	gtt Val 285	1045
gta Val	agg Arg	aag Lys	atg Met	atg Met 290	Thr	aat Asn	tct Ser	cag Gln	gac Asp 295	act Thr	gaa Glu	att Ile	tct Ser	ttc Phe 300	acc Thr	1093
atc Ile	act Thr	gga Gly	gat Asp 305	Asn	acc Thr	aaa Lys	tgg Trp	aac Asn 310	Glu	aat Asn	cag Gln	aac Asn	cct Pro 315	cgg Arg	atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	Glu	tgg Trp	ttc Phe	1189

				agt Ser												1237
				ggg Gly												1285
act Thr	caa Gln	ata Ile	cct Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agc Ser 375	atc Ile	gat Asp	ttg Leu	aaa Lys	tac Tyr 380	ttc Phe	1333
aat Asn	gat Asp	tca Ser	act Thr 385	aga Arg	aag Lys	aag Lys	att Ile	gaa Glu 390	aaa Lys	atc Ile	cgg Arg	ccg Pro	ctc Leu 395	tta Leu	ata Ile	1381
				tca Ser												1429
atg Met	tta Leu 415	agt Ser	act Thr	gta Val	tta Leu	ggc Gly 420	gtc Val	tcc Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	gga Gly	caa Gln	aag Lys	1477
				act Thr												1525
				att Ile 450												1573
gga Gly	gtc Val	aac Asn	agg Arg 465	ttt Phe	tat Tyr	cga Arg	acc Thr	tgt Cys 470	aag Lys	cta Leu	ctt Leu	gga Gly	att Ile 475	aat Asn	atg Met	1621
				tct Ser												1669
				cgc Arg												1717
				gta Val												1765
				ata Ile 530											ccg Pro	1813
				atg Met												1861
			Cys	cac His												1909
		Leu		aag Lys											ctg Leu	1957

ttg gtt tca gat ggc gga cca aac ctg tac aac att aga aat ctc cac 200 Leu Val Ser Asp Gly Gly Pro Asn Leu Tyr Asn Ile Arg Asn Leu His 590 595 600 605	5
att cct gaa gtc tgc ttg aaa tgg gaa tta atg gat gag gat tac cag 205 Ile Pro Glu Val Cys Leu Lys Trp Glu Leu Met Asp Glu Asp Tyr Gln 610 615 620	3
ggg cgt tta tgc aac cca ctg aac cca ttt gtc aac cat aaa gac att 210 Gly Arg Leu Cys Asn Pro Leu Asn Pro Phe Val Asn His Lys Asp Ile 625 630 635	1
gaa toa gtg aac aat goa gtg ata atg oca goa cat ggt oca goo aaa 214 Glu Ser Val Asn Asn Ala Val Ile Met Pro Ala His Gly Pro Ala Lys 640 645 650	9
aac atg gag tat gat gct gtt gca aca aca cac tcc tgg atc ccc aaa 219 Asn Met Glu Tyr Asp Ala Val Ala Thr Thr His Ser Trp Ile Pro Lys 655 660 665	7
aga aat cga tcc atc ttg aat aca agc caa aga gga ata ctt gaa gat 224. Arg Asn Arg Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp 670 685	5
gaa caa atg tac caa aag tgc tgc aac tta ttt gaa aaa ttc ttc ccc 229. Glu Gln Met Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro 690 695 700	3
agc agt tca tac aga aga cca gtc ggg ata tcc agt atg gtg gag gct 234. Ser Ser Ser Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala 705 710 715	1
atg gtt tcc aga gcc cga att gat gca cga att gat ttc gaa tct gga 238 Met Val Ser Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly 720 725 730	9
agg ata aag aaa gag gag ttc act gag atc atg aag atc tgt tcc acc 243° Arg Ile Lys Lys Glu Glu Phe Thr Glu Ile Met Lys Ile Cys Ser Thr 735 740 745	7
att gaa gag ctc aga cgg caa aaa tagtgaattt agcttgtcct tcatgaaaaa 249 Ile Glu Glu Leu Arg Arg Gln Lys 750 755	1
atgeettgtt tetaetaata acceggegge ecaaaatgee gaeteggage gaaagatata 255	1
cctcccccgg ggccgggagg tcgcgtcacc gaccacgccg ccggcccagg cgacgcgcga 261	1
cacggacace tgtccccaaa aacgccacca tcgcagccac acacggagcg cccggggccc 267	1
tetggteaac eccaggacac acgegggage agegeeggge eggggaegee eteeeggeeg 273	1
cccgtgccac acgcaggggg ccggcccgtg tctccagagc gggagccgga agcattttcg 279	1
gccggcccct cctacgaccg ggacacacga gggaccgaag gccggccagg cgcgacctct 285	1
cgggccgcac gcgcgctcag ggagcgctct ccgactccgc acggggactc gccagaaagg 291	1
atcgtgacct gcattaatga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc 297	1
cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc 303	1
cccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 309	1
ctataaagat accaggogtt teeecetgga ageteeeteg tgegetetee tgtteegace 315	1
ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat 321	1

agctcacgct	gtaggtatct	cagttcggtg	taggtcgttc	gctccaagct	gggctgtgtg	3271
cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	3331
aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	3391
gcgaggtatg	taggcggtgc	tacagagttc	ttgaagtggt	ggcctaacta	cggctacact	3451
agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	3511
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggttttt	tgtttgcaag	3571
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	3631
tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	attatcaaaa	3691
aggatcttca	cctagatcct	tttaaattaa	aaatgaagtt	ttaaatcaat	ctaaagtata	3751
tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	tatctcagcg	3811
atctgtctat	ttcgttcatc	catagttgcc	tgactccccg	tcgtgtagat	aactacgata	3871
cgggagggct	taccatctgg	ccccagtgct	gcaatgatac	cgcgagaccc	acgctcaccg	3931
gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgcag	aagtggtcct	3991
gcaactttat	ccgcctccat	ccagtctatt	aattgttgcc	gggaagctag	agtaagtagt	4051
tcgccagtta	atagtttgcg	caacgttgtt	gccattgcta	caggcatcgt	ggtgtcacgc	4111
tcgtcgtttg	gtatggcttc	attcagctcc	ggttcccaac	gatcaaggcg	agttacatga	4171
tcccccatgt	tgtgcaaaaa	agcggttagc	tccttcggtc	ctccgatcgt	tgtcagaagt	4231
aagttggccg	cagtgttatc	actcatggtt	atggcagcac	tgcataattc	tcttactgtc	4291
atgccatccg	taagatgctt	ttctgtgact	ggtgagtact	caaccaagtc	attctgagaa	4351
tagtgtatgc	ggcgaccgag	ttgctcttgc	ccggcgtcaa	cacgggataa	taccgcgcca	4411
catagcagaa	ctttaaaagt	gctcatcatt	ggaaaacgtt	cttcggggcg	aaaactctca	4471
aggatcttac	cgctgttgag	atccagttcg	atgtaaccca	ctcgtgcacc	caactgatct	4531
tcagcatctt	ttactttcac	cagcgtttct	gggtgagcaa	aaacaggaag	gcaaaatgcc	4591
gcaaaaaagg	gaataagggc	gacacggaaa	tgttgaatac	tcatactctt	cctttttcaa	4651
tattattgaa	gcatttatca	gggttattgt	ctcatgagcg	gatacatatt	tgaatgtatt	4711
tagaaaaata	aacaaaagag	tttgtagaaa	cgcaaaaagg	ccatccgtca	ggatggcctt	4771
ctgcttaatt	tgatgcctgg	cagtttatgg	cgggcgtcct	gcccgccacc	ctccgggccg	4831
ttgcttcgca	acgttcaaat	ccgctcccgg	cggatttgtc	ctactcagga	gagcgttcac	4891
cgacaaacaa	cagataaaac	gaaaggccca	gtctttcgac	tgagcctttc	gttttatttg	4951
atgcctggca	gttccctact	ctcgcatggg	gagaccccac	actaccatcg	gcgctacggc	5011
gtttcacttc	tgagttcggc	atggggtcag	gtgggaccac	cgcgctactg	ccgccaggca	5071
aattctgttt	tatcagaccg	cttctgcgtt	ctgatttaat	ctgtatcagg	ctgaaaatct	5131
tctctcatcc	gccaaaacag	ccaagctagc	ggccgatc			5169

<210> 37 <211> 757 <212> PRT <213> Artifi <223> Descri	-		cial	Sequ	ience	e: pH	IL320	) 4			
<400> 37 Met Asp Val 1	Asn Pro 5	Thr Leu	Leu	Phe	Leu 10	Lys	Val	Pro	Ala	Gln 15	Asn
Ala Ile Ser	Thr Thr 20	Phe Pro	Tyr	Thr 25	Gly	Asp	Pro	Pro	Tyr 30	Ser	His
Gly Thr Gly 35	Thr Gly	Tyr Thr	Met 40	Asp	Thr	Val	Asn	Arg 45	Thr	His	Gln
Tyr Ser Glu 50	Arg Gly	Arg Trp 55	Thr	Thr	Asn	Thr	Glu 60	Thr	Gly	Ala	Pro
Gln Leu Asn 65	Pro Ile	Asp Gly 70	Pro	Leu	Pro	Glu 75	Asp	Asn	Glu	Pro	Ser 80
Gly Tyr Ala	Gln Thr 85	Asp Cys	Val	Leu	Glu 90	Ala	Met	Ala	Phe	Leu 95	Glu
Glu Ser His	Pro Gly 100	Ile Phe	Glu	Thr 105	Ser	Cys	Leu	Glu	Thr 110	Met	Glu
Val Val Gln 115	Gln Thr	Arg Val	Asp 120	Lys	Leu	Thr	Gln	Gly 125	Arg	Gln	Thr
Tyr Asp Trp 130	Thr Leu	Asn Arg 135		Gln	Pro	Ala	Ala 140	Thr	Ala	Leu	Ala
Asn Thr Ile 145	Glu Val	Phe Arg 150	Ser	Asn	Gly	Leu 155	Thr	Ala	Asn	Glu	Ser 160
Gly Arg Leu	Ile Asp 165	Phe Leu	Lys	Asp	Val 170	Met	Glu	Ser	Met	Asn 175	Lys
Glu Glu Met	Glu Ile 180	Thr Thr	His	Phe 185	Gln	Arg	Lys	Arg	Arg 190	Val	Arg
Asp Asn Met 195	Thr Lys	Lys Met	Val 200	Thr	Gln	Arg	Thr	Ile 205	Gly	Lys	Arg
Lys Gln Arg 210	Leu Asn	Lys Arg 215		Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn Thr Met 225	Thr Lys	Asp Ala 230	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile Ala Thr	Pro Gly 245	Met Glr	ılle	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr Leu Ala	Arg Ser 260	Ile Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val Gly Gly 275	Asn Glu	Lys Lys	280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met Met Thr 290	Asn Ser	Gln Asp 295		Glu	Ile	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp Asn Thr 305	Lys Trp	Asn Glu 310	ı Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320

Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Ile	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Asp	Ser
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	His	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asn
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Leu	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	Gly	Ile	Asn	Glu	Ser 520	Ala	Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	Ile 530	Lys	Asn	Asn	Met	Ile 535	Asn	Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala
Gln 545	Met	Ala	Leu	Gln	Leu 550	Phe	Ile	Lys	Asp	Tyr 555	Arg	Tyr	Thr	Tyr	Arg 560
Cys	His	Arg	Gly	Asp 565	Thr	Gln	Ile	Gln	Thr 570	Arg	Arg	Ser	Phe	Glu 575	Leu
Lys	Lys	Leu	Trp 580	Glu	Gln	Thr	Arg	Ser 585	Lys	Ala	Gly	Leu	Leu 590	Val	Ser
Asp	Gly	Gly 595		Asn	Leu	Tyr	Asn 600	Ile	Arg	Asn	Leu	His 605	Ile	Pro	Glu
Val	Cys 610	Leu	Lys	Trp	Glu	Leu 615	Met	Asp	Glu	Asp	Туг 620	Gln	Gly	Arg	Leu
Cys 625		Pro	Leu	Asn	Pro 630	Phe	Val	Asn	His	Lys 635	Asp	Ile	Glu	Ser	Val 640
Asn	Asn	Ala	Val	Ile 645	Met	Pro	Ala	His	Gly 650		Ala	Lys	Asn	Met 655	Glu
Tyr	Asp	Ala	Val 660		Thr	Thr	His	Ser 665	-	Ile	Pro	Lys	Arg 670	Asn	Arg

Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp Glu Gln Met	
675 680 685	
Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro Ser Ser Ser 690 695 700	
Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala Met Val Ser 705 710 715 720	
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys 725 730 735	
Lys Glu Glu Phe Thr Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu 740 745 750	
Leu Arg Arg Gln Lys 755	
<210> 38 <211> 5169 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence: pHL3246	
<220> <221> CDS <222> (191)(2461)	
<400> 38 cccaaaaaa aaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg	50
ggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaaa	
	120
acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 1	
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca  Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro  1 5 10	180
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca  Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro  1 5 10  gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro  15 20 25	L80 229
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca  Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro  1 5 10  gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro  15 20 25  tac agc cat ggg aca gga aca gga tac acc atg gat act gtc aac agg Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg  30 35 40 45	180 229 277
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca  Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro  1 5 10  gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro  15 20 25  tac agc cat ggg aca gga aca gga tac acc atg gat act gtc aac agg Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg 30 35 40 45  aca cat cag tac tca gaa agg gga aga tgg aca aca aca acc gaa act Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr  50 55 60	180 229 277 325
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca  Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro  1 5 10  gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro  15 20 25  tac agc cat ggg aca gga aca gga tac acc atg gat act gtc aac agg Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg 30 35 40 45  aca cat cag tac tca gaa agg gga aga tgg aca aca aac acc gaa act Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr  50 55 60  gga gca ccg caa ctc aac ccg att gat ggg cca ctg cca gaa gac aat Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn  65 70 75	180 229 277 325

300	ato	aaa	att	gtt	cad	caa	aca	cga	ata	gac	aag	cta	aca	caa	aac	565
Thr 110	Met	Glu	Val	Val	Gln 115	Gln	Thr	Arg	Val	Asp 120	Lys	Leu	Thr	Gln	Gly 125	
cga Arg	cag Gln	acc Thr	tat Tyr	gac Asp 130	tgg Trp	act Thr	cta Leu	aat Asn	agg Arg 135	aac Asn	cag Gln	cct Pro	gct Ala	gca Ala 140	aca Thr	613
gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
cga Arg 190	gtç Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
tta Leu	acc Thr	ctg Leu	aac Asn 225	aca Thr	atg Met	acc Thr	aaa Lys	gat Asp 230	gct Ala	gag Glu	aga Arg	ggg Gly	aag Lys 235	cta Leu	aaa Lys	901
cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	aca Thr	cca Pro	ggg Gly 245	atg Met	cag Gln	atc Ile	aga Arg	ggg Gly 250	ttt Phe	gtg Val	tac Tyr	949
ttt Phe	gtt Val 255	gag Glu	aca Thr	ctg Leu	gcg Ala	aga Arg 260	agc Ser	att Ile	tgc Cys	gag Glu	aag Lys 265	ctt Leu	gaa Glu	cag Gln	tct Ser	997
ggg Gly 270	Leu	cca Pro	gtt Val	gga Gly	ggg Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gct Ala 280	Lys	ttg Leu	gca Ala	aat Asn	gtc Val 285	1045
gtg Val	agg Arg	aag Lys	atg Met	atg Met 290	Thr	aac Asn	tca Ser	caa Gln	gac Asp 295	act Thr	gag Glu	ctc Leu	tct Ser	ttc Phe 300	Thr	1093
atc Ile	acc Thr	gga Gly	gac Asp 305	aat Asn	acc Thr	aaa Lys	tgg Trp	aat Asn 310	Glu	aac Asn	caa Gln	aac Asn	ccc Pro 315	Arg	atg Met	1141
ttc Phe	ctg Leu	gca Ala 320	Met	ata Ile	aca Thr	tac Tyr	ato Ile 325	Thr	aga Arg	aac Asn	caa Gln	cct Pro 330	Glu	tgg Trp	ttt Phe	1189
aga Arg	aat Asn 335	Val	tto Leu	g ago i Ser	atc Ile	gcg Ala 340	Pro	ata Ile	atg Met	ttt Phe	tcg Ser 345	Asn	aaa Lys	atg Met	gcg Ala	1237
agg Arg 350	, Lev	g Gly	g aaa / Lys	ggg Gly	tac Tyn 355	Met	tto Phe	gaa Glu	ago Ser	aaa Lys 360	Ser	atg Met	aag Lys	cto Leu	cga Arg 365	1285
aca Thr	caa Glr	ata 1 Ile	a cca e Pro	a gca Ala 370	Glu	ato Met	cta Leu	gca Ala	ago Ser 375	: Ile	gat Asp	ttg Leu	aaa Lys	tac Tyr 380	ttc Phe	1333

aat Asn	gat Asp	tca Ser	act Thr 385	aga Arg	aag Lys	aag Lys	att Ile	gaa Glu 390	aaa Lys	atc Ile	cgg Arg	ccg Pro	ctc Leu 395	tta Leu	ata Ile	1381
gat Asp	ggg Gly	act Thr 400	gca Ala	tca Ser	ttg Leu	agc Ser	cct Pro 405	gga Gly	atg Met	atg Met	atg Met	ggc Gly 410	atg Met	ttc Phe	aat Asn	1429
atg Met	tta Leu 415	agt Ser	act Thr	gta Val	tta Leu	ggc Gly 420	gtc Val	tcc Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	gga Gly	caa Gln	aag Lys	1477
aga Arg 430	cac His	acc Thr	aag Lys	act Thr	act Thr 435	tac Tyr	tgg Trp	tgg Trp	gat Asp	ggt Gly 440	ctt Leu	caa Gln	tct Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctg Leu	att Ile 450	gtg Val	aat Asn	gca Ala	ccc Pro	aat Asn 455	cat His	gaa Glu	Gly ggg	att Ile	caa Gln 460	gcc Ala	1573
gga Gly	gtc Val	aac Asn	agg Arg 465	ttt Phe	tat Tyr	cga Arg	acc Thr	tgt Cys 470	aag Lys	cta Leu	ctt Leu	gga Gly	att Ile 475	aat Asn	atg Met	1621
agc Ser	aag Lys	aaa Lys 480	aag Lys	tct Ser	tac Tyr	ata Ile	aac Asn 485	aga Arg	aca Thr	ggt Gly	aca Thr	ttt Phe 490	gaa Glu	ttc Phe	aca Thr	1669
agc Ser	ttt Phe 495	ttc Phe	tat Tyr	cgt Arg	tat Tyr	ggg 61y 500	ttt Phe	gtt Val	gcc Ala	aat Asn	ttc Phe 505	agc Ser	atg Met	gag Glu	ctt Leu	1717
ccc Pro 510	agc Ser	ttt Phe	ggg	gtg Val	tct Ser 515	ggg Gly	atc Ile	aac Asn	gag Glu	tct Ser 520	gcg Ala	gac Asp	atg Met	agt Ser	att Ile 525	1765
gga Gly	gtt Val	act Thr	gtc Val	atc Ile 530	aaa Lys	aac Asn	aat Asn	atg Met	ata Ile 535	aac Asn	aat Asn	gat Asp	ctt Leu	ggt Gly 540	cca Pro	1813
gca Ala	acc Thr	gct Ala	caa Gln 545	atg Met	gcc Ala	ctt Leu	cag Gln	ctg Leu 550	ttc Phe	atc Ile	aaa Lys	gat Asp	tac Tyr 555	agg Arg	tac Tyr	1861
acg Thr	tac Tyr	cgg Arg 560	Cys	cat His	aga Arg	ggt Gly	gac Asp 565	aca Thr	caa Gln	ata Ile	caa Gln	acc Thr 570	cga Arg	aga Arg	tca Ser	1909
ttt Phe	gaa Glu 575	Ile	aag Lys	aaa Lys	ctg Leu	tgg Trp 580	Glu	caa Gln	acc Thr	cat His	tcc Ser 585	Lys	gct Ala	gga Gly	ctg Leu	1957
ctg Leu 590	Val	tcc Ser	gac Asp	gga Gly	ggc Gly 595	cca Pro	aat Asn	tta Leu	tac Tyr	aac Asn 600	Ile	aga Arg	aat Asn	ctc Leu	cac His 605	2005
att Ile	cct Pro	gaa Glu	gtc Val	tgc Cys 610	Leu	aaa Lys	tgg Trp	gaa Glu	tta Leu 615	Met	gat Asp	gag Glu	gat Asp	tac Tyr 620	Gln	2053
				aac Asn					Phe					Asp		2101

(	gaa Glu	tca Ser	gtg Val 640	aac Asn	aat Asn	gca Ala	gtg Val	ata Ile 645	atg Met	cca Pro	gca Ala	cat His	ggt Gly 650	cca Pro	gcc Ala	aaa Lys	2149
i	aac Asn	atg Met 655	gag Glu	tat Tyr	gat Asp	gct Ala	gtt Val 660	gca Ala	aca Thr	aca Thr	cac His	tcc Ser 665	tgg Trp	atc Ile	ccc Pro	aaa Lys	2197
ž	aga Arg 670	aat Asn	cga Arg	tcc Ser	atc Ile	ttg Leu 675	aat Asn	aca Thr	agc Ser	caa Gln	aga Arg 680	gga Gly	ata Ile	ctt Leu	gaa Glu	gat Asp 685	2245
•	gaa Glu	caa Gln	atg Met	tac Tyr	caa Gln 690	aag Lys	tgc Cys	tgc Cys	aac Asn	tta Leu 695	ttt Phe	gaa Glu	aaa Lys	ttc Phe	ttc Phe 700	ccc Pro	2293
	agc Ser	agt Ser	tca Ser	tac Tyr 705	aga Arg	aga Arg	cca Pro	gtc Val	ggg Gly 710	ata Ile	tcc Ser	agt Ser	atg Met	gtg Val 715	gag Glu	gct Ala	2341
	atg Met	gtt Val	tcc Ser 720	aga Arg	gcc Ala	cga Arg	att Ile	gat Asp 725	gca Ala	cga Arg	att Ile	gat Asp	ttc Phe 730	gaa Glu	tct Ser	gga Gly	2389
	agg Arg	ata Ile 735	aag Lys	aaa Lys	gag Glu	gag Glu	ttc Phe 740	act Thr	gag Glu	atc Ile	atg Met	aag Lys 745	atc Ile	tgt Cys	tcc Ser	acc Thr	2437
	att Ile 750	gaa Glu	gag Glu	ctc Leu	aga Arg	cgg Arg 755	caa Gln	aaa Lys	tag	tgaa	ttt a	agct	tgtc	ct t	catg	aaaaa	2491
	atg	cctt	gtt	tcta	ctaa	ta a	cccg	gcgg	c cc	aaaa	tgcc	gac	tcgg	agc	gaaa	gatata	2551
	cct	cccc	cgg	ggcc	ggga	gg t	cgcg	tcac	c ga	ccac	gccg	ccg	gccc	agg	cgac	gcgcga	2611
	cac	ggac	acc	tgtc	ссса	aa a	acgc	cacc	a tc	gcag	ccac	aca	cgga	gcg	cccg	gggccc	2671
	tct	ggtc	aac	ccca	ggac	ac a	cgcg	ggag	c ag	cgcc	gggc	cgg	ggac	gcc	ctcc	cggccg	2731
	ccc	gtgc	cac	acgc	aggg	gg c	cgçc	ccgt	g tc	tcca	gagc	ggg	agco	gga	agca	ttttcg	2791
	gcc	ggcc	cct	ccta	cgac	cg g	gaca	cacg	a gg	gacc	gaag	gcc	ggcc	agg	cgcg	acctct	2851
	cgg	gccg	cac	gcgc	gctc	ag g	gagc	gctc	t cc	gact	ccgc	acg	ggga	ctc	gcca	gaaagg	2911
	atc	gtga	cct	gcat	taat	ga a	tcag	ggga	t aa	cgca	ggaa	aga	acat	gtg	agca	aaaggc	2971
	cag	caaa	agg	ccag	gaac	cg t	aaaa	aggc	c gc	gttg	ctgg	cgt	tttt	сса	tagg	ctccgc	3031
	ccc	cctg	acg	agca	tcac	aa a	aatc	gacg	c to	aagt	caga	ggt	ggcg	aaa	cccg	acagga	3091
	cta	taaa	gat	acca	ggcg	rtt t	cccc	ctgg	a ag	ctcc	ctcg	tgo	gcto	tcc	tgtt	ccgacc	3151
	ctg	ccgc	tta	ccgg	ratac	ect g	ıtccg	cctt	t ct	ccct	tcgg	gaa	gcgt	ggc	gctt	tctcat	3211
	ago	tcac	gct	gtag	gtat	ct c	agtt	cggt	g ta	iggto	gttc	gct	ccaa	gct	gggc	tgtgtg	3271
	cac	gaac	ccc	ccgt	tcaç	gcc c	gaco	gctg	ic go	ctta	tccg	gta	acta	tcg	tctt	gagtcc	3331
	aac	cego	jtaa	gaca	cgac	ett a	tcgc	cact	g gc	cagca	gcca	ctg	gtaa	cag	gatt	agcaga	3391
	gcç	jaggt	atg	tagg	gcggt	igc t	acaç	gagtt	c tt	gaaç	gtggt	ggc	ctaa	cta	cggc	tacact	3451
	aga	agga	acag	tatt	tggt	at o	ctgcç	gctct	g ct	gaaç	gccaç	, tta	cctt	cgg	aaaa	agagtt	3511
	ggt	agct	ctt	gato	ccgg	caa a	acaaa	ccac	c go	etggt	agco	gto	ggttt	ttt	tgtt	tgcaag	3571



caqcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg 3631 tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa 3691 aggatottoa cotagatoot titaaattaa aaatgaagtt tiaaatoaat otaaagtata 3751 tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 3811 atctqtctat ttcqttcatc cataqttqcc tqactccccq tcqtqtagat aactacqata 3871 egggaggget taccatetgg ecceagtget geaatgatac egegagaeee aegeteaeeg 3931 qctccaqatt tatcaqcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct 3991 gcaactttat ccgcctccat ccagtctatt aattgttgcc gggaagctag agtaagtagt 4051 tegecagtta atagtttgeg caaegttgtt gecattgeta eaggeategt ggtgteaege 4111 tegtegtttg gtatggette atteagetee ggtteecaac gateaaggeg agttacatga 4171 tececeatgt tgtgcaaaaa ageggttage teetteggte etcegategt tgtcagaagt 4231 aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291 atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351 tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa cacgggataa taccgcgcca 4411 catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcgggggcg aaaactctca 4471 aggatettae egetgttgag atceagtteg atgtaaceea etegtgeace caactgatet 4531 teageatett ttaettteae eagegtttet gggtgageaa aaacaggaag geaaaatgee 4591 gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 4651 tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711 tagaaaaata aacaaaagag tttgtagaaa cgcaaaaagg ccatccgtca ggatggcctt 4771 ctgcttaatt tgatgcctgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831 ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891 cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttatttg 4951 atgectggea gttecetaet etegeatggg gagaceceae actaceateg gegetaegge 5011 gtttcacttc tgagttcggc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071 aattetgttt tateagaeeg ettetgegtt etgatttaat etgtateagg etgaaaatet 5131 tctctcatcc gccaaaacag ccaagctagc ggccgatc 5169

```
<210> 39
<211> 757
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: pHL3246
<400> 39
Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn
1 5 10 15
```

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr 120 Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asn Lys Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile Gly Lys Arg Lys Gln Arg Leu Asn Lys Arg Ser Tyr Leu Ile Arg Ala Leu Thr Leu 215 Asn Thr Met Thr Lys Asp Ala Glu Arg Gly Lys Leu Lys Arg Arg Ala 230 Ile Ala Thr Pro Gly Met Gln Ile Arg Gly Phe Val Tyr Phe Val Glu Thr Leu Ala Arg Ser Ile Cys Glu Lys Leu Glu Gln Ser Gly Leu Pro Val Gly Gly Asn Glu Lys Lys Ala Lys Leu Ala Asn Val Val Arg Lys Met Met Thr Asn Ser Gln Asp Thr Glu Leu Ser Phe Thr Ile Thr Gly 300 295 Asp Asn Thr Lys Trp Asn Glu Asn Gln Asn Pro Arg Met Phe Leu Ala Met Ile Thr Tyr Ile Thr Arg Asn Gln Pro Glu Trp Phe Arg Asn Val 325 330 Leu Ser Ile Ala Pro Ile Met Phe Ser Asn Lys Met Ala Arg Leu Gly 345 Lys Gly Tyr Met Phe Glu Ser Lys Ser Met Lys Leu Arg Thr Gln Ile 360

Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Asp	Ser
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	His	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asn
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Leu	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	Gly	Ile	Asn	Glu	Ser 520	Ala	Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	Ile 530	Lys	Asn	Asn	Met	Ile 535	Asn	Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala
Gln 545	Met	Ala	Leu	Gln	Leu 550	Phe	Ile	Lys	Asp	Tyr 555	Arg	Tyr	Thr	Tyr	Arg 560
Cys	His	Arg	Gly	Asp 565	Thr	Gln	Ile	Gln	Thr 570	Arg	Arg	Ser	Phe	Glu 575	Ile
Lys	Lys	Leu	Trp 580	Glu	Gln	Thr	His	Ser 585	Lys	Ala	Gly	Leu	Leu 590	Val	Ser
Asp	Gly	Gly 595	Pro	Asn	Leu	Tyr	Asn 600	Ile	Arg	Asn	Leu	His 605		Pro	Glu
Val	Cys 610	Leu	Lys	Trp	Glu	Leu 615	Met	Asp	Glu	Asp	Tyr 620	Gln	Gly	Arg	Leu
Cys 625		Pro	Leu	Asn	Pro 630		Val	Asn	His	Lys 635		Ile	Glu	Ser	Val 640
Asn	Asn	Ala	Val	Ile 645		Pro	Ala	His	Gly 650		Ala	Lys	Asn	Met 655	Glu
Tyr	Asp	Ala	Val 660		Thr	Thr	His	Ser 665		Ile	Pro	Lys	Arg 670	Asn	Arg
Ser	Ile	Leu 675	Asn	Thr	Ser	Gln	Arg 680		Ile	Leu	Glu	Asp 685		Gln	Met
Tyr	Gln 690	-	Cys	Cys	Asn	Leu 695		Glu	Lys	Phe	Phe 700		Ser	Ser	Ser
Tyr 705		Arg	Pro	Val	Gly 710		Ser	Ser	Met	Val 715		Ala	Met	Val	Ser 720

```
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys
Lys Glu Glu Phe Thr Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu
Leu Arg Arg Gln Lys
        755
<210> 40
<211> 5169
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: pHL3247
<220>
<221> CDS
<222> (191)..(2461)
<400> 40
cccaaaaaaa aaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg 60
ggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaa 120
acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 180
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca
                                                                   229
           Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro
gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct
                                                                   277
Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro
                                                                   325
tac agc cat ggg aca gga aca gga tac acc atg gat act gtc aac agg
Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg
                                                                    373
aca cat cag tac tca gaa agg gga aga tgg aca aca aac acc gaa act
Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr
                                                                    421
qqa qca ccq caa ctc aac ccg att gat ggg cca ctg cca gaa gac aat
Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn
                                                                    469
gaa cca agt ggt tat gcc caa aca gat tgt gta ttg gaa gca atg gcc
Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala
                              85
          80
ttc ctt gag gaa tcc cat cct ggt atc ttt gag acc tcg tgt ctt gaa
                                                                    517
Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu
                         100
acg atg gag gtt gtt cag caa aca cga gtg gac aag ctg aca caa ggc
                                                                    565
Thr Met Glu Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly
                                         120
                     115
cga cag acc tat gac tgg act cta aat agg aac cag cct gct gca aca
Arg Gln Thr Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr
                                     135
                 130
```

gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
cga Arg 190	gtg Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
çgt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
tta Leu	acc Thr	ctg Leu	aac Asn 225	aca Thr	atg Met	acc Thr	aaa Lys	gat Asp 230	gct Ala	gag Glu	aga Arg	ggg ggg	aag Lys 235	cta Leu	aaa Lys	901
cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	acc Thr	cca Pro	ggg Gly 245	atg Met	caa Gln	ata Ile	agg Arg	ggg Gly 250	ttt Phe	gta Val	tac Tyr	949
ttt Phe	gtt Val 255	gag Glu	aca Thr	cta Leu	gca Ala	agg Arg 260	agt Ser	ata Ile	tgt Cys	gag Glu	aaa Lys 265	ctt Leu	gaa Glu	caa Gln	tca Ser	997
gga Gly 270	ttg Leu	cca Pro	gtt Val	gga Gly	ggc Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gca Ala 280	aag Lys	ttg Leu	gca Ala	aat Asn	gtt Val 285	1045
gta Val	agg Arg	aag Lys	atg Met	atg Met 290	acc Thr	aat Asn	tct Ser	cag Gln	gac Asp 295	act Thr	gaa Glu	att Ile	tct Ser	ttc Phe 300	acc Thr	1093
atc Ile	act Thr	gga Gly	gat Asp 305	aac Asn	acc Thr	aaa Lys	tgg Trp	aac Asn 310	gaa Glu	aat Asn	cag Gln	aac Asn	cct Pro 315	cgg Arg	atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	atg Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	acc Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	gaa Glu	tgg Trp	ttc Phe	1189
aga Arg	aat Asn 335	gtt Val	cta Leu	agt Ser	att Ile	gct Ala 340	cca Pro	ata Ile	atg Met	ttc Phe	tca Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
aga Arg 350	Leu	gga Gly	aag Lys	ggg Gly	tac Tyr 355	atg Met	ttt Phe	gag Glu	agc Ser	aag Lys 360	agt Ser	atg Met	aaa Lys	att Ile	aga Arg 365	1285
act Thr	caa Gln	ata Ile	cct Pro	gca Ala 370	Glu	atg Met	cta Leu	gca Ala	agt Ser 375	att Ile	gat Asp	cta Leu	aaa Lys	tat Tyr 380	ttc Phe	1333
		cca Pro		Arg					Lys							1381
-		aca Thr 400	Ála			_	_	Gly	-	_	_		Met			1429

atg Met	ctg Leu 415	agt Ser	aca Thr	gtg Val	ttg Leu	gga Gly 420	gtc Val	tca Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	ggg Gly	caa Gln	aag Lys	1477
		acc Thr														1525
gat Asp	ttt Phe	gct Ala	ctc Leu	atc Ile 450	gtg Val	aat Asn	gca Ala	cca Pro	aat Asn 455	cat His	gag Glu	gga Gly	ata Ile	caa Gln 460	gcg Ala	1573
		gat Asp														1621
agc Ser	aag Lys	aaa Lys 480	aag Lys	tcc Ser	tat Tyr	ata Ile	aat Asn 485	agg Arg	aca Thr	gga Gly	aca Thr	ttc Phe 490	gaa Glu	ttc Phe	aca Thr	1669
agc Ser	ttt Phe 495	ttc Phe	tat Tyr	cgt Arg	tat Tyr	ggg Gly 500	ttt Phe	gtt Val	gcc Ala	aat Asn	ttc Phe 505	agc Ser	atg Met	gag Glu	ctt Leu	1717
ccc Pro 510	agc Ser	ttt Phe	Gly	gtg Val	tct Ser 515	ggg Gly	atc Ile	aac Asn	gag Glu	tct Ser 520	gcg Ala	gac Asp	atg Met	agt Ser	att Ile 525	1765
gga Gly	gtt Val	act Thr	gtc Val	atc Ile 530	aaa Lys	aac Asn	aat Asn	atg Met	ata Ile 535	aac Asn	aat Asn	gat Asp	ctt Leu	ggt Gly 540	cca Pro	1813
gca Ala	acc Thr	gct Ala	caa Gln 545	atg Met	gcc Ala	ctt Leu	cag Gln	ctg Leu 550	ttc Phe	atc Ile	aaa Lys	gat Asp	tac Tyr 555	agg Arg	tac Tyr	1861
acg Thr	tac Tyr	cgg Arg 560	tgc Cys	cat His	aga Arg	ggt Gly	gac Asp 565	aca Thr	caa Gln	ata Ile	caa Gln	acc Thr 570	cga Arg	aga Arg	tca Ser	1909
ttt Phe	gaa Glu 575	ata Ile	aag Lys	aaa Lys	ctg Leu	tgg Trp 580	gag Glu	caa Gln	acc Thr	cat His	tcc Ser 585	aaa Lys	gct Ala	gga Gly	ctg Leu	1957
ctg Leu 590	Val	tcc Ser	gac Asp	gga Gly	ggc Gly 595	cca Pro	aat Asn	tta Leu	tac Tyr	aac Asn 600	att Ile	aga Arg	aat Asn	ctc Leu	cac His 605	2005
att Ile	cct Pro	gaa Glu	gtc Val	tgc Cys 610	ttg Leu	aaa Lys	tgg Trp	gaa Glu	tta Leu 615	atg Met	gat Asp	gag Glu	gat Asp	tac Tyr 620	cag Gln	2053
ej A aaa	cgt Arg	tta Leu	tgc Cys 625	Asn	cca Pro	ctg Leu	aac Asn	cca Pro 630	ttt Phe	gtc Val	aac Asn	cat His	aaa Lys 635	gac Asp	att Ile	2101
gaa Glu	tca Ser	gtg Val 640	Asn	aat Asn	gca Ala	gtg Val	ata Ile 645	Met	cca Pro	gca Ala	cat His	ggt Gly 650	cca Pro	gcc Ala	aaa Lys	2149
aac Asn	atg Met 655	gag Glu	tat Tyr	gat Asp	gct Ala	gtt Val 660	Ala	aca Thr	aca Thr	cac His	tcc Ser 665	Trp	atc Ile	ccc Pro	aaa Lys	2197

aga Arg 670	aat Asn	cga Arg	tcc Ser	atc Ile	ttg Leu 675	aat Asn	aca Thr	agc Ser	caa Gln	aga Arg 680	gga Gly	ata Ile	ctt Leu	gaa Glu	gat Asp 685	2245
gaa Glu	caa Gln	atg Met	tac Tyr	caa Gln 690	aag Lys	tgc Cys	tgc Cys	aac Asn	tta Leu 695	ttt Phe	gaa Glu	aaa Lys	ttc Phe	ttc Phe 700	ccc Pro	2293
agc Ser	agt Ser	tca Ser	tac Tyr 705	aga Arg	aga Arg	cca Pro	gtc Val	ggg Gly 710	ata Ile	tcc Ser	agt Ser	atg Met	gtg Val 715	gag Glu	gct Ala	2341
atg Met	gtt Val	tcc Ser 720	aga Arg	gcc Ala	cga Arg	att Ile	gat Asp 725	gca Ala	cga Arg	att Ile	gat Asp	ttc Phe 730	gaa Glu	tct Ser	gga Gly	2389
agg Arg	ata Ile 735	aag Lys	aaa Lys	gag Glu	gag Glu	ttc Phe 740	act Thr	gag Glu	atc Ile	atg Met	aag Lys 745	atc Ile	tgt Cys	tcc Ser	acc Thr	2437
			ct <i>c</i> Leu					tag	tgaai	ttt a	agcti	tgtc	ct t	catg	aaaa	2491
atg	cctt	gtt	tcta	ctaa	ta a	cccg	gcgg	c cc	aaaa	tgcc	gac	tcgg,	agc	gaaa	gatata	2551
cct	ccc	cgg	ggcc	ggga	gg t	cgcg	tcac	c ga	ccac	gccg	ccg	gccc	agg	cgac	gcgcga	2611
cac	ggac	acc	tgtc	ccca	aa a	acgc	cacc	a tc	gcag	ccac	aca	cgga	gcg	cccg	gggccc	2671
tct	ggtc	aac	ccca	ggac	ac a	cgcg	ggag	c ag	cgcc	gggc	cgg	ggac	gcc	ctcc	cggccg	2731
CCC	gtgc	cac	acgc	aggg	gg c	cggc	ccgt	g tc	tcca	gagc	ggg	agcc	gga	agca	ttttcg	2791
gcc	ggcc	cct	ccta	cgac	cg g	gaca	cacg	a gg	gacc	gaag	gcc	ggcc	agg	cgcg	acctct	2851
cgg	gccg	cac	gcgc	gctc	ag g	gagc	gctc	t cc	gact	ccgc	acg	ggga	ctc	gcca	gaaagg	2911
atc	gtga	cct	gcat	taat	ga a	tcag	ggga	t aa	cgca	ggaa	aga	acat	gtg	agca	aaaggc	2971
cag	caaa	agg	ccag	gaac	cg t	aaaa	aggc	c go	gttg	ctgg	cgt	tttt	сса	tagg	ctccgc	3031
ccc	cctg	acg	agca	tcac	aa a	aatc	gacg	c to	aagt	caga	ggt	ggcg	aaa	cccg	acagga	3091
cta	taaa	gat	acca	ggcg	tt t	cccc	ctgg	a ag	ctcc	ctcg	tgc	gctc	tcc	tgtt	ccgacc	3151
ctg	ccgc	tta	ccgg	atac	ct g	tccg	cctt	t ct	ccct	tcgg	gaa	gcgt	ggc	gctt	tctcat	3211
agc	tcac	gct	gtag	gtat	ct c	agtt	cggt	g ta	ggtc	gttc	gct	ccaa	gct	gggc	tgtgtg	3271
cac	gaac	ccc	ccgt	tcag	icc c	gaco	gctg	c gc	ctta	tccg	gta	acta	tcg	tctt	gagtcc	3331
aac	ccgg	rtaa	gaca	cgac	tt a	tcgc	cact	g gc	agca	igcca	ctg	igtaa	cag	gatt	agcaga	3391
gcg	aggt	atg	tago	cggt	gc t	acag	ragtt	c tt	gaag	ıtggt	ggc	ctaa	cta	cggc	tacact	3451
aga	agga	cag	tatt	tggt	at c	tgcç	ctct	g ct	gaag	gccag	tta	cctt	cgg	aaaa	agagtt	3511
ggt	agct	ctt	gato	ccggc	caa a	caaa	ccac	c go	ctggt	agcg	gtç	gttt	ttt	tgtt	tgcaag	3571
cag	caga	atta	cgc	gcaga	aaa a	aaaq	gato	et ca	aagaa	agato	ctt	tgat	ctt	ttct	acgggg	3631
tct	gaco	gctc	agt	ggaad	cga a	aact	cacq	jt ta	aggg	gattt	tgo	gtcat	gag	atta	itcaaaa	3691
agç	atct	tca	ccta	agato	ect t	ttaa	atta	a aa	aatga	agtt	tta	aato	aat	ctaa	agtata	3751
tat	.gagt	aaa	ctt	ggtct	ga d	cagtt	acca	a to	gctta	atca	gto	gaggo	cacc	tato	tcagcg	3811



atctqtctat ttcgttcatc catagttgcc tgactccccg tcgtgtagat aactacgata 3871 egggaggget taccatetgg ecceagtget geaatgatae egegagaeee aegeteaeeg 3931 actocaqatt tatcaqcaat aaaccaqcca googgaaggg cogagcqcag aagtggtoot 3991 qcaactttat ccgcctccat ccagtctatt aattgttgcc gggaagctag agtaagtagt 4051 togecagtta atagtttgcg caacgttgtt gocattgcta caggcatcgt ggtgtcacgc 4111 togtogtttg gtatggotto attoagotoo ggttoccaac gatoaaggog agttacatga 4171 tcccccatgt tgtgcaaaaa agcggttagc tccttcggtc ctccgatcgt tgtcagaagt 4231 aaqttqqccq caqtqttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291 atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351 taqtqtatqc qqcqaccqaq ttgctcttgc ccggcqtcaa cacgggataa taccgcgcca 4411 cataqcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg aaaactctca 4471 aggatettae egetgttgag atceagtteg atgtaaceea etegtgeace caactgatet 4531 tcaqcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 4591 qcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 4651 tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711 tagaaaaata aacaaaagag tttgtagaaa cgcaaaaaagg ccatccgtca ggatggcctt 4771 ctgcttaatt tgatgcctgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831 ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891 cqacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttatttg 4951 atgeetggea gtteectaet etegeatggg gagaeceeae aetaecateg gegetaegge 5011 gtttcacttc tgagttcggc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071 aattotgttt tatoagacog ottotgogtt otgatttaat otgtatoagg otgaaaatot 5131 5169 tototoatco gocaaaacag ccaagotago ggoogato

```
<210> 41
```

<400> 41

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn 1 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His 20 25 30

Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln
35 40 45

Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro 50 55 60

<211> 757

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: pHL3247

Gln 65	Leu	Asn	Pro	Ile	Asp 70	Gly	Pro	Leu	Pro	Glu 75	Asp	Asn	Glu	Pro	Ser 80
Gly	Tyr	Ala	Gln	Thr 85	Asp	Cys	Val	Leu	Glu 90	Ala	Met	Ala	Phe	Leu 95	Glu
Glu	Ser	His	Pro 100	Gly	Ile	Phe	Glu	Thr 105	Ser	Cys	Leu	Glu	Thr 110	Met	Glu
Val	Val	Gln 115	Gln	Thr	Arg	Val	Asp 120	Lys	Leu	Thr	Gln	Gly 125	Arg	Gln	Thr
Tyr	Asp 130	Trp	Thr	Leu	Asn	Arg 135	Asn	Gln	Pro	Ala	Ala 140	Thr	Ala	Leu	Ala
Asn 145	Thr	Ile	Glu	Val	Phe 150	Arg	Ser	Asn	Gly	Leu 155	Thr	Ala	Asn	Glu	Ser 160
Gly	Arg	Leu	Ile	Asp 165	Phe	Leu	Lys	Asp	Val 170	Met	Glu	Ser	Met	Asn 175	Lys
G1u	Glu	Met	Glu 180	Ile	Thr	Thr	His	Phe 185	Gln	Arg	Lys	Arg	Arg 190	Val	Arg
Asp	Asn	Met 195	Thr	Lys	Lys	Met	Val 200	Thr	Gln	Arg	Thr	Ile 205	Gly	Lys	Arg
Lys	Gln 210	Arg	Leu	Asn	Lys	Arg 215	Ser	Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile	Ala	Thr	Pro	Gly 245	Met	Gln	Ile	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr	Leu	Ala	Arg 260	Ser	Ile	Суѕ	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290		Asn	Ser	Gln	Asp 295		Glu	Ile	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305		Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315		Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	11e 325		Arg	Asn	Gln	Pro 330		Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340		Ile	Met	Phe	Ser 345		Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360		Met	Lys	Ile	Arg 365		Gln	Ile
Pro	Ala 370		Met	Leu	Ala	Ser 375		Asp	Leu	Lys	Tyr 380		. Asn	Glu	Pro
Thr 385		l Lys	Lys	Ile	Glu 390		Ile	Arg	Pro	Leu 395		Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	ı Ser	Pro 405		Met	. Met	. Met	Gly 410		Phe	. Asn	Met	Leu 415	

Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	Tyr	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asp
Arg 465	Phe	Tyr	Arg	Thr	Cys 470	Lys	Leu	Val	Gly	Ile 475	Asn	Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500	Phe	Val	Ala	Asn	Phe 505	Ser	Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	Gly	Ile	Asn	Glu	Ser 520	Ala	Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	Ile 530	Lys	Asn	Asn	Met	Ile 535	Asn	Asn	Asp	Leu	Gly 540	Pro	Ala	Thr	Ala
Gln 545	Met	Ala	Leu	Gln	Leu 550	Phe	Ile	Lys	Asp	Tyr 555	Arg	Tyr	Thr	Tyr	Arg 560
Cys	His	Arg	Gly	Asp 565	Thr	Gln	Ile	Gln	Thr 570	Arg	Arg	Ser	Phe	Glu 575	Ile
Lys	Lys	Leu	Trp 580	Glu	Gln	Thr	His	Ser 585	Lys	Ala	Gly	Leu	Leu 590	Val	Ser
Asp	Gly	Gly 595	Pro	Asn	Leu	Tyr	Asn 600	Ile	Arg	Asn	Leu	His 605	Ile	Pro	Glu
Val	Cys 610		Lys	Trp	Glu	Leu 615	Met	Asp	Glu	Asp	Tyr 620	Gln	Gly	Arg	Leu
Cys 625	Asn	Pro	Leu	Asn	Pro 630	Phe	Val	Asn	His	Lys 635		Ile	Glu	Ser	Val 640
Asn	Asn	Ala	Val	Ile 645		Pro	Ala	His	Gly 650		Ala	Lys	Asn	Met 655	Glu
Tyr	Asp	Ala	Val 660	Ala	Thr	Thr	His	Ser 665		Ile	Pro	Lys	Arg 670	Asn	Arg
Ser	Ile	Leu 675	Asn	Thr	Ser	Gln	Arg 680		Ile	Leu	Glu	Asp 685		Gln	Met
Tyr	Gln 690		Cys	Cys	Asn	Leu 695		Glu	Lys	Phe	Phe 700		Ser	Ser	Ser
Tyr 705	Arg	Arg	Pro	Val	Gly 710		Ser	Ser	Met	715		. Ala	Met	Val	Ser 720
Arg	Ala	Arg	, Ile	Asp 725		Arg	Ile	asp	730		Ser	Gly	' Arg	735	Lys
Lys	Glu	Glu	Phe		Glu	Ile	. Met	Lys 745		e Cys	s Ser	Thr	750		Glu
Leu	Arg	755	Gln	Lys	;										

SEQL

<210> 42 <211> 5169 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence: pHL3258	
<220> <221> CDS <222> (191)(2461)	
<400> 42 cccaaaaaa aaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg	60
ggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaa	120
acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca	180
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro 1 5 10	229
gca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro 15 20 25	277
tac agc cat ggg aca gga aca gga tac acc atg gat act gtc aac agg Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg 30 35 40 45	325
aca cat cag tac tca gaa agg gga aga tgg aca aca aac acc gaa act Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr 50 55 60	373
gga gca ccg caa ctc aac ccg att gat ggg cca ctg cca gaa gac aat Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn 65 70 75	421
gaa cca agt ggt tat gcc caa aca gat tgt gta ttg gaa gca atg gcc Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala 80 85 90	469
ttc ctt gag gaa tcc cat cct ggt atc ttt gag acc tcg tgt ctt gaa Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu 95	517
acg atg gag gtt gtt cag caa aca cga gtg gac aag ctg aca caa ggc Thr Met Glu Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly 110 115 120 125	565
cga cag acc tat gac tgg act cta aat agg aac cag cct gct gca aca Arg Gln Thr Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr 130 135 140	613
gca ttg gcc aac aca ata gaa gtg ttc aga tca aat ggc ctc acg gcc Ala Leu Ala Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala 145 150 155	661
aat gaa tot gga agg oto ata gao tto ott aag gat gta atg gag toa Asn Glu Ser Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser 160 165 170	709
atg aac aaa gaa gaa atg gag atc aca act cat ttt cag aga aag aga Met Asn Lys Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg 175 180 185	757

cga Arg 190	gtg Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
tta Leu	acc Thr	ctg Leu	aac Asn 225	aca Thr	atg Met	acc Thr	aaa Lys	gat Asp 230	gct Ala	gag Glu	aga Arg	GJ À aaa	aag Lys 235	cta Leu	aaa Lys	901
cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	acc Thr	cca Pro	ggg Gly 245	atg Met	caa Gln	ata Ile	agg Arg	ggg Gly 250	ttt Phe	gta Val	tac Tyr	949
ttt Phe	gtt Val 255	gag Glu	aca Thr	cta Leu	gca Ala	agg Arg 260	agt Ser	ata Ile	tgt Cys	gag Glu	aaa Lys 265	ctt Leu	gaa Glu	caa Gln	tca Ser	997
gga Gly 270	ttg Leu	cca Pro	gtt Val	gga Gly	ggc Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gca Ala 280	aag Lys	ttg Leu	gca Ala	aat Asn	gtt Val 285	1045
gta Val	agg Arg	aag Lys	atg Met	atg Met 290	acc Thr	aat Asn	tct Ser	cag Gln	gac Asp 295	act Thr	gaa Glu	att Ile	tct Ser	ttc Phe 300	acc Thr	1093
atc Ile	act Thr	gga Gly	gat Asp 305	aac Asn	acc Thr	aaa Lys	tgg Trp	aac Asn 310	gaa Glu	aat Asn	cag Gln	aac Asn	cct Pro 315	cgg Arg	atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	atg Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	acc Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	gaa Glu	tgg Trp	ttc Phe	1189
aga Arg	aat Asn 335	gtt Val	cta Leu	agt Ser	att Ile	gct Ala 340	cca Pro	ata Ile	atg Met	ttc Phe	tca Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
aga Arg 350	ctg Leu	gga Gly	aag Lys	Gly ggg	tac Tyr 355	atg Met	ttt Phe	gag Glu	agc Ser	aag Lys 360	Ser	atg Met	aaa Lys	att Ile	aga Arg 365	1285
act Thr	caa Gln	ata Ile	cct Pro	gca Ala 370	Glu	atg Met	cta Leu	gca Ala	agt Ser 375	att Ile	gat Asp	cta Leu	aaa Lys	tat Tyr 380	ttc Phe	1333
aat Asn	gaa Glu	cca Pro	aca Thr 385	Arg	aag Lys	aaa Lys	atc Ile	gag Glu 390	Lys	ata Ile	agg Arg	cct Pro	ctc Leu 395		ata Ile	1381
gat Asp	ggg	act Thr 400	Ala	tca Ser	ttg Leu	agc Ser	cct Pro 405	Gly	atg Met	atg Met	atg Met	ggc Gly 410	Met	ttc Phe	aat Asn	1429
atg Met	tta Leu 415	Ser	act Thr	gta Val	tta Leu	ggc Gly 420	Val	tcc Ser	atc Ile	ctg Leu	aat Asn 425	Leu	gga Gly	caa Gln	aag Lys	1477
aga Arg 430	His	acc Thr	aag Lys	act Thr	act Thr 435	Tyr	tgg Trp	tgg Trp	gat Asp	ggt Gly 440	, Leu	caa Gln	tct Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	cto Lev	att 111e 450	val	aat Asn	gca Ala	ccc Pro	aat Asn 455	His	gaa Glu	ggg	att	caa Gln 460	gcc	1573

	gga Gly	gtc Val	aac Asn	agg Arg 465	ttt Phe	tat Tyr	cga Arg	acc Thr	tgt Cys 470	aag Lys	cta Leu	ctt Leu	gga Gly	att Ile 475	aat Asn	atg Met	1621
	agc Ser	aag Lys	aaa Lys 480	aag Lys	tct Ser	tac Tyr	ata Ile	aac Asn 485	aga Arg	aca Thr	ggt Gly	aca Thr	ttt Phe 490	gaa Glu	ttc Phe	aca Thr	1669
	agc Ser	ttt Phe 495	ttc Phe	tat Tyr	cgt Arg	tat Tyr	ggg Gly 500	ttt Phe	gtt Val	gcc Ala	aat Asn	ttc Phe 505	agc Ser	atg Met	gag Glu	ctt Leu	1717
	ccc Pro 510	agc Ser	ttt Phe	Gly ggg	gtg Val	tct Ser 515	ggg Gly	atc Ile	aac Asn	gag Glu	tct Ser 520	gcg Ala	gac Asp	atg Met	agt Ser	att Ile 525	1765
	gga Gly	gtt Val	act Thr	gtc Val	atc Ile 530	aaa Lys	aac Asn	aat Asn	atg Met	ata Ile 535	aac Asn	aat Asn	gat Asp	ctt Leu	ggt Gly 540	cca Pro	1813
	gca Ala	acc Thr	gct Ala	caa Gln 545	atg Met	gcc Ala	ctt Leu	cag Gln	ctg Leu 550	ttc Phe	atc Ile	aaa Lys	gat Asp	tac Tyr 555	agg Arg	tac Tyr	1861
	acg Thr	tac Tyr	cgg Arg 560	tgc Cys	cat His	aga Arg	ggt Gly	gac Asp 565	aca Thr	caa Gln	ata Ile	caa Gln	acc Thr 570	cga Arg	aga Arg	tca Ser	1909
	ttt Phe	gaa Glu 575	ata Ile	aag Lys	aaa Lys	ctg Leu	tgg Trp 580	gag Glu	caa Gln	acc Thr	cat His	tcc Ser 585	aaa Lys	gct Ala	gga Gly	ctg Leu	1957
	ctg Leu 590	gtc Val	tcc Ser	gac Asp	gga Gly	ggc Gly 595	cca Pro	aat Asn	tta Leu	tac Tyr	aac Asn 600	att Ile	aga Arg	aat Asn	ctc Leu	cac His 605	2005
	att Ile	cct Pro	gaa Glu	gtc Val	tgc Cys 610	ttg Leu	aaa Lys	tgg Trp	gaa Glu	tta Leu 615	atg Met	gat Asp	gag Glu	gat Asp	tac Tyr 620	cag Gln	2053
	ggg Gly	cgt Arg	tta Leu	tgc Cys 625	aac Asn	cca Pro	ctg Leu	aac Asn	cca Pro 630	ttt Phe	gtc Val	aac Asn	cat His	aaa Lys 635	gac Asp	att Ile	2101
	gaa Glu	tca Ser	gtg Val 640	aac Asn	aat Asn	gca Ala	gtg Val	ata Ile 645	atg Met	cca Pro	gca Ala	cat His	ggt Gly 650	cca Pro	gcc Ala	aaa Lys	2149
	aac Asn	atg Met 655	gag Glu	tat Tyr	gat Asp	gct Ala	gtt Val 660	gca Ala	aca Thr	aca Thr	cac His	tcc Ser 665	tgg Trp	atc Ile	ccc Pro	aaa Lys	2197
	aga Arg 670	Asn	cga Arg	tcc Ser	atc Ile	ttg Leu 675	aat Asn	aca Thr	agc Ser	caa Gln	aga Arg 680	gga Gly	ata Ile	ctt Leu	gaa Glu	gat Asp 685	2245
	gaa Glu	caa Gln	atg Met	tac Tyr	caa Gln 690	aag Lys	tgc Cys	tgc Cys	aac Asn	tta Leu 695	ttt Phe	gaa Glu	aaa Lys	ttc Phe	ttc Phe 700	ccc Pro	2293
)	agc Ser	agt Ser	tca Ser	tac Tyr 705	Arg	aga Arg	cca Pro	gtc Val	ggg Gly 710	ata Ile	tcc Ser	agt Ser	atg Met	gtg Val 715	gag Glu	gct Ala	2341

atg gtt tcc aga gcc cga att gat gca cga att gat ttc gaa tct gga 2. Met Val Ser Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly 720 725 730	389
agg ata aag aaa gag gag ttc act gag atc atg aag atc tgt tcc acc 2 Arg Ile Lys Lys Glu Glu Phe Thr Glu Ile Met Lys Ile Cys Ser Thr 735 740 745	437
att gaa gag ctc aga cgg caa aaa tagtgaattt agcttgtcct tcatgaaaaa 2 Ile Glu Glu Leu Arg Arg Gln Lys 750 755	491
atgeettgtt tetactaata acceggegge ccaaaatgee gaeteggage gaaagatata 2	551
cctccccgg ggccgggagg tcgcgtcacc gaccacgccg ccggcccagg cgacgcgcga 2	611
cacggacace tgtccccaaa aacgccacca tcgcagccac acacggagcg cccggggccc 2	671
tetggteaae eccaggacae aegegggage agegeeggge eggggaegee etceeggeeg 2	731
cccgtgccac acgcaggggg ccggcccgtg tctccagagc gggagccgga agcattttcg 2	791
gccggccct cctacgaccg ggacacacga gggaccgaag gccggccagg cgcgacctct 2	851
cgggccgcac gcgcgctcag ggagcgctct ccgactccgc acggggactc gccagaaagg 2	911
atcgtgacct gcattaatga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc 2	971
cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc 3	031
cccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 3	091
ctataaagat accaggcgtt teeecetgga ageteeeteg tgegetetee tgtteegaee 3	151
ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat 3	211
agctcacgct gtaggtatct cagttcggtg taggtcgttc gctccaagct gggctgtgtg 3	3271
cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc 3	331
aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga 3	3391
gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact 3	3451
agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt 3	3511
ggtagetett gateeggeaa acaaaceace getggtageg gtggtttttt tgtttgeaag 3	3571
cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg 3	3631
tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa 3	3691
aggatettea eetagateet titaaattaa aaatgaagti tiaaateaat etaaagtata 3	3751
tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 3	3811
atotgtotat ttogttoato catagttgoo tgaetocoog togtgtagat aactaogata 3	3871
cgggagggct taccatctgg ccccagtget gcaatgatac cgcgagaccc acgctcaccg 3	3931
gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct	3991
gcaactttat cogoctocat coagtotatt aattgttgoo gggaagotag agtaagtagt 4	4051
tegecagtta atagtttgeg caaegttgtt gecattgeta eaggeategt ggtgteaege	4111
togtogtttg gtatggotto attoagotoo ggttoocaac gatoaaggog agttacatga	4171

tececeatgt tgtgcaaaaa ageggttage teetteggte eteegategt tgtcagaagt 4231 aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291 atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351 tagtqtatqc ggcgaccgag ttgctcttgc ccggcgtcaa cacgggataa taccgcgcca 4411 catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg aaaactctca 4471 aggatettae egetgttgag atceagtteg atgtaaceea etegtgeace caactgatet 4531 tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 4591 gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 4651 tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711 tagaaaaata aacaaaagag tttgtagaaa cgcaaaaagg ccatccgtca ggatggcctt 4771 ctgcttaatt tgatgcctgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831 ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891 cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttatttg 4951 atgcctggca gttccctact ctcgcatggg gagaccccac actaccatcg gcgctacggc 5011 gtttcacttc tgagttcggc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071 aattotgttt tatcagaccg cttctgcgtt ctgatttaat ctgtatcagg ctgaaaatct 5131 tctctcatcc gccaaaacag ccaagctagc ggccgatc 5169

```
<210> 43
```

<400> 43

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn 1 5 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His
20 25 30

Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln
35 40 45

Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro 50 60

Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser 65 70 75 80

Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu 85 90 95

Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu 100 105 110

Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr 115 120 125

<211> 757

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: pHL3258

Tyr	Asp 130	Trp	Thr	Leu	Asn	Arg 135	Asn	Gln	Pro	Ala	Ala 140	Thr	Ala	Leu	Ala
Asn 145	Thr	Ile	Glu	Val	Phe 150	Arg	Ser	Asn	Gly	Leu 155	Thr	Ala	Asn	Glu	Ser 160
Gly	Arg	Leu	Ile	Asp 165	Phe	Leu	Lys	Asp	Val 170	Met	Glu	Ser	Met	Asn 175	Lys
Glu	Glu	Met	Glu 180	Ile	Thr	Thr	His	Phe 185	Gln	Arg	Lys	Arg	Arg 190	Val	Arg
Asp	Asn	Met 195	Thr	Lys	Lys	Met	Val 200	Thr	Gln	Arg	Thr	Ile 205	Gly	Lys	Arg
Lys	Gln 210	Arg	Leu	Asn	Lys	Arg 215	Ser	Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile	Ala	Thr	Pro	Gly 245	Met	Gln	Ile	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr	Leu	Ala	Arg 260	Ser	Ile	Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Ile	Ser	Phe 300	Thr	Ile	Thr	Gly
<b>Asp</b> 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Ŀys	Gly	Tyr 355		Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Ile	Arg 365		Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Glu	Pro
Thr 385	Arg	Lys	Lys	Ile	Glu 390		Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410		Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420		Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430		Thr
Lys	Thr	Thr 435		Trp	Trp	Asp	Gly 440		Gln	Ser	Ser	Asp 445		Phe	Ala
Leu	Ile 450		Asn	Ala	Pro	Asn 455		Glu	Gly	Ile	Gln 460		Gly	Val	Asn
Arg 465		Tyr	Arg	Thr	Cys 470		Leu	Leu	Gly	1le 475		Met	Ser	Lys	Lys 480



```
Lys Ser Tyr Ile Asn Arg Thr Gly Thr Phe Glu Phe Thr Ser Phe Phe
                                     490
Tyr Arg Tyr Gly Phe Val Ala Asn Phe Ser Met Glu Leu Pro Ser Phe
                                505
Gly Val Ser Gly Ile Asn Glu Ser Ala Asp Met Ser Ile Gly Val Thr
Val Ile Lys Asn Asn Met Ile Asn Asn Asp Leu Gly Pro Ala Thr Ala
Gln Met Ala Leu Gln Leu Phe Ile Lys Asp Tyr Arg Tyr Thr Tyr Arg
                    550
Cys His Arg Gly Asp Thr Gln Ile Gln Thr Arg Arg Ser Phe Glu Ile
Lys Lys Leu Trp Glu Gln Thr His Ser Lys Ala Gly Leu Leu Val Ser
                                585
Asp Gly Gly Pro Asn Leu Tyr Asn Ile Arg Asn Leu His Ile Pro Glu
                             600
Val Cys Leu Lys Trp Glu Leu Met Asp Glu Asp Tyr Gln Gly Arg Leu
Cys Asn Pro Leu Asn Pro Phe Val Asn His Lys Asp Ile Glu Ser Val
Asn Asn Ala Val Ile Met Pro Ala His Gly Pro Ala Lys Asn Met Glu
Tyr Asp Ala Val Ala Thr Thr His Ser Trp Ile Pro Lys Arg Asn Arg
                                 665
Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp Glu Gln Met
Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro Ser Ser Ser
Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala Met Val Ser
                                         715
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys
Lys Glu Glu Phe Thr Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu
Leu Arg Arg Gln Lys
        755
<210> 44
<211> 5169
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: pHL3259
<220>
<221> CDS
```

<222> (191)..(2461)

	)> 44 Jaaaa	aa a	aaaa	2222	2 22	aaat	ccaq	agt	aacc	cca	ccac	tcca	ca c	:caaa	ggggg	60
															aaaaa	
-																180
															33	
aacc	attt	ga a M	tg g et A 1	at g .sp V	tc a al A	at c sn P	cg a ro T 5	hr L	ta c eu L	eu F	tc t	ta a eu L 10	aa g ys V	tg c al P	ro	229
gca Ala	caa Gln 15	aat Asn	gct Ala	ata Ile	agc Ser	aca Thr 20	act Thr	ttc Phe	cct Pro	tat Tyr	act Thr 25	gga Gly	gac Asp	cct Pro	cct Pro	277
tac Tyr 30	agc Ser	cat His	G] À āāā	aca Thr	gga Gly 35	aca Thr	gga Gly	tac Tyr	acc Thr	atg Met 40	gat Asp	act Thr	gtc Val	aac Asn	agg Arg 45	325
aca Thr	cat His	cag Gln	tac Tyr	tca Ser 50	gaa Glu	agg Arg	gga Gly	aga Arg	tgg Trp 55	aca Thr	aca Thr	aac Asn	acc Thr	gaa Glu 60	act Thr	373
gga Gly	gca Ala	ccg Pro	caa Gln 65	ctc Leu	aac Asn	ccg Pro	att Ile	gat Asp 70	ggg Gly	cca Pro	ctg Leu	cca Pro	gaa Glu 75	gac Asp	aat Asn	421
gaa Glu	cca Pro	agt Ser 80	ggt Gly	tat Tyr	gcc Ala	caa Gln	aca Thr 85	gat Asp	tgt Cys	gta Val	ttg Leu	gaa Glu 90	gca Ala	atg Met	gcc Ala	469
ttc Phe	ctt Leu 95	gag Glu	gaa Glu	tcc Ser	cat His	cct Pro 100	ggt Gly	atc Ile	ttt Phe	gag Glu	acc Thr 105	tcg Ser	tgt Cys	ctt Leu	gaa Glu	517
acg Thr 110	atg Met	gag Glu	gtt Val	gtt Val	cag Gln 115	caa Gln	aca Thr	cga Arg	gtg Val	gac Asp 120	aag Lys	ctg Leu	aca Thr	caa Gln	ggc Gly 125	565
cga Arg	cag Gln	acc Thr	tat Tyr	gac Asp 130	tgg Trp	act Thr	cta Leu	aat Asn	agg Arg 135	aac Asn	cag Gln	cct Pro	gct Ala	gca Ala 140	aca Thr	613
gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
cga Arg 190	Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
tta Leu	acc Thr	ctg Leu	aac Asn 225	Thr	atg Met	acc Thr	aaa Lys	gat Asp 230	gct Ala	gag Glu	aga Arg	Gly	aag Lys 235	cta Leu	aaa Lys	901

cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	acc Thr	cca Pro	ggg Gly 245	atg Met	caa Gln	ata Ile	agg Arg	ggg Gly 250	ttt Phe	gta Val	tac Tyr	949
ttt Phe	gtt Val 255	gag Glu	aca Thr	cta Leu	gca Ala	agg Arg 260	agt Ser	ata Ile	tgt Cys	gag Glu	aaa Lys 265	ctt Leu	gaa Glu	caa Gln	tca Ser	997
gga Gly 270	ttg Leu	cca Pro	gtt Val	gga Gly	ggc Gly 275	aat Asn	gag Glu	aag Lys	aaa Lys	gca Ala 280	aag Lys	ttg Leu	gca Ala	aat Asn	gtt Val 285	1045
gta Val	agg Arg	aag Lys	atg Met	atg Met 290	acc Thr	aat Asn	tct Ser	cag Gln	gac Asp 295	act Thr	gaa Glu	att Ile	tct Ser	ttc Phe 300	acc Thr	1093
atc Ile	act Thr	gga Gly	gat Asp 305	aac Asn	acc Thr	aaa Lys	tgg Trp	aac Asn 310	gaa Glu	aat Asn	cag Gln	aac Asn	cct Pro 315	cgg Arg	atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	atg Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	acc Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	gaa Glu	tgg Trp	ttc Phe	1189
aga Arg	aat Asn 335	gtt Val	cta Leu	agt Ser	att Ile	gct Ala 340	cca Pro	ata Ile	atg Met	ttc Phe	tca Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
aga Arg 350	ctg Leu	gga Gly	aag Lys	ggg Gly	tac Tyr 355	atg Met	ttt Phe	gag Glu	agc Ser	aag Lys 360	agt Ser	atg Met	aaa Lys	att Ile	aga Arg 365	1285
act Thr	caa Gln	ata Ile	cct Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agt Ser 375	att Ile	gat Asp	cta Leu	aaa Lys	tat Tyr 380	ttc Phe	1333
aat Asn	gaa Glu	cca Pro	aca Thr 385	agg Arg	aag Lys	aaa Lys	atc Ile	gag Glu 390	aaa Lys	ata Ile	agg Arg	cct Pro	ctc Leu 395	tta Leu	ata Ile	1381
gat Asp	ggg	act Thr 400	gca Ala	tca Ser	ttg Leu	agc Ser	cct Pro 405	gga Gly	atg Met	atg Met	atg Met	ggc Gly 410	atg Met	ttc Phe	aat Asn	1429
atg Met	tta Leu 415	agt Ser	act Thr	gta Val	tta Leu	ggc Gly 420	Val	tcc Ser	atc Ile	ctg Leu	aat Asn 425	Leu	gga Gly	caa Gln	aag Lys	1477
aga Arg 430	His	acc Thr	aag Lys	act Thr	act Thr 435	Tyr	tgg Trp	tgg Trp	gat Asp	ggt Gly 440	Leu	caa Gln	tct Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctg Leu	att Ile 450	Val	aat Asn	gca Ala	ccc Pro	aat Asn 455	His	gaa Glu	ggg Gly	att Ile	caa Gln 460	gcc Ala	1573
gga Gly	gtc Val	aac Asn	agg Arg 465	Phe	tat Tyr	cga Arg	acc Thr	tgt Cys 470	Lys	cta Leu	ctt Leu	gga Gly	att Ile 475	Asn	atg Met	1621
agc Ser	aag Lys	aaa Lys 480	Lys	tct Ser	tac Tyr	ata Ile	aac Asn 485	Arg	aca Thr	ggt Gly	aca Thr	ttt Phe 490	Glu	ttc Phe	aca Thr	1669
ago Ser	ttt Phe 495	Ph∈	tac Tyr	cgc Arg	tat Tyr	gga Gly 500	, Phe	gta Val	gcc Ala	aat Asn	ttt Phe 505	: Ser	atg Met	gag Glu	ttg Leu	1717

ccc Pro 510	agc Ser	ttt Phe	gga Gly	gta Val	tca Ser 515	gga Gly	att Ile	aat Asn	gaa Glu	tcg Ser 520	gct Ala	gat Asp	atg Met	agc Ser	att Ile 525	1765
gga Gly	gta Val	aca Thr	gtg Val	ata Ile 530	aag Lys	aat Asn	aac Asn	atg Met	ata Ile 535	aac Asn	aat Asn	gat Asp	ctt Leu	gga Gly 540	ccg Pro	1813
gca Ala	aca Thr	gcc Ala	caa Gln 545	atg Met	gct Ala	ctc Leu	caa Gln	tta Leu 550	ttc Phe	atc Ile	aag Lys	gac Asp	tac Tyr 555	aga Arg	tat Tyr	1861
aca Thr	tac Tyr	agg Arg 560	tgt Cys	cac His	agg Arg	gga Gly	gac Asp 565	aca Thr	caa Gln	atc Ile	caa Gln	acg Thr 570	agg Arg	agg Arg	tca Ser	1909
ttc Phe	gag Glu 575	cta Leu	aag Lys	aag Lys	ctg Leu	tgg Trp 580	gag Glu	cag Gln	acc Thr	cgc Arg	tca Ser 585	aag Lys	gca Ala	gga Gly	ctg Leu	1957
ttg Leu 590	gtt Val	tca Ser	gat Asp	ggc Gly	gga Gly 595	cca Pro	aac Asn	ctg Leu	tac Tyr	aac Asn 600	att Ile	cga Arg	aat Asn	ctc Leu	cac His 605	2005
att Ile	cct Pro	gaa Glu	gtc Val	tgc Cys 610	ttg Leu	aaa Lys	tgg Trp	gaa Glu	tta Leu 615	atg Met	gat Asp	gag Glu	gat Asp	tac Tyr 620	cag Gln	2053
ggg	cgt Arg	tta Leu	tgc Cys 625	aac Asn	cca Pro	ctg Leu	aac Asn	cca Pro 630	ttt Phe	gtc Val	aac Asn	cat His	aaa Lys 635	gac Asp	att Ile	2101
gaa Glu	tca Ser	gtg Val 640	aac Asn	aat Asn	gca Ala	gtg Val	ata Ile 645	atg Met	cca Pro	gca Ala	cat His	ggt Gly 650	cca Pro	gcc Ala	aaa Lys	2149
aac Asn	atg Met 655	gag Glu	tat Tyr	gat Asp	gct Ala	gtt Val 660	gca Ala	aca Thr	aca Thr	cac His	tcc Ser 665	tgg Trp	atc Ile	ccc Pro	aaa Lys	2197
				atc Ile												2245
gaa Glu	caa Gln	atg Met	tac Tyr	caa Gln 690	aag Lys	tgc Cys	tgc Cys	aac Asn	tta Leu 695	ttt Phe	gaa Glu	aaa Lys	ttc Phe	ttc Phe 700	ccc Pro	2293
				aga Arg												2341
				gcc Ala												2389
agg Arg	ata Ile 735	Lys	aaa Lys	gag Glu	gag Glu	ttc Phe 740	Thr	gag Glu	atc Ile	atg Met	aag Lys 745	Ile	tgt Cys	tcc Ser	acc Thr	2437
	Glu			aga Arg					tgaa	ttt	agct	tgtc	ct t	catg	aaaaa	2491
atg	cctt	gtt	tcta	ctaa	ta a	cccg	gcgg	c cc	aaaa	tgcc	gac	tcgg	agc	gaaa	gatata	2551

cctccccgg	ggccgggagg	tcgcgtcacc	gaccacgccg	ccggcccagg	cgacgcgcga	2611
cacggacacc	tgtccccaaa	aacgccacca	tcgcagccac	acacggagcg	cccggggccc	2671
tctggtcaac	cccaggacac	acgcgggagc	agcgccgggc	cggggacgcc	ctcccggccg	2731
cccgtgccac	acgcaggggg	ccggcccgtg	tctccagagc	gggagccgga	agcattttcg	2791
gccggcccct	cctacgaccg	ggacacacga	gggaccgaag	gccggccagg	cgcgacctct	2851
cgggccgcac	gcgcgctcag	ggagcgctct	ccgactccgc	acggggactc	gccagaaagg	2911
atcgtgacct	gcattaatga	atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaggc	2971
cagcaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	3031
cccctgacg	agcatcacaa	aaatcgacgc	tcaagtcaga	ggtggcgaaa	cccgacagga	3091
ctataaagat	accaggcgtt	tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	3151
ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcgtggc	gctttctcat	3211
agctcacgct	gtaggtatct	cagttcggtg	taggtcgttc	gctccaagct	gggctgtgtg	3271
cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	3331
aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	3391
gcgaggtatg	taggcggtgc	tacagagttc	ttgaagtggt	ggcctaacta	cggctacact	3451
agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	3511
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggttttt	tgtttgcaag	3571
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	3631
tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	attatcaaaa	3691
aggatcttca	cctagatcct	tttaaattaa	aaatgaagtt	ttaaatcaat	ctaaagtata	3751
tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	tatctcagcg	3811
atctgtctat	ttcgttcatc	catagttgcc	tgactccccg	tcgtgtagat	aactacgata	3871
cgggagggct	taccatctgg	ccccagtgct	gcaatgatac	cgcgagaccc	acgctcaccg	3931
gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgcag	aagtggtcct	3991
gcaactttat	ccgcctccat	ccagtctatt	aattgttgcc	gggaagctag	agtaagtagt	4051
tcgccagtta	atagtttgcg	caacgttgtt	gccattgcta	caggcatcgt	ggtgtcacgc	4111
tcgtcgtttg	gtatggcttc	attcagctcc	ggttcccaac	gatcaaggcg	agttacatga	4171
tcccccatgt	tgtgcaaaaa	agcggttagc	tccttcggtc	ctccgatcgt	tgtcagaagt	4231
aagttggccg	cagtgttatc	actcatggtt	atggcagcac	tgcataattc	tcttactgtc	4291
atgccatccg	taagatgctt	ttctgtgact	ggtgagtact	caaccaagtc	attctgagaa	4351
tagtgtatgc	ggcgaccgag	ttgctcttgc	ccggcgtcaa	cacgggataa	taccgcgcca	4411
catagcagaa	ctttaaaagt	gctcatcatt	ggaaaacgtt	cttcggggcg	aaaactctca	4471
aggatettae	cgctgttgag	atccagttcg	atgtaaccca	ctcgtgcacc	caactgatct	4531
tcagcatctt	ttactttcac	cagcgtttct	gggtgagcaa	aaacaggaag	gcaaaatgcc	4591

gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt ccttttcaa 4651 tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711 tagaaaaata aacaaaagag tttgtagaaa cgcaaaaagg ccatccgtca ggatggcctt 4771 ctgcttaatt tgatgectgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831 ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891 cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttattg 4951 atgcctggca gttccctact ctcgcatggg gagaccccac actaccatcg gcgctacggc 5011 gtttcacttc tgagttcgc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071 aattctgttt tatcagaccg cttctgcgtt ctgatttaat ctgtatcagg ctgaaaatct 5131 tctctcatcc gccaaaacag ccaagctagc ggccgatc

<210> 45

<211> 757

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: pHL3259

<400> 45

Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn 1 5 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His 20 25 30

Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln 35 40 45

Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro
50 55 60

Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser 65 70 75 80

Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu 85 90 95

Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu 100 105 110

Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr 115 120 125

Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala 130 135 140

Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser 145 150 155 160

Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asn Lys 165 170 175

Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg 180 185 190

Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile Gly Lys Arg 195 200 205

Lys	Gln 210	Arg	Leu	Asn	Lys	Arg 215	Ser	Tyr	Leu	Ile	Arg 220	Ala	Leu	Thr	Leu
Asn 225	Thr	Met	Thr	Lys	Asp 230	Ala	Glu	Arg	Gly	Lys 235	Leu	Lys	Arg	Arg	Ala 240
Ile	Ala	Thr	Pro	Gly 245	Met	Gln	Ile	Arg	Gly 250	Phe	Val	Tyr	Phe	Val 255	Glu
Thr	Leu	Ala	Arg 260	Ser	Ile	Cys	Glu	Lys 265	Leu	Glu	Gln	Ser	Gly 270	Leu	Pro
Val	Gly	Gly 275	Asn	Glu	Lys	Lys	Ala 280	Lys	Leu	Ala	Asn	Val 285	Val	Arg	Lys
Met	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Ile	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Ile	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Glu	Pro
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	His	Thr
Lys	Thr	Thr 435	Tyr	Trp	Trp	Asp	Gly 440	Leu	Gln	Ser	Ser	Asp 445	Asp	Phe	Ala
Leu	Ile 450		Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asn
Arg 465		Tyr	Arg	Thr	Cys 470	Lys	Leu	Leu	Gly	Ile 475		Met	Ser	Lys	Lys 480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490		Phe	Thr	Ser	Phe 495	Phe
Tyr	Arg	Tyr	Gly 500		Val	Ala	Asn	Phe 505		Met	Glu	Leu	Pro 510	Ser	Phe
Gly	Val	Ser 515	Gly	Ile	Asn	Glu	Ser 520		Asp	Met	Ser	Ile 525	Gly	Val	Thr
Val	11e 530		Asn	Asn	Met	Ile 535		Asn	Asp	Leu	Gly 540		Ala	Thr	Ala
Glr 545		Ala	Leu	Gln	Leu 550		Ile	Lys	Asp	Tyr 555		Tyr	Thr	Tyr	Arg 560

```
Cys His Arg Gly Asp Thr Gln Ile Gln Thr Arg Arg Ser Phe Glu Leu
Lys Lys Leu Trp Glu Gln Thr Arg Ser Lys Ala Gly Leu Leu Val Ser
Asp Gly Gly Pro Asn Leu Tyr Asn Ile Arg Asn Leu His Ile Pro Glu
Val Cys Leu Lys Trp Glu Leu Met Asp Glu Asp Tyr Gln Gly Arg Leu
Cys Asn Pro Leu Asn Pro Phe Val Asn His Lys Asp Ile Glu Ser Val
                    630
Asn Asn Ala Val Ile Met Pro Ala His Gly Pro Ala Lys Asn Met Glu
Tyr Asp Ala Val Ala Thr Thr His Ser Trp Ile Pro Lys Arg Asn Arg
                                 665
Ser Ile Leu Asn Thr Ser Gln Arg Gly Ile Leu Glu Asp Glu Gln Met
                             680
Tyr Gln Lys Cys Cys Asn Leu Phe Glu Lys Phe Phe Pro Ser Ser Ser
Tyr Arg Arg Pro Val Gly Ile Ser Ser Met Val Glu Ala Met Val Ser
Arg Ala Arg Ile Asp Ala Arg Ile Asp Phe Glu Ser Gly Arg Ile Lys
                                     730
Lys Glu Glu Phe Thr Glu Ile Met Lys Ile Cys Ser Thr Ile Glu Glu
            740
Leu Arg Arg Gln Lys
        755
<210> 46
<211> 5169
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: pHL3268
<220>
<221> CDS
<222> (191)..(2461)
<400> 46
cccaaaaaaa aaaaaaaaa aagagtccag agtggccccg ccgctccgcg ccgggggggg 60
ggggggggg ggacactttc ggacatctgg tcgacctcca gcatcggggg aaaaaaaaa 120
acaaagtgtc gcccggagta ctggtcgacc tccgaagttg ggggggagcg aaagcaggca 180
aaccatttga atg gat gtc aat ccg act tta ctt ttc tta aaa gtg cca
            Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro
                                                                    277
 qca caa aat gct ata agc aca act ttc cct tat act gga gac cct cct
Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro
      15
                          20
```

tac Tyr 30	agc Ser	cat His	ggg Gly	aca Thr	gga Gly 35	aca Thr	gga Gly	tac Tyr	acc Thr	atg Met 40	gat Asp	act Thr	gtc Val	aac Asn	agg Arg 45	325
aca Thr	cat His	cag Gln	tac Tyr	tca Ser 50	gaa Glu	agg Arg	gga Gly	aga Arg	tgg Trp 55	aca Thr	aca Thr	aac Asn	acc Thr	gaa Glu 60	act Thr	373
gga Gly	gca Ala	ccg Pro	caa Gln 65	ctc Leu	aac Asn	ccg Pro	att Ile	gat Asp 70	ggg Gly	cca Pro	ctg Leu	cca Pro	gaa Glu 75	gac Asp	aat Asn	421
gaa Glu	cca Pro	agt Ser 80	ggt Gly	tat Tyr	gcc Ala	caa Gln	aca Thr 85	gat Asp	tgt Cys	gta Val	ttg Leu	gaa Glu 90	gca Ala	atg Met	gcc Ala	469
ttc Phe	ctt Leu 95	gag Glu	gaa Glu	tcc Ser	cat His	cct Pro 100	ggt Gly	atc Ile	ttt Phe	gag Glu	acc Thr 105	tcg Ser	tgt Cys	ctt Leu	gaa Glu	517
acg Thr 110	atg Met	gag Glu	gtt Val	gtt Val	cag Gln 115	caa Gln	aca Thr	cga Arg	gtg Val	gac Asp 120	aag Lys	ctg Leu	aca Thr	caa Gln	ggc Gly 125	565
cga Arg	cag Gln	acc Thr	tat Tyr	gac Asp 130	tgg Trp	act Thr	cta Leu	aat Asn	agg Arg 135	aac Asn	cag Gln	cct Pro	gct Ala	gca Ala 140	aca Thr	613
gca Ala	ttg Leu	gcc Ala	aac Asn 145	aca Thr	ata Ile	gaa Glu	gtg Val	ttc Phe 150	aga Arg	tca Ser	aat Asn	ggc Gly	ctc Leu 155	acg Thr	gcc Ala	661
aat Asn	gaa Glu	tct Ser 160	gga Gly	agg Arg	ctc Leu	ata Ile	gac Asp 165	ttc Phe	ctt Leu	aag Lys	gat Asp	gta Val 170	atg Met	gag Glu	tca Ser	709
atg Met	aac Asn 175	aaa Lys	gaa Glu	gaa Glu	atg Met	gag Glu 180	atc Ile	aca Thr	act Thr	cat His	ttt Phe 185	cag Gln	aga Arg	aag Lys	aga Arg	757
cga Arg 190	gtg Val	aga Arg	gac Asp	aat Asn	atg Met 195	act Thr	aag Lys	aaa Lys	atg Met	gtg Val 200	aca Thr	cag Gln	aga Arg	aca Thr	ata Ile 205	805
ggt Gly	aaa Lys	agg Arg	aag Lys	cag Gln 210	aga Arg	ttg Leu	aac Asn	aaa Lys	agg Arg 215	agt Ser	tat Tyr	cta Leu	att Ile	agg Arg 220	gca Ala	853
	acc Thr															901
cgg Arg	aga Arg	gca Ala 240	att Ile	gca Ala	acc Thr	cca Pro	ggg Gly 245	atg Met	caa Gln	ata Ile	agg Arg	ggg Gly 250	ttt Phe	gta Val	tac Tyr	949
	gtt Val 255	Glu					Ser									997
gga Gly 270	ttg Leu	cca Pro	gtt Val	gga Gly	ggc Gly 275	Asn	gag Glu	aag Lys	aaa Lys	gca Ala 280	Lys	ttg Leu	gca Ala	aat Asn	gtt Val 285	1045
	agg Arg															1093

atc Ile	act Thr	gga Gly	gat Asp 305	aac Asn	acc Thr	aaa Lys	tgg Trp	aac Asn 310	gaa Glu	aat Asn	cag Gln	aac Asn	cct Pro 315	cgg Arg	atg Met	1141
ttt Phe	ttg Leu	gcc Ala 320	atg Met	atc Ile	aca Thr	tat Tyr	ata Ile 325	acc Thr	aga Arg	aat Asn	cag Gln	ccc Pro 330	gaa Glu	tgg Trp	ttc Phe	1189
aga Arg	aat Asn 335	gtt Val	cta Leu	agt Ser	att Ile	gct Ala 340	cca Pro	ata Ile	atg Met	ttc Phe	tca Ser 345	aac Asn	aaa Lys	atg Met	gcg Ala	1237
aga Arg 350	ctg Leu	gga Gly	aag Lys	Gly ggg	tac Tyr 355	atg Met	ttt Phe	gag Glu	agc Ser	aag Lys 360	agt Ser	atg Met	aaa Lys	att Ile	aga Arg 365	1285
act Thr	caa Gln	ata Ile	cct Pro	gca Ala 370	gaa Glu	atg Met	cta Leu	gca Ala	agt Ser 375	att Ile	gat Asp	cta Leu	aaa Lys	tat Tyr 380	ttc Phe	1333
aat Asn	gaa Glu	cca Pro	aca Thr 385	agg Arg	aag Lys	aaa Lys	atc Ile	gag Glu 390	aaa Lys	ata Ile	agg Arg	cct Pro	ctc Leu 395	tta Leu	ata Ile	1381
gat Asp	ggg Gly	act Thr 400	gca Ala	tca Ser	ttg Leu	agc Ser	cct Pro 405	gga Gly	atg Met	atg Met	atg Met	ggc Gly 410	atg Met	ttc Phe	aat Asn	1429
atg Met	tta Leu 415	agt Ser	act Thr	gta Val	tta Leu	ggc Gly 420	gtc Val	tcc Ser	atc Ile	ctg Leu	aat Asn 425	ctt Leu	gga Gly	caa Gln	aag Lys	1477
aga Arg 430	cac His	acc Thr	aag Lys	act Thr	act Thr 435	tac Tyr	tgg Trp	tgg Trp	gat Asp	ggt Gly 440	ctt Leu	caa Gln	tct Ser	tct Ser	gat Asp 445	1525
gat Asp	ttt Phe	gct Ala	ctg Leu	att Ile 450	gtg Val	aat Asn	gca Ala	ccc Pro	aat Asn 455	cat His	gaa Glu	Gly ggg	att Ile	caa Gln 460	gcc Ala	1573
					tat Tyr											1621
					tac Tyr											1669
					tat Tyr											1717
					tct Ser 515											1765
					aaa Lys											1813
				Met	gcc Ala											1861
					aga Arg											1909

560	5	65	570	
ttt gaa ata aag Phe Glu Ile Lys 575	aaa ctg tgg ga Lys Leu Trp G 580	ag caa acc cat lu Gln Thr His	t toc aaa got gga otg s Ser Lys Ala Gly Leu 585	1957
ctg gtc tcc gac Leu Val Ser Asp 590	gga ggc cca a Gly Gly Pro A 595	at tta tac aad sn Leu Tyr Asr 600	c att cgg aat ctc cac n Ile Arg Asn Leu His 0 605	
atc ccg gaa gtt Ile Pro Glu Val	tgc ctg aaa t Cys Leu Lys T 610	gg gaa cta ato rp Glu Leu Met 615	g gat gaa gac tat cag t Asp Glu Asp Tyr Gln 620	2053
gga aga ctt tgt Gly Arg Leu Cys 625	aat ccc atg a Asn Pro Met A	ac ccg ttt gto sn Pro Phe Val 630	c agt cat aag gaa att 1 Ser His Lys Glu Ile 635	2101
gaa tct gta aac Glu Ser Val Asn 640	Asn Ala Ala V	gta atg cca gco Val Met Pro Ala S45	c cat ggt cca gcc aaa a His Gly Pro Ala Lys 650	2149
agc atg gaa tat Ser Met Glu Tyr 655	gat gct gtg g Asp Ala Val A 660	gca act aca cad Ala Thr Thr His	c tct tgg atc cct aag s Ser Trp Ile Pro Lys 665	2197
aga aac cgt tcc Arg Asn Arg Ser 670	att ctc aat a Ile Leu Asn T 675	acg agt caa ago Thr Ser Gln Arc 680	g gga atc ctt gag gat g Gly Ile Leu Glu Asp 0 685	•
gaa caa atg tac Glu Gln Met Tyr	cag aag tgt t Gln Lys Cys C 690	gc aac cta tto Cys Asn Leu Pho 695	c gag aaa ttc tt <i>c</i> cct e Glu Lys Phe Phe Pro 700	2293
agc agc tca tac Ser Ser Ser Tyr 705	Arg Arg Pro V	gtt gga att tco Val Gly Ile Se: 710	c agt atg gtg gag gcc r Ser Met Val Glu Ala 715	2341
atg gtg tct agg Met Val Ser Arg 720	Ala Arg Ile A	gat gca cga at Asp Ala Arg Il 125	t gac ttc gag tct gga e Asp Phe Glu Ser Gly 730	2389
agg att aag aag Arg Ile Lys Lys 735	gaa gag ttt g Glu Glu Phe A 740	Ala Glu Ile Me	g aag atc tgt tcc acc t Lys Ile Cys Ser Thr 745	2437
att gaa gag ctc Ile Glu Glu Leu 750			agcttgtcct tcatgaaaa	aa 2491
atgccttgtt tcta	ctaata acccggc	egge ccaaaatge	c gactcggagc gaaagata	ta 2551
cctcccccgg ggcc	gggagg tcgcgtc	cacc gaccacgco	g ccggcccagg cgacgcgc	ga 2611
cacggacacc tgtc	cccaaa aacgcca	acca togoagoca	c acacggagcg cccggggc	ecc 2671
tctggtcaac ccca	ggacac acgcggg	gage agegeeggg	c cggggacgcc ctcccggc	cg 2731
cccgtgccac acgo	aggggg ccggccc	cgtg tctccagag	c gggagccgga agcatttt	cg 2791
gccggcccct ccta	cgaccg ggacaca	acga gggaccgaa	g gccggccagg cgcgacct	ct 2851
cgggccgcac gcgc	gctcag ggagcgc	ctct ccgactccg	c acggggactc gccagaaa	agg 2911
atcgtgacct gcat	taatga atcaggo	ggat aacgcagga	a agaacatgtg agcaaaaq	ggc 2971
cagcaaaagg ccag	gaaccg taaaaac	ggcc gcgttgctg	g cgtttttcca taggctc	gc 3031

ccccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 3091 ctataaagat accaggogtt toccootgga agetocotog tgogototoc tgttoogace 3151 ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat 3211 ageteaeget gtaggtatet eagtteggtg taggtegtte geteeaaget gggetgtgtg 3271 cacgaaccce cogttcagee egacegetge geettateeg gtaactateg tettgagtee 3331 aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga 3391 gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact 3451 agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt 3511 qgtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt tgtttgcaag 3571 cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg 3631 tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa 3691 aggatettea eetagateet titaaattaa aaatgaagtt ttaaateaat etaaagtata 3751 tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 3811 atctqtctat ttcqttcatc cataqttgcc tgactccccg tcgtgtagat aactacgata 3871 cgggagggct taccatctgg ccccagtgct gcaatgatac cgcgagaccc acgctcaccg 3931 gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct 3991 gcaactttat ccgcctccat ccagtctatt aattgttgcc gggaagctag agtaagtagt 4051 tcqccaqtta ataqtttqcq caacqttqtt qccattqcta caggcatcqt ggtqtcacqc 4111 tcgtcgtttg gtatggcttc attcagctcc ggttcccaac gatcaaggcg agttacatga 4171 tcccccatgt tgtgcaaaaa agcggttagc tccttcggtc ctccgatcgt tgtcagaagt 4231 aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 4291 atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 4351 tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa cacgggataa taccgcgcca 4411 catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg aaaactctca 4471 aggatettae egetgttgag atecagtteg atgtaaceca etegtgeace caactgatet 4531 tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 4591 gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 4651 tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4711 tagaaaaata aacaaaagag tttgtagaaa cgcaaaaagg ccatccgtca ggatggcctt 4771 ctgcttaatt tgatgcctgg cagtttatgg cgggcgtcct gcccgccacc ctccgggccg 4831 ttgcttcgca acgttcaaat ccgctcccgg cggatttgtc ctactcagga gagcgttcac 4891 cgacaaacaa cagataaaac gaaaggccca gtctttcgac tgagcctttc gttttatttg 4951 atgectggca gtteectact etegeatggg gagaccecae actaceateg gegetaegge 5011

gtttcacttc tgagttcggc atggggtcag gtgggaccac cgcgctactg ccgccaggca 5071 aattotottt tatcagaccg ottotgogtt otgatttaat otgtatcagg otgasaatot 5131 tototoatco gocaaaacag ccaagotago ggoogato <210> 47 <211> 757 <212> PRT <213> Artificial Sequence <223> Description of Artificial Sequence: pHL3268 <400> 47 Met Asp Val Asn Pro Thr Leu Leu Phe Leu Lys Val Pro Ala Gln Asn Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Asp Pro Pro Tyr Ser His Gly Thr Gly Thr Gly Tyr Thr Met Asp Thr Val Asn Arg Thr His Gln Tyr Ser Glu Arg Gly Arg Trp Thr Thr Asn Thr Glu Thr Gly Ala Pro Gln Leu Asn Pro Ile Asp Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser Gly Tyr Ala Gln Thr Asp Cys Val Leu Glu Ala Met Ala Phe Leu Glu Glu Ser His Pro Gly Ile Phe Glu Thr Ser Cys Leu Glu Thr Met Glu 105 Val Val Gln Gln Thr Arg Val Asp Lys Leu Thr Gln Gly Arg Gln Thr Tyr Asp Trp Thr Leu Asn Arg Asn Gln Pro Ala Ala Thr Ala Leu Ala Asn Thr Ile Glu Val Phe Arg Ser Asn Gly Leu Thr Ala Asn Glu Ser Gly Arg Leu Ile Asp Phe Leu Lys Asp Val Met Glu Ser Met Asn Lys Glu Glu Met Glu Ile Thr Thr His Phe Gln Arg Lys Arg Arg Val Arg 185 Asp Asn Met Thr Lys Lys Met Val Thr Gln Arg Thr Ile Gly Lys Arg Lys Gln Arg Leu Asn Lys Arg Ser Tyr Leu Ile Arg Ala Leu Thr Leu Asn Thr Met Thr Lys Asp Ala Glu Arg Gly Lys Leu Lys Arg Arg Ala Ile Ala Thr Pro Gly Met Gln Ile Arg Gly Phe Val Tyr Phe Val Glu Thr Leu Ala Arg Ser Ile Cys Glu Lys Leu Glu Gln Ser Gly Leu Pro Val Gly Gly Asn Glu Lys Lys Ala Lys Leu Ala Asn Val Val Arg Lys

	Met 290	Thr	Asn	Ser	Gln	Asp 295	Thr	Glu	Ile	Ser	Phe 300	Thr	Ile	Thr	Gly
Asp 305	Asn	Thr	Lys	Trp	Asn 310	Glu	Asn	Gln	Asn	Pro 315	Arg	Met	Phe	Leu	Ala 320
Met	Ile	Thr	Tyr	Ile 325	Thr	Arg	Asn	Gln	Pro 330	Glu	Trp	Phe	Arg	Asn 335	Val
Leu	Ser	Ile	Ala 340	Pro	Ile	Met	Phe	Ser 345	Asn	Lys	Met	Ala	Arg 350	Leu	Gly
Lys	Gly	Tyr 355	Met	Phe	Glu	Ser	Lys 360	Ser	Met	Lys	Ile	Arg 365	Thr	Gln	Ile
Pro	Ala 370	Glu	Met	Leu	Ala	Ser 375	Ile	Asp	Leu	Lys	Tyr 380	Phe	Asn	Glu	Pro
Thr 385	Arg	Lys	Lys	Ile	Glu 390	Lys	Ile	Arg	Pro	Leu 395	Leu	Ile	Asp	Gly	Thr 400
Ala	Ser	Leu	Ser	Pro 405	Gly	Met	Met	Met	Gly 410	Met`	Phe	Asn	Met	Leu 415	Ser
Thr	Val	Leu	Gly 420	Val	Ser	Ile	Leu	Asn 425	Leu	Gly	Gln	Lys	Arg 430	His	Thr
-		435	Tyr				440					445			
Leu	Ile 450	Val	Asn	Ala	Pro	Asn 455	His	Glu	Gly	Ile	Gln 460	Ala	Gly	Val	Asn
465			Arg		470					475					480
Lys	Ser	Tyr	Ile	Asn 485	Arg	Thr	Gly	Thr	Phe 490	Glu	Phe	Thr	Ser	Phe 495	Phe
Tur															~ 1
-			Gly 500					505					510		
Gly	Val	Ser 515	500 Gly	Ile	Asn	Glu	Ser 520	505 Ala	Asp	Met	Ser	Ile 525	510 Gly	Val	Thr
Gly	Val	Ser 515	500 Gly	Ile	Asn	Glu	Ser 520	505 Ala	Asp	Met	Ser	Ile 525	510 Gly	Val	
Gly	Val Ile 530	Ser 515 Lys	500 Gly Asn	Ile Asn	Asn Met	Glu Ile 535	Ser 520 Asn	505 Ala Asn	Asp Asp	Met Leu	Ser Gly 540	Ile 525 Pro	510 Gly Ala	Val Thr	Thr
Gly Val Gln 545 Cys	Val Ile 530 Met	Ser 515 Lys Ala Arg	500 Gly Asn Leu Gly	Ile Asn Gln Asp	Asn Met Leu 550 Thr	Glu Ile 535 Phe Gln	Ser 520 Asn Ile	505 Ala Asn Lys Gln	Asp Asp Thr	Met Leu Tyr 555 Arg	Ser Gly 540 Arg	Ile 525 Pro Tyr Ser	510 Gly Ala Thr	Val Thr Tyr Glu 575	Thr Ala Arg 560
Gly Val Gln 545 Cys	Vai Ile 530 Met His	Ser 515 Lys Ala Arg	Gly Asn Leu Gly Trp 580	Ile Asn Gln Asp 565	Asn Met Leu 550 Thr	Glu Ile 535 Phe Gln Thr	Ser 520 Asn Ile Ile	Asn Lys Gln Ser 585	Asp Asp Thr 570 Lys	Met Leu Tyr 555 Arg	Ser Gly 540 Arg Arg	Ile 525 Pro Tyr Ser Leu	510 Gly Ala Thr Phe Leu 590	Val Thr Tyr Glu 575 Val	Thr Ala Arg 560 Ile Ser
Gly Val Gln 545 Cys	Vai Ile 530 Met His	Ser 515 Lys Ala Arg	500 Gly Asn Leu Gly Trp 580 Pro	Ile Asn Gln Asp 565	Asn Met Leu 550 Thr	Glu Ile 535 Phe Gln Thr	Ser 520 Asn Ile Ile	505 Ala Asn Lys Gln Ser 585 Ile	Asp Asp Thr 570 Lys	Met Leu Tyr 555 Arg	Ser Gly 540 Arg Arg	Ile 525 Pro Tyr Ser Leu	510 Gly Ala Thr Phe Leu 590	Val Thr Tyr Glu 575 Val	Thr Ala Arg 560
Gly Val Gln 545 Cys Lys	Val Ile 530 Met His Lys	Ser 515 Lys Ala Arg Leu Gly 595	Gly Asn Leu Gly Trp 580 Pro	Ile Asn Gln Asp 565 Glu Asn	Asn Met Leu 550 Thr	Glu Ile 535 Phe Gln Thr	Ser 520 Asn Ile Ile His Asn 600 Met	Asn Lys Gln Ser 585 Ile	Asp Asp Thr 570 Lys	Met Leu Tyr 555 Arg Ala Asn	Ser Gly 540 Arg Arg Gly Leu	Ile 525 Pro Tyr Ser Leu His 605	Gly Ala Thr Phe Leu 590 Ile	Val Thr Tyr Glu 575 Val	Thr Ala Arg 560 Ile Ser

140

141

Claims:

Bratislava RNA-polymerase.

EPO - Munich 63

**0** 9. Feb. 2001

1. A human influenza virus comprising an RNA-sequence encoding a modified RNA-polymerase which differs from the wild-type RNA-polymerase of said human influenza virus in that at least one of the amino acid residue(s) distinguishing the wild-type RNA-polymerase of said human influenza virus from FPV Bratislava RNA-polymerase has been replaced with the corresponding amino acid residue(s) as present in FPV

- 2. The influenza virus of claim 1, which is selected from influenza A including strains of type H1N1, H2N2 and H3N2, influenza B and influenza C, and preferably is an influenza A type H1N1, including WSN/33, PR8/34 or the like, an influenza A type H2N2, including Asia/57 or the like, or an influenza A type H3N2, including Victoria/68 or the like.
- 3. The influenza virus of claim 1 or 2, wherein the at least one distinguishing amino acid residue to be replaced is located within the PB1 segment of the virus.
- 4. The influenza virus of claim 3, wherein at least one or all of the following PB1 amino acid substitutions S384P, L396I, L628M, V644A, T741A, relative to the wild-type WSN-PB1 polypeptide shown in SEQ ID NO:25 have been effected, preferably the influenza virus strain used is WSN-K68 carrying five distinguishing amino acids.
- 5. The influenza virus of claim 3, which encodes the PB1 segment shown in SEQ ID NO:27, 29, 31, 33, 35, 37, 39, 41, 43, 45 or 47, preferably said influenza virus comprises a PB1 (segment2) RNA sequence corresponding to the nucleotide sequence shown in SEQ ID NO:26, 28, 30, 32, 34, 36, 38, 40, 42, 44 or 46.

142

- 6. The influenza virus according to any one of claims 1 to 5, wherein the modified RNA-polymerase is capable of recognition of segments with modified vRNA promoter sequences resulting in an enhanced rate of transcription and/or replication relative to said wild-type human influenza virus RNA-polymerase.
- 7. The influenza virus of claim 6, wherein the segments with modified vRNA promoter sequences contain terminal viral RNA sequences which have been modified by nucleotide substitutions in up to five positions, resulting in improved transcription rates of both the vRNA promoter as well as the cRNA promoter as present in the complementary sequences.
- 8. The influenza virus of claim 7, wherein the 12 nucleotide conserved influenza 3' terminal sequence has been modified by replacement of one to three nucleotides occurring in said sequence at positions 3, 5 and 8 relative to the 3' end by other nucleotides, and/or wherein the 13 nucleotide conserved influenza 5' terminal sequence has been modified by replacement of one or two nucleotides occurring in said sequence at positions 3 and 8 by other nucleotides.
- 9. The influenza virus of claim 8, wherein the replacements in the 3' terminal nucleotide sequence comprises the modifications G3A and C8U, or G3C and C8G, preferably the replacements in the 3' terminal nucleotide sequence comprises the modifications G3A, U5C and C8U, or G3C, U5C and C8G.
- 10. The influenza virus of claim 9, which comprises a 3' terminal nucleotide sequence of (5')-CCUGUUUCUACU-3' or (5')-CCUGUUUUUACU-3'.
- 11. The influenza virus according to any one of claims 7 to 10, wherein the 5' terminal nucleotide sequence comprises the modifications U3A and A8U resulting in a 5'-terminal sequence of 5'-AGAAGAAUCAAGG.

- 12. The influenza virus according to any one of claims 1 to 11 which is suitable for high yielding expression of one or more foreign recombinant or altered viral proteins, preferably said influenza virus contains
- (i) one or more segment(s) with a foreign recombinant or altered viral gene sequence in addition to the RNA segments of the normal viral genome (additional segment) or partially replacing them (replacing segment), whereby the additional segment(s) and replacing segment(s) comprise the foreign or altered gene encoding the protein to be expressed in monocistronic arrangement and have modified vRNA promoter sequences as defined in claims 7 to 11; and/or
- (ii) one or more bicistronic vRNA segment(s), preferably in ambisense or in tandem arrangement, whereby the bicistronic vRNA segment(s) has/have foreign gene(s) encoding the protein(s) to be expressed and being in covalent linkage with one of the authentic viral genes, preferably the neuraminidase gene, and has/have modified vRNA promoter sequences as defined in claims 7 to 11.
- 13. The influenza viruses according to claim 12 having at least one additional segment coding for one or more foreign genes or one or more altered viral genes in monocistronic arrangement.
- 14. The influenza virus according to claim 13 in which the at least one additional segment codes for a glycoprotein of foreign-viral, animal, human or other origin, with or without in-frame fusion linkage to influenza coding sequences, in which the glycoprotein is at the same time incorporated itself in the virion envelopes, preferably the foreign glycoprotein sequence incorporated as vRNA and as a protein is derived from the genome of the contagious swine fever virus (CSFV), the bovine viral diarrhea virus (BVDV), the vesicular stomatitis virus (VSV), the Borna virus (BDV), the Marburg virus, the Ebola virus, the hepatitis C virus, the tick-borne meningo-encephalitis virus (TBE), the Western Nile virus or the human immunodeficiency virus (HIV).

- 15. The influenza virus according to claim 13 in which one or more of the incorporated foreign genes code
- (a) for a lymphokine of human or animal origin which is secreted by the influenza vector infected cell, or
- (b) for the expression of an apoptosis-inducing gene or a toxin gene, effective in the primarily infected cell or, after secretion, in neighboring cells.
- 16. The influenza virus of claim 12, which is genetically stable in the absence of any helper virus and which comprises at least one viral RNA segment being an ambisense RNA molecule (ambisense RNA segment) and containing one of the standard viral genes in sense orientation and a foreign, recombinant gene in anti-sense orientation, or *vice versa*, in overall convergent arrangement.
- 17. The influenza virus of claim 16, wherein at least one of the regular viral RNA segments is replaced by an ambisense RNA segment which contains one of the standard viral genes in sense orientation and a foreign, recombinant gene in anti-sense orientation, or *vice versa*, in overall convergent arrangement.
- 18. The influenza virus of claim 16 or 17, wherein in the ambisense RNA molecule said foreign recombinant gene is covalently bound to one of the viral genes, while the original vRNA segment coding for the same gene is deleted from the recombinant virus by way of specific ribozyme cleavage or is left out from the set of RNA-polymerase I promoted vRNA synthesizing plasmids, able to result in infectious viruses.
- 19. The influenza virus according to any one of claims 16 to 18, wherein one or more of the standard viral RNA segments, differing from said at least one ambisense RNA segment, comprises a vRNA encoding a foreign gene, preferably one or more of the regular viral RNA segments has

(have) been exchanged for a vRNA encoding a foreign gene, preferably one or both of the standard glycoproteins hemagglutinin and neuraminidase have been exchanged into foreign glycoprotein(s) or into fusion glycoproteins consisting of an anchor segment derived from hemagglutinin and an ectodomain obtained from the foreign source, viral or cellular, or in which such recombinant glycoprotein has been inserted as a third molecular species in addition to the remaining standard components.

- 20. The influenza virus of claim 12, which is genetically stable in the absence of any helper virus and which comprises at least one viral RNA segment being a bicistronic RNA molecule coding for two genes in tandem arrangement (tandem RNA segment), in said tandem RNA segment one of the standard viral genes being in covalent junction with a foreign, recombinant gene and said tandem RNA segment having an upstream splice donor and a downstream splice acceptor signal surrounding the proximal coding region.
- 21. The influenza virus of claim 20, wherein the tandem RNA segment contains one of the standard viral genes in distal mRNA position behind a foreign, recombinant gene in proximal position, or vice versa, both in antisense orientation with regard to the viral RNA as present within the virus.
- 22. The influenza virus of claim 20 or 21, wherein at least one of the regular viral RNA segments is replaced by a tandem RNA segment, preferably the replaced regular viral RNA segment is selected from the neuraminidase segment, hemagglutinin segment and NS segment.
- 23. The influenza virus according to any one of claims 20 to 22, wherein the splice donor and splice acceptor signals are selected from sequences as present in influenza WSN segment 7 and 8 or other partially effective splice reacting substrates, preferably the splice donor and splice acceptor

signals are selected from sequences as present in influenza WSN segment 7.

- 24. The influenza virus according to any one of claims 20 to 23, wherein one or more of the regular viral RNA segments, differing from said at least one tandem RNA segment, comprises a vRNA encoding a foreign gene which may or may not be in covalent connection to one of the viral genes, and preferably one or more of the regular viral RNA segments has (have) been deleted and replaced by a tandem vRNA encoding in addition a foreign gene.
- 25. The influenza virus according to any one of claims 20 to 24, in which the foreign gene(s) in the tandem RNA segment
  - (i) code for proteins and/or glycoproteins which are secreted from cells infected with the recombinant virus;
  - (ii) code for proteins or artificial polypeptides designed to support an efficient HLA-restricted presentation of inherent epitopes at the surface of infected cells, for stimulation of a B cell and/or T cell response;
  - (iii) is a nucleotide sequence causing viral attenuation, preferably the foreign gene is coding for part of the viral neuraminidase gene in inverted, i.e. sense orientation, with or without an inserted ribozyme sequence,

preferably the tandem segment part of the neuraminidase gene in sense orientation is attached to the hemagglutinin vRNA segment, and optionally another gene or reporter gene is encoded in a second tandem vRNA, preferably in conjunction with NS2.

26. The influenza virus according to any one of claims 16 to 25 which is suitable for the expression of non-influenza genes or synthetic genes, or gene-inhibitory sequences such as, but not limited to, antisense genes or ribozymes, whereby

- (i) the non-influenza genes are covalently linked to one of the viral genes,
- (ii) the non-influenza gene constitutes a membrane glycoprotein consisting of a fusion of the viral HA transmembrane and cytoplasmic regions with the foreign ectodomain sequence.
- 27. A non-avian, non-human influenza virus, preferably an equine or a porcine influenza virus comprising an RNA-sequence encoding a modified RNA-polymerase which differs from the wild-type RNA-polymerase of said non-avian, non-human influenza virus in that at least one of the amino acid residue(s) distinguishing the wild-type RNA-polymerase of said non-avian, non-human influenza virus from FPV Bratislava RNA-polymerase has been replaced with the corresponding amino acid residue(s) as present in FPV Bratislava RNA-polymerase, preferably said influenza virus is as defined in any one of claims 2 to 26.
- 28. A process for preparing the influenza virus of claims 1 to 27 which comprises replacing the RNA-sequence encoding the wild-type RNA-polymerase of said influenza virus with an RNA-sequence encoding the modified RNA-polymerase.
- 29. The process of claim 28, which is suitable for preparing PB1-chimeric viruses as defined in claims 1 to 11 and 27 as well as recombinant viruses as defined in claims 12 to 27, said viruses being generated via cotransfection of up to eight cDNA plasmids containing the viral cDNAs, or chimeric (segment 2: PB1) and bicistronic recombinant (segment 6: NA/foreign gene) cDNA sequences instead, in such a way that they are transcribed *in vivo* by both RNA-polymerase I and RNA-polymerase II and jointly give rise to progeny viruses according to the plasmid insert design.
- 30. A pharmaceutical composition comprising the influenza virus according to any one of claims 1 to 27.

- 31. The pharmaceutical composition of claim 30 which is suitable
- (i) for gene transfer into cells, preferably into mammalian cells, more preferably into human cells, by recombinant viral infection;
- (ii) for gene transfer into antigen-presenting cells, preferably into dendritic cells, and the use of the obtained product for *ex vivo* immunotherapy;
- (iii) for in vivo somatic gene therapy;
- (iv) for *in vivo* vaccination, including therapeutic and prophylactic vaccination;
- (v) for eliciting an immune response, including the induction of a T-cell response;
- (vi) for treating a growing tumor or a chronic infectious disease.
- 32. Use of the influenza virus according to any one of claims 1 to 27 for preparing an agent
- (i) for gene transfer into cells, preferably into mammalian cells, more preferably into human cells, by viral infection;
- (ii) for gene transfer into antigen-presenting cells and the use of the obtained product for ex vivo immunotherapy;
- (iii) for in vivo somatic gene therapy;
- (iv) for *in vivo* vaccination, including therapeutic and prophylactic vaccination;
- (v) for eliciting an immune response, including the induction of a T-cell response;
- (vi) for treating a growing tumor or a chronic infectious disease.
- 33. A method for
- (i) gene transfer into cells, preferably into mammalian cells, more preferably into human cells, by viral infection;
- (ii) gene transfer into antigen-presenting cells, and the use of the obtained product for *ex vivo* immunotherapy;
- (iii) in vivo somatic gene therapy;
- (iv) in vivo vaccination, including therapeutic and prophylactic vaccination;

- (v) eliciting an immune response, including the induction of a T-cell response, preferably a CD4+ T-cell response, a CD8 T-cell response or both, or the induction of an antibody response;
- (vi) treating a growing tumor or a chronic infectious disease;
- (vii) preparing a vaccine;
- (viii) preventing and/or treating influenza;

which comprises contacting the cells, the antigen-presenting cells, the person or the patient in need for vaccination, for influenza treatment or for somatic gene therapy, or cell cultures with the influenza virus according to any one of claims 1 to 27.

- 34. A method for the production of proteins or glycoproteins which comprises utilizing the influenza virus according to claims 1 to 27 as expression vector, preferably the production method is performed in cell culture cells or in fertilized chicken eggs.
- 35. Use of the influenza virus according to claims 1 to 27 for preparing agents
- (i) for transfer and expression of foreign genes into cells infected by such viruses, or
- (ii) for transfer and expression of RNA molecules into cells infected by such viruses, preferably the RNA molecules to be expressed are antisense sequences or double-strand sequences relative to the target cell cellular mRNA molecules, and/or the agent is suitable for sequence-specific gene silencing, preferably by antisense RNA or RNA interference mechanisms such as ribozyme cleavages of target RNAs.
- 36. A method for transfer and expression of foreign genes into cells, and for transfer and expression of RNA molecules into cells, which method comprises infecting the cells with the influenza virus according to claims 1 to 27.

- 37. Use of the influenza virus according to claims 1 to 27 for preparing agents for immunotherapy, preferably for autologous immunotherapy.
- 38. A method for an immunotherapy which comprises *ex vivo* infection of immune cells, preferably dendritic cells, with the influenza virus according to claims 1 to 27, and introduction of the transduced cells into the patient.
- 39. A method to elicit an immune response directed against an antigen, comprising the steps of introducing the influenza virus as defined in claims 1 to 27, preferably the human influenza virus as defined in claims 1 to 26, into a cell or administering it to a mammal, wherein said influenza virus contains at least one foreign gene encoding the antigen.
- 40. The method of claim 39, wherein said foreign gene encoding the antigen is a polynucleotide sequence associated with a disease, preferably an infectious diseases, or a tumor disease, preferably the antigen is exemplified by, but not limited to,
- (i) virus-associated antigens such as the HIV antigens gp160, gp 120, rev, tat, NC, the HBV e-antigen or core antigen, the HPV E6 or E7 antigen, the herpes simplex virus glycoproteins or core proteins, other herpesvirus antigens and further viral and microbial antigens known to those skilled in the art, or
- (ii) tumor associated antigens, especially the so-called cancer testisantigens exemplified by the MAGE, BAGE and GAGE family of antigens, the NY-ESO-1 antigen, the SSX antigens, exemplified by the HOM-MEL-40.
- 41. The method of claim 39 or 40, wherein the polynucleotide sequence
- is derivable from a cDNA library isolated from tumor cells, or testis cells, or virus-infected cells, or micriobially infected cells, or celllines,

- (ii) is a fusion protein consisting of epitopes derived from one or more T-cell specific epitope sequences as present in viral or other pathogens, or in tumor associated antigens.
- 42. A vaccine for therapeutic or prophylactic purposes which is
- (a) a human influenza virus vaccine comprising a human influenza virus as defined in claims 1 to 26 or in claims 39 to 41, preferably said human influenza virus encodes the antigen for a membrane protein and in addition contains the membrane protein in the viral envelope; or
- (b) a non-human influenza virus vaccine, preferably an equine or porcine influenza virus vaccine, comprising a virus as defined in claim 27.
- 43. The vaccine according to claim 42, wherein the virus
- (i) is capable of being attenuated according to the tandem attenuation mechanism;
- (ii) is only capable of limited replication; or
- (iii) is an inactivated virus.
- 44. Transduced cells, preferably antigen-presenting cells, obtainable by the method of claim 33, option (i) or (ii).
- 45. A vaccine comprising transduced cells as defined in claim 44, preferably comprising transduced antigen-presenting cells, more preferably transduced dendritic cells, and most preferably mature dendritic cells, wherein said antigen-presenting cells are transduced *in vitro*.
- 46. A method to identify a polynucleotide sequence encoding at least one HLA-restricted epitope comprising the steps of
  - (a) preparing a gene bank or a cDNA bank from the cell or the microorganism to be tested;
  - (b) incorporating the cDNA or the DNA of the gene bank into the genome of the influenza virus as defined in claims 1 to 27 to yield recombinant virus particles,

- (c) infecting immortalized autologous cells, which are capable of expression of HLA-class I molecules and/or HLA-class II molecules on their surface, with the recombinant virus particles obtained in step (b),
- (d) expressing the proteins encoded by said cDNA or said DNA of the gene bank in the autologous cells and presenting the fragments of the proteins produced by the autologous cells or the cell surface in connection with HLA molecules;
- (e) co-cultivating T-cells with the autologous cells; and
- (f) stimulating the T-cells by such autologous cells which present antigens on their surface, whereby said antigens are recognized by the T-cells.
- 47. A method to study gene function in antigen presenting cells comprising steps (a) to (f) of claim 46.

**ABST** 

01103060

153

EPO - Munich 63

0 9, Feb. 2001

## **Abstract**

The present invention provides human influenza viruses comprising an RNA-sequence encoding a modified RNA-polymerase, a process for the preparation thereof, pharmaceutical compositions comprising said human influenza viruses and their use for gene transfer into mammalian cells, for *ex vivo* gene transfer into antigen-presenting cells, such as dendritic cells, for *in vivo* somatic gene therapy, or *in vivo* vaccination purposes. The invention also relates to other non-avian influenza viruses, including equine, porcine (swine) influenza viruses.

FIG. I

		PB1: Positions	sitions										
Туре	Origin	52	54	105	175	208	298	364	383	384	396	431	464
H7N7	Bratislava 82 chicken	ㅈ	ᅩ	z	٥	エ	_1	_	ш	<b>a</b>	_	>	Ω
H7N7	Rostock34 chicken	ᅩ	¥	Z	۵	¥	_		ш	တ	_	>-	Ω
H N N	WSN33 human	~	œ	<b>i</b> —I	z	띠	—1		۵	တ		エ	ZI
H1N1	Wisconsin88 human	œ	ᅩ	Z	ш	¥		_	۵	တ	ب	<b>&gt;</b> -	Ω
H2N2	Singapore57 human	ᅩ	ᅩ	z	Ω	メ	_	_	ш	တ		>	Ω
H2N2	Ann Arbor60 human	×	¥	Z	۵	¥	_	_	ш	S		>	Ω
H3N2	Honkong68 human	×	¥	Z	۵	メ			ш	S	ب	>	Ω
H3N2	Shiga97 human	×	$\prec$	z	Ω	ᅩ	_	_	ш	S	_	>	Ω
H3N2	Hongkong82 swine	×	¥	z	Ω	¥	_	ب	ш	ഗ		>	Ω
H3N2	Katakyushu93 human	~	×	Z	Ω	¥	_	ـ	ш	တ	لــ	>	Ω
H3N8	Tennessee86 equine	×	×	z	z	メ	_	_	ш	S	_	>	Ω
H4N2	Minnesota80 turkey	¥	×	z	۵	¥	_	_	ш	တ	_	>	Ω
H4N6	Ontario99 swine	¥	エ	Z	Ω	ᆇ			ш	တ	_	>-	۵
H5N1	Hongkong97 human	×	œ	Z	Ω	¥	_	_	ш	ഗ	لــــا	>	۵
H6N1	Taiwan99 chicken	エ	メ	z	۵	×	_		Ш	ഗ	_	>	۵
H7N7	London73 equine	ᅩ	エ	z	۵	メ			۵	တ	<b></b> l	>	Ω
H9N2	Pakistan99 chicken	쏘	ㅈ	z	۵	ᅩ	_	_	ш	S	_	<b>&gt;</b>	

EPO - Munich 63 0 9. Feb. 2001

FIG 1 (continued)

		PB1: Po	sitions			<u> </u>					
Type	Origin	473	9/9	584	628	633	929	644	645	654	741
H7N7	Bratislava 82 chicken	>	٦	<u>ح</u>	Σ	S	Ш	4	>	S	4
H7N7	Rostock34 chicken	>	_	œ		ഗ	ш	>	>	S	⋖
H1N1	WSN33 human	_	_	エ	_	Z		>	1	z	H
H1N1	Wisconsin88 human	_	_	ድ		တ	ш	>	>	<b>-</b>	⋖
H2N2	Singapore57 human	>	_	œ		တ	ш	>	>	ഗ	⋖
H2N2	Ann Arbor60 human	>	_	œ	_	တ	ш	>	>	ഗ	∢
H3N2	Honkong68 human	>	_	Ø	_	ഗ	ш	>	>	ഗ	S
H3N2	Shiga97 human	>	_	Ø	_	ഗ	ш	>	>	S	တ
H3N2	Hongkong82 swine	>	_	œ	_	တ	ш	>	>	ഗ	∢
H3N2	Katakyushu93 human	>	اب	Ø	_	တ	Ш	>	>	ഗ	ഗ
H3N8	Tennessee86 equine	>	_	œ	_	S	ш	>	>	ഗ	∢
H4N2	Minnesota80 turkey	>	ب	œ	_	တ	Ш	>	>	z	⋖
H4N6	Ontario99 swine	>	_	œ	_	တ	ш	>	>	ഗ	⋖
H5N1	Hongkong97 human	>	ليــ	œ	٦	တ	Ш	>	>	တ	⋖
H6N1	Taiwan99 chicken	>	_	œ	_	တ	Ш	>	>	ഗ	⋖
H7N7	London73 equine	>	_	œ	ب	S	Ш	>	>	ഗ	⋖
H9N2	Pakistan99 chicken	>	_	œ	_	S	Ш	>	>	S	⋖

rinted:05-03-2002		DRA	4W	-,			0110	3060
CAT assay 93T MDCK	8	38	13	25	25	28	100	
CAT assay 293T MDCK	<del></del>	22	10	4	18	17	8	
orig.titer	7x10 ⁸ /ml	1x10 ⁸ /ml	2x10 ⁷ /ml	1x10 ⁵ /ml	2x10 ⁶ /ml	3x10 ⁵ /ml	3x10 ⁹ /ml	
other	WSW	WSN	WSW	WSN	WSN	WSN	FPV	
T X5' H LV V2 T		FPV	WSN	FPV	MSM			
constitution					FPV	FPV	FPV	
<u>v1 / c1</u>		NSM	FPV	MSM	MSM			
Fig.2 plasmid map PB1		pHL3102	pHL3103	pHL3130	pHL3131	pHL3115	0HL1844 [	-2001

Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16

